

# Smoking Prevalence Tracker 2018 Infographic

(This information relates to data collected in the months of March, June, September and December 2018)

Survey carried out by Ipsos MRBI on behalf of the HSE

#### **Headline Data**

Smoking Prevalence: 18.1%

E Cigarette Use: 5.9%

Roll Your Own (RYO): 28.4%

(% of Smokers using RYO)



## Smoking Prevalence Tracker - Methodology

#### **Tracker Commenced in July 2002**

(Conducted monthly up to March 2016, now quarterly; results relate to surveys conducted in March, June, Sept. & December 2018)

Conducted quarterly via Omnipoll, Ipsos MRBI's telephone omnibus

(Conducted monthly up to March 2016)

N=1,000 adults 15+ per month Questionnaire covers smoking prevalence, brand & no. of cigarettes smoked & E-cigarette usage

Data provided in SPSS format for HSE analysis & reporting






### Differences in HSE Tracker and Healthy Ireland Smoking Prevalence Surveys

- The tracker survey is a smaller survey: (n=4000) taken quarterly whereas Healthy Ireland (HI) samples over 7,500 people annually.
- The tracker is a telephone survey whereas HI is a face to face household survey.
- The questions on smoking prevalence are slightly different (smoke one or more weekly in tracker whereas daily or occasionally in the Healthy Ireland survey).
- The tracker has been undertaken since 2002 whereas the Healthy Ireland survey started in 2015.
- Both surveys indicate an underlying downward trend in smoking prevalence, as indicated in Figure 1 for the tracker below:



Figure 1: Trend in smoking prevalence to 2018




Source: HSE Tracker Survey



## Cigarette Smoking Prevalence

Q.1 Do you smoke one or more cigarettes each week, whether packaged or roll your own?






# Cigarette Smoking Prevalence by Socio-Economic Group

Q.1 Do you smoke one or more cigarettes each week, whether packaged or roll your own?





Smoking prevalence is highest amongst those in the DE and C2 socio-economic groups, with those in the F & C1 categories being least likely to smoke.

Social Class Categorisation Source: AIMRO Standard Guide for Social Class

- Further details available on HSE website

Base: All Respondents 2018: 4041