The Cold Chain and Vaccine storage

Cliona Kiersey Chief Pharmacist National Immunisation Office






Objectives

- To explain the cold chain and vaccine delivery service including use of vaccine returns service
- To understand the importance of monitoring the cold chain within your own practice
- To understand the correct procedures for handling and storage of vaccines
- To recommend procedures following cold chain breach






Factors affecting vaccine management performance




Relevant sections



Reidhmeannacht na Seirbhúse Sláinte Health Service Executive

Why is the cold chain important?

- Vaccines must be stored within a specific temperature range between +2 and +8°C to ensure their potency and to comply with regulations (PA//EU)
- Every vaccine from time of manufacture up to point of delivery to surgery has a verified temperature record
- Assurance in product potency ensures maximum benefit from immunisation









Reliability of Cold Chain

- Temperature records are available for every vaccine from point of manufacturing to delivery at GP surgery.
- Storage fridges and transport vehicles are all equipped with heat / cooling devices and alarms/alert systems which are monitored 24/7







National Cold Chain Delivery Service

- Commenced 1st January 2005, delivering to ~1650 sites annually now has increased to 2,594 sites receiving 2.1 million doses annually
- responsible for ~€37 million annually.
- United Drug Distributors based in Citywest with satellite sites in Limerick and Ballina







11 Delivery Vans

- Van fridges are equipped with alarms (auditory in cab& text message sent to driver & UD staff) and heating/cooling systems, navigation & location tracking systems.
- Each van has been mapped and 4 temperature probes positioned to record appropriate temperatures
 - Product probe
 - Right side probe
 - Left side probe
 - Air return probe

Alarm activated once temperature of +3°C or +7°C registered

- Robust contingency plans in case of power failure or breakdowns. 2 fridge units (1 Backup fridge unit) and battery as back up.
- Standard operating procedures govern all processes.





100 Routes

- Dublin (72% of orders)
 - 60 Routes
 - 3 Vans & 3 drivers
- Limerick (17% of orders)
 - 20 Routes
 - 1 Van & 1 driver
- Ballina (11% of orders)
 - 20 Routes
 - 1 Van & 1 driver

Double deliveries from mid September to mid November






Vaccine Deliveries

- 2594 sites are entitled to 12 scheduled (monthly) plus 2 extra deliveries during the "flu season".
- The 12 deliveries are based on 4 weekly cycles (and there are 4 "down" weeks). Between September November ("flu season") there are 5 scheduled deliveries within two and a half months (2 weekly cycle).
- There are an extra ~1000 sites who get only flu / PPV deliveries in flu season.
- Unscheduled
- Emergency





Number of Deliveries 2008-2014



OTECTA

Reidhmeannacht na Seirbhíse Sláinte Health Service Executive

Unscheduled / Emergency Deliveries

- Contract is for 14 scheduled deliveries to each site.
- Each non scheduled / emergency delivery is an extra charge.
- Disruption to routine deliveries







Vaccine distribution, Control & Monitoring


Vaccine distribution is monitored to ensure it is consistent with target cohort requirements as significant deviations may indicate over or under stocking.

Each site can order monthly to facilitate proper stock levels.















Total Annual Spend (€m)







Number of Doses Distributed






www.immunisation.ie

Feidhmeannacht na Seirbhíse Sláinte Health Service Executive

Number of doses distributed as % of cohort requirements in 2009-2014







Who can order vaccines?

- GPs who hold an immunisation contract
- Community Health Doctors who run the school immunisation service, BCG clinics
- Hospitals who require vaccines
- Authorised Flu Sites (Retail Pharmacies and Nursing homes)
- Vaccines are delivered monthly directly to these sites.





Vaccines supplied

	Vaccines
Primary Childhood vaccines	6 in 1, Men C, PCV, MMR, Hib, 4 in 1
Adult vaccines	Td, Tdap
	Influenza, Pneumococcal polysaccharide vaccine
HSE vaccines	BCG, Tuberculin , 4 in 1, MMR, Tdap, HPV
Restricted vaccines	Hepatitis A, Hepatitis B, Hepatitis A +B Td/IPV, Tdap/IPV, MenACW ₁₃₅ Y, MenB

- Current list of available vaccines
- •from United drug

•in newsletter



•on immunisation website



Some typical vaccine orders with Values

Qty	Vaccine
10	INFANRIX HEXA
10	PREVENAR
10	MEN C
10	MMR
5	HIB
5	DITE BOOSTER
Total	<u>€2,488.17</u>

Qty	Vaccine
30	INFANRIX HEXA
30	PREVENAR
30	MEN C
10	MMR
10	HIB
10	DITE BOOSTER
Total	<u>€6,844.46</u>

Qty	Vaccine
70	INFANRIX HEXA
70	PREVENAR
70	MEN C
40	MMR
25	HIB
30	DITE BOOSTER
6	IPV-INFANRIX
Total	<u>€16,818.34</u>






Recommended procedure for ordering and accepting vaccines

- Should have a named, trained and designated person and deputy
- Order on-line before closing date
- Remove expired vaccines from fridge and prepare for return.
- Give vaccine returns to UD driver
- Check vaccine deliveries against the order for damage or discrepancies
- Place vaccines in the vaccine refrigerator immediately
- NEVER leave vaccine delivery at room temperature





Order source (%)







Jelivered by United Drug in partnership with the HSE

Login

Username/Email:

customer@ncc.com

Account ID:

Password:

.....

LOGIN

Forgotten your Password?

30030

Vaccine Ordering

Welcome to www.ordervaccines.le. This is the online vaccine ordering page from the National Cold Chain Delivery Service. We provide vaccines for publicly funded immunisation programmes to healthcare settings in Ireland.

If you have an account for ordering vaccines but you have not registered for online vaccine ordering please click "Forgotten your Password?" on the left to begin the registration process. If you would prefer to contact customer services we will set you up with an online username and password.

Once you have your usemame, account number and password please login using the panel on the left.

If you need any help? - Please contact United Drug customer service on 01 463 7770 or vaccines@udd.le





Feidhmeannacht na Seirbhise Slänie Health Service Executise

United Drug Supply Chain Services

We're committed to keeping our simple promise, every day. We work with principals, pharmacies and hospitals to shape our services around their requirements. And we get your products to the people who need them – your patients. ©United Drug Supply Chain Services / All rights reserved.

Useful Links

HSE Immunisation Website

United Drug Supply Chain Services







NCC Web Ordering (30030) Logout

VACCINE ORDER FORM ORDER HISTORY DELIVERY SCHEDULE CHANGE PASSWORD

Welcome to your HSE National Cold Chain Dashboard

Messages

Last Order - 19 November 2014

STOCKTAKE REQUIRED	19 Nov 2014
topol and an entertained	
VIEW ALL MESSAGES	

VACCINES	QTY
6 in 1	20
Ote	- 5
Men: C	30
PCV	30

Delivery Schedule - November

MON	TUE	WED	THU	FRI	SAT	SUN
मर.	.78	39	30	34	1	2
3	- 4	- 5	6	- 7		
10	31	32	33	14	15	10
17	18	39	20	. 21	27	.23
24	25	- 26	22	28	29	-30
1	.2	- 3	4	1.5	6	2

RED on your Calendar is your last date to place order. Green on your Calendar is your delivery date.

United Drug Supply Chain Services

We recommitted to keeping our simple promise, every day. We work with precipals, pharmacies and house is in a sum autorylars around their requirements. And we get your products in the propole who ereal them - your patients. Edivided Drug Samely Ower Services / Air open reasond.

Useful Links

HSE trementation Website United Onig Supply Oran Services









Delivered by United Drug in partnership with the HSE

DR SALEEM SHARIF (34595) Logout

rogent

VACCINE ORDER FORM ORDER HISTORY

DELIVERY SCHEDULE

CHANGE PASSWORD

Vaccine Order Form

VACCINE	PACK	INDICATIVE PRICE	QTY
6 in 1	10	90.13	10
Men C	1	43.05	10
PCV	10	73.80	10

These vaccines must be ordered together in defined ratios. If you only need quantities of individual vaccines please contact customer service.

4 in 1	1	24.60	3
Boosterix (Tdap)	1	25.76	2
Dite	5	12.63	5 00
Hep B (ENGERIX PAED)	1	15.40	
Hep B (HBVAXPRO5)	1	15.40	
HepB (ENGERIX ADULT)	1	20.81	
HepB (HBVAXPRO10)	3 1 .0	20.81	
НіБ	1	30.69	
Influenza	10	7.38	
MMR	1	20,17	
Pneumoccoal	1	21.05	

Requested Vaccines

VACCINE	QTY	PRICE
6 in 1	10	901.30
4 in 1	3	73.80
Boosterix (Tdap)	2	51.52
Dite	5	63.15
Men C	10	430.50
PCV	10	738.00
TOTAL		2,258.27

CONTINUE TO REVIEW ORDER PAGE





NORTH WEST DUBLIN LOCAL HEALTH OFFICE ** (39510)

Logout

VACCINE ORDER FORM ORDER HISTORY DELIVERY SCHEDULE CHANGE PASSWORD

Vaccine Order Form

VACCINE	PACK SIZE	INDICATIVE PRICE	QTY
2TU	10	23.70	
4 in 1	1	24.60	
BCG	5	17.45	
Boostrix (Tdap)	1	25.76	
HepB (ENGERIX ADULT)	1	20.81	
HepB (HBVAXPRO10)	1	20.81	
HPV	1	141.45	
Influenza	10	7.38	
Men C	1	43.05	
MMR	10	20.17	
Pneumoccoal	1	21.05	

Requested Vaccines

You have requested no vaccines, please enter your desired quantities in doses using the vaccine order form on the left.

CONTINUE TO REVIEW ORDER PAGE

United Drug Supply Chain Services

Useful Links

We're committed to keeping our simple promise, every day. We HSE Immunisation Website work with principals, pharmacies and hospitals to shape our services around their requirements. And we get your products to the people who need them - your patients

United Drug Supply Chain Services





www.immunisation.ie

Feidhmeannacht na Seirbhíse Sláinte Health Service Executive

elivered by United Drug in partnership with the HSE

DR SALEEM SHARIF (34595)

Logout

Green on your Calendar is your delivery date.

VACCINE ORDER FORM ORDER HISTORY DEL

DELIVERY SCHEDULE CHANGE PASSWORD

Delivery Schedule

RED on your Calendar is your last date to place order.

April 2015

MON	TUE	WED	THU	FRI	SAT	SUN
1		1	2	3	:4	5
б	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30			

MON	TUE	WED	THU	FRI	SAT	SUN
				818	2	3
4	5	б	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	31

June 2015

MON	TUE	WED	тни	FRI	SAT	SUN
1	2	3	-4	5	δ	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	5				

July 2015

May 2015

MON	TUE	WED	THU	FRI	SAT	SUN
		1	2	3	4	5
б	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31		

United Drug Supply Chain Services

We're committed to keeping our simple promise, every day. We work with principals, pharmacies and hospitals to shape our services around their requirements. And we get your products to the people who need them – your patients. @United Drug Supply Chein Services / Winghts reserved.

Useful Links

HSE Immunisation Website

United Drug Supply Chain Services





www.immunisation.ie

Feidhmeannacht na Seirbhíse Sláimte Health Service Executive

Vaccine Fridge

- Vaccines must be stored in a fridge to comply with licence
 - Store within the temperature range of 2-8°C
 - Store in original packaging
- Store on shelves, not touching the sides
- Record fridge temperature twice daily
- Set fridge to alarm at +3°C or +7°C to allow time to react before +2°C or +8°C is reached
- Wire fridge directly to power without use of a plug.
- Never unplug the fridge
- Never use out of date vaccines





Recommended procedure following a break in the Cold Chain

- Can occur due to a problem with the vaccine fridge. E.g.
 - Electricity power cut
 - Switch turned off
 - Fridge door left open.
 - Fridge malfunctions
- If this happens
 - Make sure that the fridge is now working properly or transfer to a working fridge. Check the temperature and find out how long the fridge breakdown has been
 - Contact the Chief Pharmacist, National Immunisation Office for further advice. (087 9915452 or 01 8676108)





Recommended procedure following a break in the Cold Chain (2)

- Any vaccine not stored between 2⁰-8^oC is no longer a licensed product
- Company data show that vaccines can be used if exposed to short deviations.
- Each temperature deviation must be judged on a case by case scenario.
- Each vaccine has specific criteria and will remain stable for different lengths of time.
- Vaccines which cannot be used must be returned to the National Cold Chain Delivery Service





Details Required after Cold Chain Issue

- Name of practice
- Account number
- Current fridge temperature
- Duration of temperature breach
- Maximum temperature reached
- Name, quantity and batch numbers of vaccines in the fridge.

Send to Cliona.Kiersey@hse.ie





"Borrowed Vaccines"

If vaccines are required due to stock out or a fridge issue you can get vaccines from another practice.


Please do not return vaccines to this practice as vaccines should be ordered by them and delivered directly to them from HSE National Cold Chain Service.








Sites using the returns service by number of deliveries per year



Expired Stock Returned







www.immunisation.ie

Feidhmeannacht na Seirbhíse Sláinte Health Service Executive

Returns service commenced in 2005


- In 2012, 2TU Mantoux test (expiry 05/2002) was 10 years and two months expired when returned.
- In 2013, Pneumovax (expiry 03/2007) was 6 years and three months expired when returned.
- In 2014, Pentavac (expiry 09 /2002) was 11 years and 6 months expired when returned. Removed from schedule in 2009.








Number of times sites used returns service 2008 - 2014








Value of vaccines Expired compared to Coldchain issues







% Vaccines Returned compared to Distributed







Data Loggers

- USB temperature data logger for use with pharmacy fridges independent of fridge power supply
- Measurement range from -35°C to +80°C
- Can store up to a year's worth of data (16,382 readings)
- Flashing LED status indicators mean user can see the status of the logger without having to download data





Data loggers





33

www.immunisation.ie

Feidhmeannacht na Seirbhíse Sláinte Health Service Executive

Max/Min Thermometers

- Maximum / Minimum temperatures should be recorded daily.
- ENSURE the memory is erased daily, preferably before closing surgery.
- Recording only shows the highest temperature registered but not the duration.
- Usually the highest recorded temperature is while the door is open.







Batch Numbers

- The valid batch number is the number on the box and is the only number to record.
- Please use peel off sticker where available.
- Combination vaccines or vaccines which require reconstitution will have a different batch numbers on each constituent, the number on the box refers to the reconstituted vaccine.
- Only the appropriate batch number can be accepted on the child's record, any other batch number will register as invalid.





Conclusions

- Vaccines are expensive
- Good housekeeping is essential for vaccine management







Useful resources

- Australian Government Department of Health and Ageing National Vaccine Storage Guidelines 2005, Strive for 5 <u>http://www.health.gov.au/internet/immunise/publishing.nsf/Content/provider-</u> store
- Department of Health UK. November 2006. Immunisation against infectious disease. <u>http://www.dh.gov.uk/en/Policyandguidance/Healthandsocialcaretopics/Greenbook/DH</u> 4097254
- Irish Pharmaceutical Healthcare Association Medical Compendium. http://www.medicines.ie.
- Irish Medicines Board. <u>http://www.imb.ie</u>.
- National Immunisation Office Ireland. Health Service Executive. http://www.immunisation.ie.
- Public Health Agency Canada. National Vaccine Storage and Handling Guidelines for immunisation providers 2007. <u>http://www.phac-</u> aspc.gc.ca/publicat/2007/nvshglp-ldemv/index-eng.php.
- Royal College of Physicians of Ireland. Immunisation Guidelines for Ireland. Available at <u>www.rcpi.ie</u> or <u>www.immunisation.ie</u> or <u>www.hpsc.ie</u>



