

PQ Rep IEHG  
Email: [pqrep@iehg.ie](mailto:pqrep@iehg.ie)

18th July 2022

Deputy David Cullinane T.D.,  
Dáil Éireann,  
Leinster House,  
Kildare Street,  
Dublin 2  
E: [david.cullinane@oireachtas.ie](mailto:david.cullinane@oireachtas.ie)

Re: PQ 34792/22 – ED, MMUH

**“To ask the Minister for Health the patient experience time for admission and for discharge for the Mater Misericordiae University Hospital on 6, 7, 13, 14, 20 and 21 June 2022 , in tabular for totalled and broken down by age cohorts; the number of emergency department attendances; the number and percentage of ED attendances admitted within 0-6, 6-9, 9-12, 12-24 and 24 plus hours; the number and percentage of ED attendances discharged within 0-6, 6-9, 9-12, 12-24 and 24 plus hours; and if he will make a statement on the matter.”**


Dear Deputy Cullinane,

I refer to the above Parliamentary Question seeking an information on the ED in the Mater Misericordiae University Hospital, which has been referred to the Ireland East Hospital Group for direct response.


I have had this matter examined, please see data attached in excel.

I trust this information is of assistance to you.

Yours sincerely



Paul Gallagher  
Chief Director of Nursing and Midwifery



Attend Date Age at Attendance Cat HSE ED PET Waiting Time Group

Totals		Totals		Totals		Totals		Totals			
Attend Date	Age at Attendance	Cat	HSE	ED PET	Waiting Time Group	Attendances	ED PET Wait-Time (hours)-ave	Admitted	% Attends in ED <24 hours	Admitted	% Attends in ED <9 hours
<b>Totals</b>	<b>Totals</b>					<b>1832</b>	<b>6.7</b>	<b>290</b>	<b>67.9</b>	<b>25.5</b>	
06/06/2022	15 - 24				a)<6 hrs	16	3.2				
06/06/2022	15 - 24				b)6 to 9 hrs	5	8.1				
06/06/2022	15 - 24				c)9 to 12 hrs	2	10.5				
06/06/2022	15 - 24				d)12 to 24 hrs	2	17.7	1	100	0	
06/06/2022	15 - 24				e)>= 24 hrs	1	30.8	1		0	
06/06/2022	25 - 34				a)<6 hrs	12	2				
06/06/2022	25 - 34				b)6 to 9 hrs	8	7.1				
06/06/2022	25 - 34				c)9 to 12 hrs	2	10.3				
06/06/2022	25 - 34				d)12 to 24 hrs	5	18.8				
06/06/2022	25 - 34				e)>= 24 hrs	2	26				
06/06/2022	35 - 44				a)<6 hrs	15	2.5				
06/06/2022	35 - 44				b)6 to 9 hrs	4	7.3				
06/06/2022	35 - 44				c)9 to 12 hrs	2	10.2	1	100	0	
06/06/2022	35 - 44				d)12 to 24 hrs	3	13.8	1	100	0	
06/06/2022	35 - 44				e)>= 24 hrs	4	29.3	4		0	
06/06/2022	45 - 54				a)<6 hrs	8	2.5	1	100	100	
06/06/2022	45 - 54				b)6 to 9 hrs	1	7				
06/06/2022	45 - 54				c)9 to 12 hrs	3	10.9				
06/06/2022	45 - 54				e)>= 24 hrs	4	30.8	4		0	
06/06/2022	55 - 64				a)<6 hrs	6	3				
06/06/2022	55 - 64				b)6 to 9 hrs	4	7.4	2	100	100	
06/06/2022	55 - 64				c)9 to 12 hrs	1	10.9				
06/06/2022	55 - 64				d)12 to 24 hrs	2	22.2	1	100	0	
06/06/2022	55 - 64				e)>= 24 hrs	1	37.4	1		0	
06/06/2022	65 - 74				a)<6 hrs	5	3.8				
06/06/2022	65 - 74				b)6 to 9 hrs	2	7.5				

06/06/2022 65 - 74	c)9 to 12 hrs	2	10.9	1	100	0
06/06/2022 65 - 74	d)12 to 24 hrs	1	23.9	1	100	0
06/06/2022 65 - 74	e)>= 24 hrs	1	38.9	1	100	0
06/06/2022 75 - 84	a)<6 hrs	8	2.5	1	100	100
06/06/2022 75 - 84	b)6 to 9 hrs	3	6.7	1	100	100
06/06/2022 75 - 84	c)9 to 12 hrs	1	10.9	1	100	0
06/06/2022 75 - 84	d)12 to 24 hrs	6	17.2	3	100	0
06/06/2022 75 - 84	e)>= 24 hrs	3	27.5	2	100	0
06/06/2022 85 >=	a)<6 hrs	4	4.2	1	100	100
06/06/2022 85 >=	b)6 to 9 hrs	2	7.5			
06/06/2022 85 >=	d)12 to 24 hrs	2	16.8	2	100	0
06/06/2022 85 >=	e)>= 24 hrs	4	28.7	4		0
06/06/2022 Unk	d)12 to 24 hrs	1	15.4			
07/06/2022 15 - 24	a)<6 hrs	19	2.7			
07/06/2022 15 - 24	b)6 to 9 hrs	2	7.5			
07/06/2022 15 - 24	c)9 to 12 hrs	3	10.6			
07/06/2022 15 - 24	d)12 to 24 hrs	4	13.2	1	100	0
07/06/2022 25 - 34	a)<6 hrs	52	1.8	3	100	100
07/06/2022 25 - 34	b)6 to 9 hrs	9	6.9	1	100	100
07/06/2022 25 - 34	c)9 to 12 hrs	4	10.1	1	100	0
07/06/2022 25 - 34	d)12 to 24 hrs	8	16.5	2	100	0
07/06/2022 25 - 34	e)>= 24 hrs	3	69.6	1	100	0
07/06/2022 35 - 44	a)<6 hrs	35	2.1	1	100	100
07/06/2022 35 - 44	b)6 to 9 hrs	4	7.4			
07/06/2022 35 - 44	c)9 to 12 hrs	5	10.9			
07/06/2022 35 - 44	d)12 to 24 hrs	5	18.1	2	100	0
07/06/2022 35 - 44	e)>= 24 hrs	2	27.8	1	100	0
07/06/2022 45 - 54	a)<6 hrs	39	2.3	2	100	100
07/06/2022 45 - 54	b)6 to 9 hrs	6	7.3	1	100	100
07/06/2022 45 - 54	c)9 to 12 hrs	5	10.4	1	100	0
07/06/2022 45 - 54	d)12 to 24 hrs	2	14.3			
07/06/2022 45 - 54	e)>= 24 hrs	3	31.2	2	100	0
07/06/2022 55 - 64	a)<6 hrs	34	1.4	2	100	100

07/06/2022 55 - 64	b)6 to 9 hrs	6	7.3	
07/06/2022 55 - 64	c)9 to 12 hrs	1	9.3	
07/06/2022 55 - 64	d)12 to 24 hrs	3	19	
07/06/2022 55 - 64	e)>= 24 hrs	3	37.8	0
07/06/2022 65 - 74	a)<6 hrs	21	2.5	100
07/06/2022 65 - 74	b)6 to 9 hrs	4	7.8	100
07/06/2022 65 - 74	c)9 to 12 hrs	1	10.1	
07/06/2022 65 - 74	d)12 to 24 hrs	3	14.9	0
07/06/2022 65 - 74	e)>= 24 hrs	10	33.1	0
07/06/2022 75 - 84	a)<6 hrs	9	1.3	
07/06/2022 75 - 84	b)6 to 9 hrs	3	7.5	100
07/06/2022 75 - 84	c)9 to 12 hrs	3	9.4	0
07/06/2022 75 - 84	d)12 to 24 hrs	3	21.3	0
07/06/2022 75 - 84	e)>= 24 hrs	4	36.5	0
07/06/2022 85 >=	a)<6 hrs	4	0.4	
07/06/2022 85 >=	b)6 to 9 hrs	1	8.8	
07/06/2022 85 >=	c)9 to 12 hrs	2	9.5	0
07/06/2022 85 >=	d)12 to 24 hrs	3	18	0
07/06/2022 85 >=	e)>= 24 hrs	5	34.5	0
13/06/2022 15 - 24	a)<6 hrs	28	2.5	100
13/06/2022 15 - 24	b)6 to 9 hrs	4	6.8	
13/06/2022 15 - 24	c)9 to 12 hrs	2	10.9	
13/06/2022 15 - 24	d)12 to 24 hrs	2	12.9	
13/06/2022 15 - 24	e)>= 24 hrs	1	27.4	0
13/06/2022 25 - 34	a)<6 hrs	59	2.1	100
13/06/2022 25 - 34	b)6 to 9 hrs	9	7.3	
13/06/2022 25 - 34	c)9 to 12 hrs	2	9.1	
13/06/2022 25 - 34	d)12 to 24 hrs	1	13.3	0
13/06/2022 25 - 34	e)>= 24 hrs	2	30.4	0
13/06/2022 35 - 44	a)<6 hrs	43	2.3	100
13/06/2022 35 - 44	b)6 to 9 hrs	3	7.5	
13/06/2022 35 - 44	c)9 to 12 hrs	5	10.4	0
13/06/2022 35 - 44	d)12 to 24 hrs	11	18	0

13/06/2022 35 - 44	e) >= 24 hrs	1	28.8	1	0
13/06/2022 45 - 54	a) <6 hrs	57	1.8	1	100
13/06/2022 45 - 54	b) 6 to 9 hrs	3	7.9		
13/06/2022 45 - 54	c) 9 to 12 hrs	1	11.8	1	100
13/06/2022 45 - 54	d) 12 to 24 hrs	6	15.5	2	100
13/06/2022 45 - 54	e) >= 24 hrs	5	30.3	5	0
13/06/2022 55 - 64	a) <6 hrs	29	1.6	4	100
13/06/2022 55 - 64	b) 6 to 9 hrs	3	7.9		
13/06/2022 55 - 64	d) 12 to 24 hrs	6	18.3	1	100
13/06/2022 55 - 64	e) >= 24 hrs	2	28.3	2	0
13/06/2022 65 - 74	a) <6 hrs	12	1.4		
13/06/2022 65 - 74	b) 6 to 9 hrs	1	8.6		
13/06/2022 65 - 74	d) 12 to 24 hrs	10	17	6	100
13/06/2022 65 - 74	e) >= 24 hrs	2	37.8	2	0
13/06/2022 75 - 84	a) <6 hrs	21	2.1	4	100
13/06/2022 75 - 84	b) 6 to 9 hrs	2	7.8	1	100
13/06/2022 75 - 84	c) 9 to 12 hrs	2	9.9		
13/06/2022 75 - 84	d) 12 to 24 hrs	6	15.3	3	100
13/06/2022 75 - 84	e) >= 24 hrs	1	27.8		
13/06/2022 85 >=	a) <6 hrs	6	3		
13/06/2022 85 >=	b) 6 to 9 hrs	1	7.7		
13/06/2022 85 >=	d) 12 to 24 hrs	2	16.7		
13/06/2022 85 >=	e) >= 24 hrs	2	41.3	2	0
14/06/2022 15 - 24	a) <6 hrs	21	2.5		
14/06/2022 15 - 24	b) 6 to 9 hrs	8	6.9		
14/06/2022 15 - 24	c) 9 to 12 hrs	3	10.6		
14/06/2022 15 - 24	d) 12 to 24 hrs	3	13.7		
14/06/2022 25 - 34	a) <6 hrs	42	1.8	1	100
14/06/2022 25 - 34	b) 6 to 9 hrs	10	7		
14/06/2022 25 - 34	c) 9 to 12 hrs	2	10.2		
14/06/2022 25 - 34	d) 12 to 24 hrs	8	15	3	100
14/06/2022 25 - 34	e) >= 24 hrs	1	36.6	1	0
14/06/2022 35 - 44	a) <6 hrs	42	2.2	3	100

14/06/2022 35 - 44	b)6 to 9 hrs	1		6.6				
14/06/2022 35 - 44	c)9 to 12 hrs	7	10.8					
14/06/2022 35 - 44	d)12 to 24 hrs	8	16					
14/06/2022 45 - 54	a)<6 hrs	23	1.7					100
14/06/2022 45 - 54	b)6 to 9 hrs	4	7.7					
14/06/2022 45 - 54	c)9 to 12 hrs	1	9.8					
14/06/2022 45 - 54	d)12 to 24 hrs	10	16.7					0
14/06/2022 55 - 64	a)<6 hrs	28	1.4					100
14/06/2022 55 - 64	b)6 to 9 hrs	6	6.7					100
14/06/2022 55 - 64	c)9 to 12 hrs	1	10.3					
14/06/2022 55 - 64	d)12 to 24 hrs	4	13.9					
14/06/2022 55 - 64	e)>= 24 hrs	4	26.6					0
14/06/2022 65 - 74	a)<6 hrs	20	1.7					100
14/06/2022 65 - 74	b)6 to 9 hrs	2	8.4					100
14/06/2022 65 - 74	c)9 to 12 hrs	3	10.5					0
14/06/2022 65 - 74	d)12 to 24 hrs	6	17.7					0
14/06/2022 65 - 74	e)>= 24 hrs	5	31.1					0
14/06/2022 75 - 84	a)<6 hrs	11	2.3					100
14/06/2022 75 - 84	b)6 to 9 hrs	1	9					100
14/06/2022 75 - 84	c)9 to 12 hrs	3	10.4					0
14/06/2022 75 - 84	d)12 to 24 hrs	4	16.2					0
14/06/2022 75 - 84	e)>= 24 hrs	1	25.6					0
14/06/2022 85 >=	a)<6 hrs	4	0.7					
14/06/2022 85 >=	b)6 to 9 hrs	2	7.2					
14/06/2022 85 >=	c)9 to 12 hrs	1	11.1					
14/06/2022 85 >=	d)12 to 24 hrs	4	15					0
14/06/2022 Unk	a)<6 hrs	1	1					
20/06/2022 15 - 24	a)<6 hrs	33	1.6					
20/06/2022 15 - 24	b)6 to 9 hrs	2	6.6					
20/06/2022 15 - 24	c)9 to 12 hrs	1	11					
20/06/2022 15 - 24	d)12 to 24 hrs	3	17.6					0
20/06/2022 25 - 34	a)<6 hrs	65	1.8					100
20/06/2022 25 - 34	b)6 to 9 hrs	11	7.5					100

1 100 0  
4 100 0  
1 100 100

5 100 0  
1 100 100  
1 100 100

3 0  
1 100 100  
1 100 100  
2 100 0  
2 100 0  
4 0 0

1 100 100  
1 100 100  
3 100 0  
4 100 0  
1 0 0

4 0  
4 100 0

2 100 0  
2 100 100  
1 100 100

20/06/2022 25 - 34	c)9 to 12 hrs	4	10	1	100	0
20/06/2022 25 - 34	d)12 to 24 hrs	6	13.7	2	100	0
20/06/2022 25 - 34	e)>= 24 hrs	2	28	1	100	0
20/06/2022 35 - 44	a)<6 hrs	46	1.6	2	100	100
20/06/2022 35 - 44	b)6 to 9 hrs	5	7.9	1	100	100
20/06/2022 35 - 44	c)9 to 12 hrs	6	10.2			
20/06/2022 35 - 44	d)12 to 24 hrs	4	17.8	3	100	0
20/06/2022 35 - 44	e)>= 24 hrs	4	38.2	4	100	0
20/06/2022 45 - 54	a)<6 hrs	38	2	2	100	100
20/06/2022 45 - 54	b)6 to 9 hrs	4	7.2			
20/06/2022 45 - 54	c)9 to 12 hrs	3	9.9			
20/06/2022 45 - 54	d)12 to 24 hrs	7	16.9	2	100	0
20/06/2022 45 - 54	e)>= 24 hrs	2	36.6	2	100	0
20/06/2022 55 - 64	a)<6 hrs	42	2	3	100	100
20/06/2022 55 - 64	b)6 to 9 hrs	1	6.5			
20/06/2022 55 - 64	c)9 to 12 hrs	3	11	2	100	0
20/06/2022 55 - 64	d)12 to 24 hrs	6	14.6	2	100	0
20/06/2022 55 - 64	e)>= 24 hrs	1	46.3	1	100	0
20/06/2022 65 - 74	a)<6 hrs	19	1.7			
20/06/2022 65 - 74	d)12 to 24 hrs	7	16.6	4	100	0
20/06/2022 65 - 74	e)>= 24 hrs	3	30.9	2	100	0
20/06/2022 75 - 84	a)<6 hrs	24	1.4	3	100	100
20/06/2022 75 - 84	b)6 to 9 hrs	3	7.9			
20/06/2022 75 - 84	c)9 to 12 hrs	1	11.2			
20/06/2022 75 - 84	d)12 to 24 hrs	6	16.4	5	100	0
20/06/2022 75 - 84	e)>= 24 hrs	2	35.8	2	100	0
20/06/2022 85 >=	a)<6 hrs	4	2.7	1	100	100
20/06/2022 85 >=	b)6 to 9 hrs	5	8.1	2	100	100
20/06/2022 85 >=	c)9 to 12 hrs	1	9.6	1	100	0
20/06/2022 85 >=	d)12 to 24 hrs	2	12.7	2	100	0
21/06/2022 15 - 24	a)<6 hrs	20	2			
21/06/2022 15 - 24	b)6 to 9 hrs	5	7.6			
21/06/2022 15 - 24	d)12 to 24 hrs	4	15.3			



21/06/2022 25 - 34	a)<6 hrs	42	1.3	2	100	100
21/06/2022 25 - 34	b)6 to 9 hrs	9	7.6			
21/06/2022 25 - 34	c)9 to 12 hrs	8	10.6			
21/06/2022 25 - 34	d)12 to 24 hrs	4	15.1	2	100	0
21/06/2022 25 - 34	e)>= 24 hrs	1	47.5	1		0
21/06/2022 35 - 44	a)<6 hrs	43	1.8	3	100	100
21/06/2022 35 - 44	b)6 to 9 hrs	3	6.7			
21/06/2022 35 - 44	c)9 to 12 hrs	2	10.2			
21/06/2022 35 - 44	d)12 to 24 hrs	5	14.9	2	100	0
21/06/2022 35 - 44	e)>= 24 hrs	5	43	5		0
21/06/2022 45 - 54	a)<6 hrs	23	2	1	100	100
21/06/2022 45 - 54	b)6 to 9 hrs	6	7.1			
21/06/2022 45 - 54	c)9 to 12 hrs	6	10.3	1	100	0
21/06/2022 45 - 54	d)12 to 24 hrs	5	16.4	2	100	0
21/06/2022 45 - 54	e)>= 24 hrs	1	29.1	1		0
21/06/2022 55 - 64	a)<6 hrs	25	1.5			
21/06/2022 55 - 64	b)6 to 9 hrs	4	8.1	1	100	100
21/06/2022 55 - 64	c)9 to 12 hrs	2	11.4	1	100	0
21/06/2022 55 - 64	d)12 to 24 hrs	9	16.3	4	100	0
21/06/2022 55 - 64	e)>= 24 hrs	5	33	5		0
21/06/2022 65 - 74	a)<6 hrs	23	1.8	1	100	100
21/06/2022 65 - 74	b)6 to 9 hrs	2	8.6			
21/06/2022 65 - 74	c)9 to 12 hrs	2	9.4			
21/06/2022 65 - 74	d)12 to 24 hrs	4	15	2	100	0
21/06/2022 65 - 74	e)>= 24 hrs	4	32.7	4		0
21/06/2022 75 - 84	a)<6 hrs	17	2.2	3	100	100
21/06/2022 75 - 84	b)6 to 9 hrs	4	7.6			
21/06/2022 75 - 84	c)9 to 12 hrs	2	9.4	1	100	0
21/06/2022 75 - 84	e)>= 24 hrs	1	24.3			
21/06/2022 85 >=	a)<6 hrs	3	2.4			
21/06/2022 85 >=	b)6 to 9 hrs	1	7.6			
21/06/2022 85 >=	d)12 to 24 hrs	5	17.1	4	100	0
21/06/2022 85 >=	e)>= 24 hrs	1	32.4	1		0

21/06/2022 Unk

c)9 to 12 hrs

1 10.9

Admitted Admitted Admitted Discharged Discharged Discharged Discharged Discharged Discharged Discharged

ED PET

% Attends in ED <6 hours	% Attends in ED over 24 hours	Wait Time (hours)	Attends in ED <24 hours	% Attends in ED <9 hours	% Attends in ED <6 hours	% Attends in ED over 24 hours	ED PET Wait Time (hours)
19.7	32.1	18.5	1542	85.3	74.2	1	4.4
0	0	19.4	1	100	0	0	16.1
0	100	30.8	1	100	0	0	16.1
0	0	10.7	12	100	100	0	2
0	0	13.4	8	100	0	0	7.1
0	100	29.3	2	100	0	0	10.3
100	0	3.9	5	100	0	0	18.8
0	100	30.8	2	0	0	100	26
0	0	10.7	15	100	100	0	2.5
0	0	13.4	4	100	0	0	7.3
0	100	29.3	1	100	0	0	9.7
100	0	3.9	2	100	0	0	14
0	100	30.8	7	100	100	0	2.3
0	0	8	1	100	0	0	7
0	0	23.5	3	100	0	0	10.9
0	100	37.4	6	100	100	0	3
0	0	8	2	100	0	0	6.8
0	0	23.5	1	100	0	0	10.9
0	100	37.4	1	100	0	0	20.9
0	0	23.5	5	100	100	0	3.8
0	100	37.4	2	100	0	0	7.5

0	0	11.5	1	100	0	0	0	0	10.3
0	0	23.9							
0	100	38.9							
100	0	2.4	7	100	100	100	100	0	2.6
0	0	6.9	2	100	100	0	0	0	6.6
0	0	10.9							
0	0	15.1	3	100	0	0	0	0	19.4
0	100	28.7	1		0	0	0	100	25.1
100	0	3.8	3	100	100	100	100	0	4.3
			2	100	100	0	0	0	7.5
0	0	16.8							
0	100	28.7							
			1	100	0	0	0	0	15.4
			19	100	100	100	100	0	2.7
			2	100	100	0	0	0	7.5
			3	100	0	0	0	0	10.6
0	0	12.6	3	100	0	0	0	0	13.4
100	0	1.7	49	100	100	100	100	0	1.8
0	0	6.7	8	100	100	0	0	0	6.9
0	0	9.8	3	100	0	0	0	0	10.1
0	0	17.8	6	100	0	0	0	0	16.1
0	100	39	2		0	0	0	100	84.8
100	0	2.6	34	100	100	100	100	0	2
			4	100	100	0	0	0	7.4
			5	100	0	0	0	0	10.9
			3	100	0	0	0	0	19.9
0	0	15.5							
0	100	25.4	1		0	0	0	100	30.3
100	0	2.4	37	100	100	100	100	0	2.3
0	0	6.7	5	100	100	0	0	0	7.4
0	0	9.7	4	100	0	0	0	0	10.5
			2	100	0	0	0	0	14.3
0	100	32.6	1		0	0	0	100	28.4
100	0	1.7	32	100	100	100	100	0	1.4

0	0	0	0	100	100	0	0	0	7.3
0	100	0	19	100	100	0	0	0	9.3
100	0	0	37.8	100	100	0	0	0	
0	0	0	2	100	100	100	0	0	2.6
0	0	0	8.6	100	100	0	0	0	6.9
0	0	0	15.5	100	100	0	0	0	10.1
0	100	0	33.1	100	100	0	0	0	14.6
0	0	0	8.6	100	100	100	0	0	1.3
0	0	0	9.6	100	100	0	0	0	6.9
0	0	0	20.7	100	100	0	0	0	9
0	100	0	40.4	100	100	0	0	0	22.7
0	0	0		100	100	0	100	0	24.7
0	0	0		100	100	0	0	0	0.4
0	0	0	9.6	100	100	0	0	0	8.8
0	0	0	19.6	100	100	0	0	0	9.4
0	100	0	39.5	100	100	0	0	0	14.8
100	0	0	4.9	100	100	0	0	100	26.9
0	0	0		100	100	0	0	0	2.3
0	100	0	27.4	100	100	0	0	0	6.8
100	0	0	6	100	100	0	0	0	10.9
0	0	0	13.3	100	100	0	0	0	12.9
0	100	0	30.4	100	100	0	0	0	2
100	0	0	1.6	100	100	0	0	0	7.3
0	0	0		100	100	0	0	0	9.1
0	0	0	11	100	100	0	0	0	
0	0	0	20.2	100	100	0	0	0	2.4
				100	100	0	0	0	7.5
				100	100	0	0	0	10
				100	100	0	0	0	16.7

0	100	28.8	56	100	100	100	100	0	1.8
100	0	3	3	100	100	0	0	0	7.9
0	0	11.8	4	100	0	0	0	0	16.3
0	0	14							
0	100	30.3							
100	0	2	25	100	100	100	0	0	1.5
0	0	23.6	3	100	100	0	0	0	7.9
0	100	28.3	5	100	0	0	0	0	17.3
			12	100	100	100	0	0	1.4
			1	100	100	0	0	0	8.6
			4	100	0	0	0	0	15.6
0	0	18							
0	100	37.8							
100	0	3.5	17	100	100	100	0	0	1.8
0	0	7.3	1	100	100	0	0	0	8.2
			2	100	0	0	0	0	9.9
0	0	15.7	3	100	0	0	0	0	14.9
			1	0	0	0	100	27.8	
			6	100	100	100	0	3	
			1	100	100	0	0	7.7	
			2	100	0	0	0	16.7	
0	100	41.3							
			21	100	100	100	0	2.5	
			8	100	100	0	0	6.9	
			3	100	0	0	0	10.6	
			3	100	0	0	0	13.7	
100	0	0.5	41	100	100	100	0	1.8	
			10	100	100	0	0	7	
			2	100	0	0	0	10.2	
0	0	13.3	5	100	0	0	0	16	
0	100	36.6							
100	0	3.3	39	100	100	100	0	2.1	

0	0	0	0	100	100	0	0	0	6.6
0	0	0	10.4	100	0	0	0	0	10.8
100	0	0	16.8	100	0	0	0	0	15.1
	0	0	1.1	100	100	100	0	0	1.7
				100	100	0	0	0	7.7
				100	0	0	0	0	9.8
0	0	0	17.5	100	0	0	0	0	16
100	0	0	2.9	100	100	100	0	0	1.4
0	0	0	6.6	100	100	0	0	0	6.7
				100	0	0	0	0	10.3
				100	0	0	0	0	13.9
0	100	0	27.2	0	0	0	100	0	24.9
100	0	0	4.7	100	100	100	0	0	1.6
0	0	0	7.8	100	100	0	0	0	9
0	0	0	11	100	0	0	0	0	9.5
0	0	0	18.7	100	0	0	0	0	17.3
0	100	0	31.6	0	0	0	100	0	29.2
100	0	0	3.3	100	100	100	0	0	2.2
0	0	0	9						
0	0	0	10.4						
0	0	0	16.2						
0	100	0	25.6						
0	0	0		100	100	100	0	0	0.7
				100	100	0	0	0	7.2
				100	0	0	0	0	11.1
0	0	0	15	100	100	100	0	0	1
				100	100	100	0	0	1.6
				100	0	0	0	0	6.6
				100	0	0	0	0	11
0	0	0	18.9	100	0	0	0	0	14.9
100	0	0	2.6	100	100	100	0	0	1.8
0	0	0	8.5	100	100	0	0	0	7.4

0	0	10.3	3	100	0	0	0	0	0	9.9
0	0	16.6	4	100	0	0	0	0	0	12.3
0	100	24.1	1	0	0	0	0	100	0	32
100	0	1.3	44	100	100	100	100	0	0	1.6
0	0	7.4	4	100	100	0	0	0	0	8
0	0	15.8	6	100	0	0	0	0	0	10.2
0	100	38.2	1	100	0	0	0	0	0	23.7
100	0	3.6	36	100	100	100	100	0	0	1.9
			4	100	100	0	0	0	0	7.2
			3	100	0	0	0	0	0	9.9
0	0	21.8	5	100	0	0	0	0	0	15
0	100	36.6								
100	0	4	39	100	100	100	100	0	0	1.8
			1	100	100	0	0	0	0	6.5
0	0	11.8	1	100	0	0	0	0	0	9.5
0	0	14.2	4	100	0	0	0	0	0	14.8
0	100	46.3								
			19	100	100	100	100	0	0	1.7
0	0	17.6	3	100	0	0	0	0	0	15.3
0	100	33.7	1	0	0	0	0	100	0	25.2
100	0	1	21	100	100	100	100	0	0	1.5
			3	100	100	0	0	0	0	7.9
0	0	16.3	1	100	0	0	0	0	0	11.2
0	100	35.8	1	100	0	0	0	0	0	17
			3	100	100	100	100	0	0	2.4
100	0	3.4	3	100	100	0	0	0	0	7.7
0	0	8.6								
0	0	9.6								
0	0	12.7								
			20	100	100	100	100	0	0	2
			5	100	100	0	0	0	0	7.6
			4	100	0	0	0	0	0	15.3





1

100

0

0

0

10.9