


# **Information for Healthcare Professionals**

The MMP recommends Hulio<sup>®</sup> as a Best-Value Biological (BVB) Medicine for adalimumab. Prescribing Hulio<sup>®</sup> will lead to significant savings for the health service, in the order of millions of euros.

The following presentations of Hulio<sup>®</sup> $\mathbf{\nabla}^1$ , available on the High Tech Arrangement, are recommended as best-value biological (BVB) medicines:

- Hulio<sup>®</sup> 40 mg solution for injection in pre-filled pen
- Hulio<sup>®</sup> 40 mg solution for injection in pre-filled syringe

# Hulio® 40 mg solution for injection in pre-filled pen



- Each pack contains two pre-filled pens (PFP), each containing 40 mg of adalimumab.
- Each pack also contains two alcohol pads.
- No latex is used in the product or packaging; Hulio<sup>®</sup> 40 mg PFP is therefore suitable for patients with a latex allergy.
- It is supplied as a clear or slightly opalescent, colourless to pale brownish-yellow solution.

# Storage

- Hulio<sup>®</sup>40 mg PFP should be stored in a refrigerator (2°C 8°C). It should not be frozen.
- The PFP should be kept in the outer packaging in order to protect it from light.
- A single Hulio<sup>®</sup> 40 mg PFP may be stored at temperatures up to a maximum of 25°C for a period of up to eight weeks. The PFP must be protected from light, and discarded if not used within the eight-week period.

Preferred Drugs

<sup>&</sup>lt;sup>1</sup> **V** This medicinal product is subject to additional monitoring

# Dose Administration

- The patient information leaflet contains a very clear diagrammatic guide on how to administer a dose from the PFP.
- Delivery of the dose commences when the patient places the orange base of the pen on their skin, and pushes down. At this time, the patient will hear the 1<sup>st</sup> loud click.
- The patient should continue to hold the pen against their skin until one, or all, of the following occur, which confirm delivery of the dose of adalimumab:
  - $\circ$   $\;$  the orange indicator fills the viewing window and stops moving
  - a 2<sup>nd</sup> loud click is heard
  - o ten seconds have passed.
- Once the PFP is removed from the skin, the needle will be automatically covered.

# Similarities between Hulio<sup>®</sup> pre-filled pen and the reference biological medicine (Humira<sup>®</sup> pre-filled pen)

- Both Hulio<sup>®</sup> 40 mg PFP and Humira<sup>®</sup> 40 mg PFP are citrate-free formulations.
- Both Hulio<sup>®</sup> 40 mg PFP and Humira<sup>®</sup> 40 mg PFP have a safety feature; once the administration of the injection is completed, the needle retracts within the sleeve.

# Differences between Hulio® pre-filled pen and the reference biological medicine (Humira® pre-filled pen)

- Hulio<sup>®</sup> 40 mg PFP contains 40 mg of adalimumab in 0.8 ml; Humira<sup>®</sup> 40 mg PFP contains 40 mg of adalimumab in 0.4 ml.
- Hulio<sup>®</sup> 40 mg PFP has a shelf life of three years; Humira<sup>®</sup> 40 mg PFP has a shelf life of two years.
- Delivery of the dose from the Hulio<sup>®</sup> 40 mg PFP commences when the patient places the orange base of the pen on their skin and pushes down (note: Hulio is pressure activated i.e. it does not have an activator button). For the Humira<sup>®</sup> 40 mg PFP, the patient is required to press an activator button in order to deliver the dose of adalimumab.
- For both Hulio<sup>®</sup> 40 mg PFP and Humira<sup>®</sup> 40 mg PFP, an initial loud click signals the start of the injection, and the injection is complete when the orange (Hulio<sup>®</sup>) or yellow (Humira<sup>®</sup>) indicator fills the viewing/inspection window. A 2<sup>nd</sup> loud click is only heard with Hulio<sup>®</sup> 40 mg PFP; this confirms delivery of the dose of adalimumab.




------

2 x pre-filed pe



# Hulio<sup>®</sup> 40 mg solution for injection in pre-filled syringe



- Each pack contains two pre-filled syringes (PFS), each containing 40 mg of adalimumab.
- Each pack also contains two alcohol pads.
- No latex is used in the product or packaging; Hulio<sup>®</sup> 40 mg PFS is therefore suitable for patients with a latex allergy.
- It is supplied as a clear or slightly opalescent, colourless to pale brownish-yellow solution.

### Storage

- Hulio<sup>®</sup> 40 mg PFS should be stored in a refrigerator (2°C 8°C). It should not be frozen.
- The PFS should be kept in the outer packaging in order to protect it from light.
- A single Hulio<sup>®</sup> 40 mg PFS may be stored at temperatures up to a maximum of 25°C for a period of up to eight weeks. The PFS must be protected from light, and discarded if not used within the eight-week period.

# Dose Administration

- The patient information leaflet contains a very clear diagrammatic guide on how to administer a dose from the PFS.
- The plunger must be pressed down fully to deliver the dose of adalimumab.
- The needle will retract into the body of the syringe when the patient lifts their thumb from the plunger.

# Similarities between Hulio<sup>®</sup> pre-filled syringe and the reference biological medicine (Humira<sup>®</sup> pre-filled syringe)

• Both Hulio<sup>®</sup> 40 mg PFS and Humira<sup>®</sup> 40 mg PFS are citrate-free formulations.

# Differences between Hulio<sup>®</sup> pre-filled syringe and the reference biological medicine (Humira<sup>®</sup> pre-filled syringe)

- Hulio<sup>®</sup> 40 mg PFS contains 40 mg of adalimumab in 0.8 ml; Hulio<sup>®</sup> 40 mg PFS contains 40 mg of adalimumab in 0.4 ml.
- Hulio<sup>®</sup> 40 mg PFP has a shelf life of three years; Humira<sup>®</sup> 40 mg PFP has a shelf life of two years.
- Hulio<sup>®</sup> 40 mg PFS has a safety feature upon delivery of the dose of adalimumab; the needle will retract into the body of the syringe when the plunger is release. Humira<sup>®</sup> 40 mg PFS does not have a safety feature.



### **Mylan Ireland Patient Support Services**

Mylan Ireland provide a patient support service to patients who have been prescribed Hulio<sup>®</sup>. This is provided by Hibernian Healthcare at Home on behalf of Mylan Ireland.

The following services are available as part of the patient support service:

- Optional nurse visit to deliver patient education on correct device handling and administration technique for Hulio®
- Provision of QuantiFERON testing
- Sharps bin provision and waste collection service
- Provision of faecal calprotectin home test kits to gastroenterology patients

In order to avail of the patient support services for patients who have been prescribed Hulio<sup>®</sup>, please use the Hibernian Healthcare at Home online portal <u>www.schedule.hahirl.com</u>. If you have not registered on the Hibernian portal previously, please contact Hibernian Healthcare at Home on 01-4604820 or by email at <u>info@hibernianhealth.com</u>, and access and support will be provided.

In order to obtain training pens and patient support materials for use in clinics, please contact Mylan Ireland Limited, Newenham Court, Northern Cross, Malahide Road, Dublin 17 D17 XC99 at +353-1-8322250. For medical information queries, please contact <u>info@mylan.co.uk</u>

#### **References:**

 Hulio<sup>®</sup> EPAR – Product Information. Last revised 05/12/2022. Accessed at <u>https://www.ema.europa.eu/en/documents/product-information/hulio-epar-product-information\_en.pdf</u> on 31/03/2023.