

Smoking Prevalence Tracker 2023

AISLING CORCORAN, DIRECTOR LYDIA KNEW, RESEARCHER

15th March 2024





This information relates to data collected in March, June, September & December 2023. Survey carried out by Ipsos B&A on behalf of the HSE.



Headline Data 2023 Results



Smoking Prevalence: 15.0%

E-Cigarette Use: 9.7%

Roll Your Own (RYO): 29.3%

% of smokers using RYO



Smoking Prevalence Tracker - Methodology



Tracker Commenced in July 2002

Conducted quarterly* via Omnipoll, lpsos' telephone omnibus.

N=1,000 adults 15+ per month Questionnaire covers smoking prevalence, brand & no. of cigarettes smoked & E-cigarette usage

Data provided in SPSS format for HSE analysis & reporting

*Conducted monthly up to March 2016, now quarterly; results relate to surveys conducted in March, June, September & December 2023





Differences in HSE Tracker and Healthy Ireland Smoking Prevalence Surveys




- The tracker methodology is a telephone survey, whereas Healthy Ireland (HI) used a face-to-face approach until 2020 and has since been changed to a two-stage telephone survey.
- The questions asked about smoking prevalence are different (smoke one or more weekly in tracker whereas
 daily or occasionally in the HI survey).
- The tracker sample is smaller (n=4,000 annually) and the research is undertaken quarterly whereas Healthy Ireland (HI) samples over 7,500 people per wave.
- The tracker has been undertaken since 2002 whereas the Healthy Ireland survey started in 2015.
- Both surveys indicate an underlying downward trend in smoking prevalence, as indicated in Figure 1 on the next slide based on the Smoking Prevalence Tracker data.



Figure 1: Trend in Smoking Prevalence to 2023






Source: HSE Tracker Survey




Cigarette Smoking Prevalence



Smoke one or more cigarettes each week?





Q.1 Do you smoke one or more cigarettes each week, whether packaged or roll your own?


Base: All Respondents 2023: 4,000/All Smokers 2023: 536





Cigarette Smoking Prevalence by Socio-Economic Group

Socio-Economic Group



Smoking prevalence is highest amongst those in the DE socio-economic group at 20.3%, with those in the F (6.6%) category being least likely to smoke.

Social Class Categorisation Source: AIMRO Standard Guide for Social Class Further details available on HSE website

Q.1 Do you smoke one or more cigarettes each week, whether packaged or roll your own?

Base: All Smokers 2023: 536







Name:

AISLING CORCORAN

Title:

DIRECTOR

Details:

aisling.corcoran@lpsos.com Tel. No. 01 4389000 Name:

LYDIA KNEW

Title:

RESEARCHER

Details:

lydia.knew@lpsos.com Tel. No. 01 4389000

