



Medicine Protocol for the Administration of Menjugate (Meningococcal Group C conjugate vaccine) by registered nurses and registered midwives to refugees and applicants seeking protection in Ireland and in the event of an outbreak

This medicine protocol is a specific written instruction for the administration of Menjugate (Meningococcal Group C conjugate vaccine) to refugees and applicants seeking protection in Ireland (hereafter referred to as vaccine recipients) and in the event of an outbreak by registered nurses and registered midwives. This medicine protocol is valid for the 2025/2026 Health Service Executive (HSE) Primary Childhood Immunisation Programme (PCIP), Schools Immunisation Programme (SIP) and for National Immunisation Advisory Committee (NIAC) recommended catch up vaccination programme, and in the event of an outbreak as advised by public health.




This medicine protocol enables registered nurses and registered midwives employed in the voluntary and statutory services of the HSE including HSE Community vaccination clinics who have undertaken the required education and training programmes to administer Menjugate (Meningococcal Group C conjugate vaccine) with reference to and guidance from Nursing & Midwifery Board of Ireland (NMBI), National Immunisation Advisory Committee (NIAC), National Immunisation Office (NIO), HSE and in accordance with the Summary of Product Characteristics (SmPC) for Menjugate (Meningococcal Group C conjugate vaccine) as detailed by the Health Products Regulatory Authority (HPRA) at www.hpra.ie

- An Bord Altranais (2007) *Guidance to Nurses and Midwives on Medication Management*. Dublin: An Bord Altranais
- National Immunisation Advisory Committee (2023) *Anaphylaxis: Immediate Management in the Community* available at: <https://www.hiqa.ie/reports-and-publications/niac-immunisation-guideline/anaphylaxis>
- National Immunisation Advisory Committee *Immunisation Guidelines for Ireland* available at: <https://www.hiqa.ie/areas-we-work/national-immunisation-advisory-committee/immunisation-guidelines-ireland>
- National Immunisation Office (2025) *Children Who Have Come To Ireland From Another Country: Information For Healthcare Professionals On Catch-Up Vaccination* available at <https://www.hse.ie/eng/health/immunisation/hcpinfo/botpipa/hcwcatchupothercountries.pdf>
- National Immunisation Office (2025/2026) *Supporting Information for Staff: Schools Immunisation Programme* available at: <https://www.hse.ie/eng/health/immunisation/pubinfo/schoolprog/supportingdoc-2025.pdf>
- National Immunisation Office (2025) *Supporting Information for Vaccinations in General Practice* available at: <https://www.hse.ie/eng/health/immunisation/infomaterials/gpsupportingdocpci.pdf>
- Nursing and Midwifery Board of Ireland (2025) *Code of Professional Conduct and Ethics for Registered Nurses and Registered Midwives incorporating the Scope of Practice and Professional Guidance*. Dublin: Nursing and Midwifery Board of Ireland available at: <https://www.nmbi.ie/NMBI/media/NMBI/NMBI-Code-of-Professional-Conduct-and-Ethics.pdf?ext=.pdf>
- Nursing and Midwifery Board of Ireland (2020) *Guidance for Registered Nurses and Registered Midwives on Medication Administration*. Dublin: Nursing and Midwifery Board of Ireland available at: <https://www.nmbi.ie/NMBI/media/NMBI/NMBI-Medication-Administration-2020.pdf?ext=.pdf>
- Nursing and Midwifery Board of Ireland (2022) *Practice Standards for Midwives*. Dublin: Nursing and Midwifery Board of Ireland available at: <https://www.nmbi.ie/NMBI/media/NMBI/NMBI-Practice-Standards-for-Midwives.pdf?ext=.pdf>

The Nursing and Midwifery Board of Ireland defines medicine protocols as “written directions that allow for the supply and administration of a named medicinal product by a registered nurse or midwife in identified clinical situations. A medication protocol involves the authorisation of the nurse or midwife to supply and administer a medication to groups of patients in a defined situation meeting specific criteria and who may not be individually identified before presentation for treatment (AnBord Altranais, 2007, page 37).



Medicine Protocol for the Administration of Menjugate (Meningococcal Group C conjugate vaccine)
by registered nurses and registered midwives to refugees and applicants seeking protection in Ireland and in the event of an outbreak

Document reference number	Version4-NIO-MenC-November
1.0 Critical elements	
Name of Organisation /Setting where medicine protocol applies	Health Service Providers across the voluntary and statutory services of the HSE including HSE community vaccination clinics. This Medicine Protocol applies to: <ul style="list-style-type: none">• registered nurses and registered midwives employed in the voluntary and statutory services of the HSE including HSE Community vaccination clinics, congregated settings, temporary clinics and mobile units
Date the medicine protocol comes into effect	November 2025
Date for review of medicine protocol	November 2026
Document prepared by	National Immunisation Office (NIO) in collaboration with the Office of the Nursing and Midwifery Services Director (ONMSD) HSE.
Names and Signatures of the employing authority who is authorising the implementation of the medicine protocol <i>“On behalf of the authority employing professionals authorised to administer under this medicine protocol, I have read this medicine protocol and authorise its implementation”</i>	<p>Name: Dr. Éamonn O 'Moore Director of National Health Protection</p> <p></p> <p>Signature: _____</p> <p>Name: Dr Colm Henry, Chief Clinical Officer, HSE</p> <p></p> <p>Signature: _____</p> <p>Name: Dr Geraldine Shaw, Nursing and Midwifery Services Director, HSE</p> <p>Signature: </p>



2.0 Clinical Criteria

Clinical condition for use of the medicine protocol	The clinical condition for which this medicine protocol has been developed is for the active immunisation against and prevention of Meningococcal Group C (Men C) disease.
--	--

Circumstances in which the medicine protocol applies	To provide a Menjugate (Meningococcal Group C conjugate vaccine) to vaccine recipients and in the event of an outbreak as advised by Public Health.
---	---

Inclusion criteria for vaccine recipients receiving Menjugate (Meningococcal Group C conjugate vaccine) under this medicine protocol	For primary immunisation For children born on or before the 30th September 2024 the primary schedule consists of 2 doses with the first being administered at 6 months of age and a second dose of Hib/MenC at 13 months of age. For children born on or after the 1st October 2024 the primary schedule consists of 1 dose at 13 months of age
---	--

For catch up programme

Unvaccinated children and adults up to 23 years of age should be vaccinated as per the NIAC catch up schedule as below.

Age	4 months to <12 months If born on or before the 30 th September 2024	1 to < 2 years	2-<4 years
*MenC Vaccine	1 dose	1 dose	1 dose

Age	4 -9 years	10 -17 years	18 years and older
*MenC Vaccine	1 dose	1 dose up to 23 years of age, if Men C containing vaccine not given at age >10years	1 dose up to 23 years of age, if Men C containing vaccine not given at age ≥10years

For outbreak response: As advised by public health

Precaution

- Acute severe febrile illness, defer until recovery
- The presence of a minor infection such as a mild upper respiratory infection or low grade fever is not a contraindication to immunisation.

Note:

- COVID-19 vaccines (except for COVID-19 vaccine given to children aged 6 months to 4 years where a 14-day interval is recommended) and other vaccines may be administered at the same time or at any interval.
- MenC vaccine can be given on the same day or at any interval before or after the BCG vaccine. (Please refer to the relevant NIAC Chapter for the recommendations for BCG vaccine).
- MenC can be given on the same day or at any interval before or after RSV monoclonal antibody (nirsevimab). Please refer to the relevant NIAC Chapter for the recommendations for RSV immunisation).



Medicine Protocol for the Administration of Menjugate (Meningococcal Group C conjugate vaccine)
by registered nurses and registered midwives to refugees and applicants seeking protection in Ireland and in the event of an outbreak

Exclusion criteria for vaccine recipients receiving Menjugate (Meningococcal Group C conjugate vaccine) under this medicine protocol	Previous anaphylactic reaction to any of the vaccine constituents.												
Actions to be taken for those who are excluded from the medicine protocol	<p>All vaccine recipients meeting exclusion criteria must be referred to the clinical lead for an individual assessment.</p> <ul style="list-style-type: none">Document action in clinical notesWhere Menjugate (Meningococcal Group C conjugate vaccine) is prescribed following clinical assessment, the registered nurse or midwife may administer Menjugate (Meningococcal Group C conjugate vaccine) within their scope of practice. <p>Note: In determining their scope of practice, registered nurses and midwives must make judgements about their competency to carry out a role or activity (NMBI, 2025).</p>												
Description of circumstances and referral arrangements when further advice or consultation is required	<p>Discuss the vaccine recipient with the clinical lead in the event of:</p> <ul style="list-style-type: none">Adverse reactionOther clinical concerns												
Documentation required to support implementation of the medicine protocol	<p>A consent form must be understood and completed by the parent /legal guardian for all children who receive the Meningococcal Group C Conjugate Vaccine (Menjugate). Children aged 16 years and over consent on their own behalf, once understood and translation of consent is undertaken with support of translator if required. Appropriate details including the batch number must be recorded on the consent form.</p> <p>The following documents will be required at each vaccination session:</p> <ul style="list-style-type: none">Vaccination session formBlank vaccine consent formsVaccine Information LeafletsPatient held record cards/ vaccine passportPost vaccination advice should be provided <p>It is the responsibility of each registered nurse or midwife to be familiar with the appropriate documentation to support the safe administration of Menjugate (Meningococcal Group C conjugate vaccine) which includes the following:</p> <ul style="list-style-type: none">This medicine protocolNIAC (2023) <i>Anaphylaxis: Immediate Management in the Community</i> available at: https://www.higa.ie/reports-and-publications/niac-immunisation-guideline/anaphylaxis												
3.0 Name of medicine	<p>MENJUGATE 10 micrograms suspension for injection Meningococcal Group C conjugate vaccine</p> <p>Dose: 0.5 ml Route: Intramuscular injection</p> <table><tr><th>Patients Age</th><th>Site</th><th>Needle length & Size</th></tr><tr><td>Birth to <12 months</td><td>Vastus lateralis muscle</td><td>25 mm (Use a 16 mm needle in infants under 2.5 - 3 kg) 23-25 gauge</td></tr><tr><td>12 to <36 months</td><td>Vastus lateralis or deltoid muscle (depending on muscle mass)</td><td>25 mm 23-25 gauge</td></tr><tr><td>3 years and older</td><td>Deltoid muscle</td><td>25 mm 23-25 gauge</td></tr></table>	Patients Age	Site	Needle length & Size	Birth to <12 months	Vastus lateralis muscle	25 mm (Use a 16 mm needle in infants under 2.5 - 3 kg) 23-25 gauge	12 to <36 months	Vastus lateralis or deltoid muscle (depending on muscle mass)	25 mm 23-25 gauge	3 years and older	Deltoid muscle	25 mm 23-25 gauge
Patients Age	Site	Needle length & Size											
Birth to <12 months	Vastus lateralis muscle	25 mm (Use a 16 mm needle in infants under 2.5 - 3 kg) 23-25 gauge											
12 to <36 months	Vastus lateralis or deltoid muscle (depending on muscle mass)	25 mm 23-25 gauge											
3 years and older	Deltoid muscle	25 mm 23-25 gauge											



Link to Medicine Details of product information and other data including instructions for supply and administration is available from the HPRA at www.hpra.ie	Link to Summary of Product Characteristics: https://assets.hpra.ie/products/Human/22980/Licence_PA0919-004-003_05112021142113.pdf Link to Patient Information Leaflet: https://assets.hpra.ie/products/Human/22980/pil-2195718-29012018151204-636528355258437500.pdf
Procedure for reporting and documentation of errors and near misses involving the vaccine	<p>In the case of medicine errors that directly involve the vaccine recipient, i.e. wrong medicine/patient/dose/route being administered or another medicine error, the registered nurse or registered midwife must remain with the vaccine recipient and closely monitor them for any adverse reactions.</p> <p>Vital signs should be recorded and the vaccine recipient should be reviewed by the registered nurse/midwife and/or medical practitioner.</p> <p>The incident must be reported to the relevant line manager as soon as possible. The incident and all actions taken must be promptly recorded in the recipient's notes and the relevant National Incident Management Report Form completed, available at: https://www.hse.ie/eng/about/who/nqpsd/gps-incident-management/nims/nirf-01-v12-person-interactive.pdf</p> <p>The child's parent and/or legal guardian must be informed of the incident.</p> <p>Any suspected adverse reactions associated with medicine errors should be reported to the HPRA as outlined below.</p> <p>Any errors and near misses not involving medications/not directly involving the vaccine recipient (Needle stick injuries etc.), the incident and all actions taken must be promptly recorded on the relevant National Incident Management Report Form and forwarded to the relevant line manager as per local policy. Refer to https://www.hpsc.ie/a-z/emi/algorithms/EMISharpsAlgo.pdf</p>
Procedure for reporting Adverse Drug Reactions to the HPRA	<p>The relevant nursing or midwifery staff should report to the HPRA any suspected adverse reactions, in accordance with criteria outlined by the HPRA. This reporting may be carried out online at https://www.hpra.ie</p>
Resources and equipment required for the administration of Menjugate (Meningococcal Group C conjugate vaccine)	<ul style="list-style-type: none">• Menjugate (Meningococcal Group C conjugate vaccine)• Fridge/cool box with minimum/maximum temperature recording device to monitor the cold chain temperature (between +2°C and +8°C)• Disposable kidney dishes/coloured trays• Gauze swabs/plasters• Sharps bins and bags for disposal of healthcare risk and non-risk waste materials• Alcohol hand sanitiser• Handwashing facilities• Access to telephone• Resuscitation equipment and drugs in accordance with the NIAC (2023) <i>Anaphylaxis: Immediate Management in the Community</i> available at: https://www.hiqa.ie/reports-and-publications/niac-immunisation-guideline/anaphylaxis• Safe storage areas for medicines and equipment• Current medicine protocol for Meningococcal Group C Conjugate Vaccine (Menjugate)



Medicine Protocol for the Administration of Menjugate (Meningococcal Group C conjugate vaccine) by registered nurses and registered midwives to refugees and applicants seeking protection in Ireland and in the event of an outbreak

Audit process to identify appropriate use of the medicine protocol or unexpected outcomes	All documentation will be held for review and audit purposes as per local policy.
4.0 Information for vaccine recipient /parent/guardian	
Advice to be given to the vaccine recipient/parent/legal guardian before treatment	For children, Patient Information Leaflet/Fact Sheet must be supplied with the consent form to each parent/legal guardian prior to administration of the vaccine. Reiterate the information provided in the HSE patient information leaflet for the vaccine and translator support if required.
Advice to be given to the vaccine recipient/parent/legal guardian after treatment	After Treatment The vaccine recipient must be advised to remain seated in the post vaccination observation area for 15 minutes to allow monitoring of any immediate reaction including possible anaphylactic reaction and must be advised to report any side effects to the registered nurse or registered midwife who is present.

Details of any necessary follow-up, action and referral arrangements	In the event of an adverse reaction the registered nurse or midwife must ensure that all procedures are adhered to as outlined in Section 3.
---	--

5.0 Staff authorised to use this medicine protocol

Professional qualifications, training, experience and competence required prior to working under this medicine protocol	<p>Registered nurse or registered midwife must have completed all of the following:</p> <ol style="list-style-type: none">1) Be a Registered Nurse or Registered Midwife, on the active register maintained by the NMBI2) <i>Primary Childhood Immunisation Programme</i> accessible on www.HSeLanD.ie3) Education programme for nurses and midwives on <i>National Vaccination Education Programme for Registered Nurses/Midwives/Public Health Nurses: 2025/2026</i> and any updates for nurses and midwives accessible on www.HSeLanD.ie4) An approved <i>Basic Life Support for Health Care Providers Course</i> within the last two years (i.e. Irish Heart Foundation (IHF))5) Initial <i>National Anaphylaxis Education Programme for Health Care Professionals</i> accessible on www.HSeLanD.ie followed by a two hour classroom based skills workshop. Recertification is required every two years by completing the on-line <i>National Anaphylaxis Education Programme for Health Care Professionals</i> accessible on www.HSeLanD.ie6) Children having vaccinations and healthcare procedures: Clinical Holding (Professor Lucy Bray/ONMSD, 2023) available at www.HSeLanD.ie <p>The registered nurse/midwife must complete the Competency Self-Assessment Form to vaccinate Refugees and Applicants Seeking Protection in Ireland available at www.immunisation.ie</p>
--	---



References

Glaxosmithkline Vaccines S.r.l. Menjugate (Meningococcal Group C conjugate vaccine) *Summary of Product Characteristics and Patient Information Leaflet*, available at www.hpra.ie

HSE National Policy on the Management of Sharps and Prevention of Sharp Injuries (2025) available at: <https://www2.healthservice.hse.ie/files/191/>

National Clinical Guideline No. 30 (2023) – Infection Prevention and Control (IPC) available at: <https://www.gov.ie/en/publication/a057e-infection-prevention-and-control-ipc/>.

National Immunisation Advisory Committee (2023) *Anaphylaxis: Immediate Management in the Community* available at: <https://www.hiqa.ie/reports-and-publications/niac-immunisation-guideline/anaphylaxis>

National Immunisation Advisory Committee *Immunisation Guidelines for Ireland* available at: <https://www.hiqa.ie/areas-we-work/national-immunisation-advisory-committee/immunisation-guidelines-ireland>

National Immunisation Office (2025/2026) *Supporting Information for Staff: Schools Immunisation Programme* available at: <https://www.hse.ie/eng/health/immunisation/pubinfo/schoolprog/supportingdoc-2025.pdf>

National Immunisation Office (2025) Children Who Have Come To Ireland From Another Country: Information For Healthcare Professionals On Catch-Up Vaccination available at <https://www.hse.ie/eng/health/immunisation/hcpinfo/botpipa/hcwcatchupothercountries.pdf>

National Immunisation Office (2025) *Supporting Information for Vaccinations in General Practice* available at: <https://www.hse.ie/eng/health/immunisation/infomaterials/gpsupportingdocpci.pdf>

Nursing and Midwifery Board of Ireland (2025) *Code of Professional Conduct and Ethics for Register Nurses and Registered Midwives incorporating the Scope of Practice and Professional Guidance*. Dublin: Nursing and Midwifery Board of Ireland available at: <https://www.nmbi.ie/NMBI/media/NMBI/NMBI-Code-of-Professional-Conduct-and-Ethics.pdf?ext=.pdf>

Nursing and Midwifery Board of Ireland (2020) *Guidance for Registered Nurses and Registered Midwives on Medication Administration*. Dublin: Nursing and Midwifery Board of Ireland available at: <https://www.nmbi.ie/NMBI/media/NMBI/NMBI-Medication-Administration-2020>

Nursing and Midwifery Board of Ireland (2022) *Practice Standards for Midwives* Dublin: Nursing and Midwifery Board of Ireland available at: <https://www.nmbi.ie/Standards-Guidance/Midwives-Standards>