

This medicine protocol is a specific written instruction for the administration of Prevenar 13 vaccine (PCV13) to Refugees and Applicants Seeking Protection in Ireland (hereafter referred to as vaccine recipients) and in the event of an outbreak as advised by public health, by registered nurses and registered midwives. This medicine protocol is valid for the 2023/2024 Health Service Executive (HSE) Primary Childhood Immunisation Programme (PCIP), Schools Immunisation Programme (SIP) and National Immunisation Advisory Committee (NIAC) catch up Immunisation Programme, and in the event of an outbreak as advised by public health.

This medicine protocol enables registered nurses and registered midwives employed in the voluntary and statutory services of the HSE including Mass vaccination clinics who have undertaken the required education and training programmes to administer Prevenar 13 vaccine (PCV13) with reference to and guidance from Nursing & Midwifery Board of Ireland (NMBI), National Immunisation Advisory Committee (NIAC), National Immunisation Office (NIO), HSE and in accordance with the Summary of Product Characteristics (SmPC) for Prevenar 13 vaccine (PCV13) as detailed by the European Medicines Agency (EMA) at www.ema.eu

- An Bord Altranais (2007) *Guidance to Nurses and Midwives on Medication Management.* Dublin: An Bord Altranais
- National Immunisation Advisory Committee (2023) Anaphylaxis: Immediate Management in the Community available at: https://rcpi.access.preservica.com/uncategorized/IO a36f9e4b-4c80-432d-8264-546089359925/
- National Immunisation Advisory Committee Immunisation Guidelines for Ireland: Royal College of Physicians
 of Ireland National Immunisation Advisory Committee available at: https://www.rcpi.ie/Healthcare-Leadership/NIAC/Immunisation-Guidelines-for-Ireland
- National Immunisation Office (2023/2024) Supporting Information for Staff: Schools Immunisation Programme available at:
 - https://www.hse.ie/eng/health/immunisation/hcpinfo/schoolproghcp/supportingdoc.pdf
- National Immunisation Office (2023) Clinical information to support healthcare staff to deliver catch-up vaccination for Refugees and Applicants Seeking Protection in Ireland and in the event of an outbreak available at: https://www.hse.ie/eng/health/immunisation/hcpinfo/botpipa/clinicalinfobotpipa.pdf
- National Immunisation Office (2022) *Supporting Information for Vaccinations in General Practice* available at: https://www.hse.ie/eng/health/immunisation/infomaterials/gpsupportingdocpci.pdf
- Nursing and Midwifery Board of Ireland (2021) Code of Professional Conduct and Ethics for Registered Nurses
 and Registered Midwives. Dublin: Nursing and Midwifery Board of Ireland available at:
 https://www.nmbi.ie/NMBI/media/NMBI/Code-of-Professional-Conduct-and-Ethics.pdf
- Nursing and Midwifery Board of Ireland (2020) Guidance for Registered Nurses and Midwives on Medication
 Administration available at:
 https://www.nmbi.ie/NMBI/media/NMBI/NMBI-Medication-Administration-2020.pdf?ext=.pdf
- Nursing and Midwifery Board of Ireland (2022) *Practice Standards for Midwives*. Dublin: Nursing and Midwifery Board of Ireland available at: https://www.nmbi.ie/Standards-Guidance/MidwivesStandards
- Nursing and Midwifery Board of Ireland (2015) Recording Clinical Practice. Guidance to Nurses and Midwives.
 Dublin: Nursing and Midwifery Board of Ireland available at:
 https://www.nmbi.ie/Standards-Guidance/More-Standards-Guidance/Recording-Clinical-Practice
- Nursing and Midwifery Board of Ireland (2015) Scope of Nursing and Midwifery Practice Framework. Dublin:
 Nursing and Midwifery Board of Ireland available at: https://www.nmbi.ie/StandardsGuidance/Scope-of-Practice/Nursing-Practise-Scope-Definition

The Nursing and Midwifery Board of Ireland defines medicine protocols as "written directions that allow for the supply and administration of a named medicinal product by a nurse or midwife in identified clinical situations. A medicine protocol involves the authorisation of the nurse/midwife to supply and administer a medicine to groups of patients in a defined situation meeting specific criteria and who may not be individually identified before presentation for treatment. An individually named prescription is not required for the supply and administration of medication when a medication protocol is in effect" (An Bord Altranais, 2007).



Version 2

11/12/2023

Document reference	NIO 2023		
number			
1.0 Critical elements			
Name of Organisation	Health Service Providers across the voluntary and statutory services of the HSE		
where medicine protocol	including Mass vaccination clinics. This Medicine Protocol applies to:		
applies	 registered nurses and registered midwives employed in the voluntary and 		
	statutory services of the HSE including Mass vaccination clinics, congregated		
	settings, temporary clinics and mobile units		
Date the medicine	December 2023		
protocol comes into effect			
Date for review of	December 2024		
medicine protocol			
Document prepared by	National Immunisation Office (NIO) in collaboration with the Office of the Nursing and		
	Midwifery Services Director (ONMSD) HSE.		
Names and Signatures of			
the employing authority	Name: Dr. Eamonn O 'Moore Director of National Health Protection		
who is authorising the			
implementation of the			
medicine protocol			
"On behalf of the			
authority employing			
professionals authorised			
to administer under this			
medicine protocol, I have			
read this medicine			
protocol and authorise its	DESO'More		
implementation"	Con o - come		
	Signature:		
	Name: Dr Colm Henry , Chief Clinical Officer, HSE		
	neway		
	Signature: _		
	Name: Dr Geraldine Shaw , Nursing and Midwifery Services Director, HSE		
	\bigcap		



Signature:

2.0 Clinical Criteria			
Clinical condition for use of the medicine protocol	The clinical condition for which this medicine protocol has been developed is for the active immunisation against and prevention of Pneumococcal disease caused by the serotypes included in the Prevenar 13 vaccine (PCV13).		
Circumstances in which the medicine protocol applies	To provide a Prevenar 13 vaccine (PCV13) to Refugees and Applicants Seeking Protection in Ireland and in the event of an outbreak (hereafter referred to as vaccine recipients).		
Inclusion criteria for	Primary immunisation		
vaccine recipient receiving	The primary schedule consists of 3 doses at 2, 6 and 13 months of age.		
Prevenar 13 vaccine	For catch up programme		
(PCV13) under this		2 years of age should be vacc	inated as per the NIAC catch
medicine protocol	up schedule as below.	_ , cars or age or cara se race	
	- <u>-</u>	T	
	Vaccine	4 months to < 12 months	1 to < 2 years
	PCV13	2 doses ≥ 8 weeks apart	1 dose
	Children who are aged 2vrs a	und above de not require PCV	vaccing unless they are in "at
	Children who are aged 2yrs and above do not require PCV vaccine unless they are in "at risk group" as per the NIAC guidelines.		
	Pneumococcal (PCV13) vaccination for those at increased risk of IPD As advised by public health		
	For outbreak response		
	As advised by public health		
	Precautions		
	Acute severe febrile illness, defer until recovery		
	 If Prevenar 13 vaccine (PCV13) vaccine is given to children aged 12-23 months of age, it should be separated from influenza vaccine by at least 1 week. This is because of a slightly increased risk of febrile convulsions if the vaccines are given at the same time in this age group. 		
	 If Prevenar 13 vaccine (PCV13) vaccine has been given during chemotherapy or 		
	radiotherapy, revaccination ≥3 months after treatment is recommended.		
	Note:		
	The presence of a minor infection such as a mild upper respiratory infection or		
	low-grade fever is not a contraindication to immunisation.		
	COVID-19 vaccines (except for COVID-19 vaccine given to children aged 6		
	months 4 years where a 14-day interval is recommended) and other vaccines		
	may be administered at the same time or at any interval.		
	For children aged 6 - <24months, if PCV and seasonal Influenza Vaccine are		
	given at the same time, Parent/Carers/legal Guardians should be advised of a		
	small increased risk o one week may be ad		ns. Separating the vaccines by
Exclusion criteria for	Anaphylaxis to any of the vac	rcine constituents	
EXCIUSION CITTELIA TOL	Anaphylaxis to any of the vac	cine constituents	



vaccine recipients receiving				
Prevenar 13 vaccine				
(PCV13) under this				
medicine protocol				
Actions to be taken for	All vaccine recipients meeting exclusion criteria must be referred to the medical			
those who are excluded	practitioner for an individual assessment.			
from the medicine protocol	Document action in clinical notes Where Prevents 13 years in (PC) (13) is present bod following readical.			
	 Where Prevenar 13 vaccine (PCV13) is prescribed following medical assessment, the nurse or midwife may administer Prevenar 13 vaccine (PCV13) within their scope of practice. 			
	within their scope	or practice.		
	Note: In determining their scope of practice, nurses and midwives must make			
	_	npetency to carry out a role o		
Description of	Discuss the vaccine recipier	nt with the Medical Practition	er or clinical lead in the event	
circumstances and referral	of:			
arrangements when	 Adverse reaction 			
further advice or	Other clinical conce	erns		
consultation is required				
Documentation required to	A consent form must be completed by the parent /legal guardian for all children who			
support implementation of the medicine protocol	receive the Prevenar 13 vaccine (PCV13) once understood and translation of consent is			
the medicine protocol	undertaken with support of translator if required. Appropriate details including the batch number must be recorded on the consent form.			
		vill be required at each vaccina	ation session:	
	 Vaccination session 			
	Blank vaccine cons	ent forms		
	Vaccine Informatio	n Leaflets		
	Patient held record	cards/ Vaccine passport		
	HPRA Adverse Reaction Reporting forms			
	HSE Incident/Near Miss Report Forms			
	Post vaccination advice			
	It is the responsibility of each registered nurse or midwife to be familiar with the			
	appropriate documentation to support the safe administration of Prevenar 13 vaccine			
	(PCV13) which includes the following:			
	Medicine Protocol for the administration of Prevenar 13 vaccine (PCV13) by registered nurses and registered midwives to Refugees and Applicants Seeking			
	Protection in Ireland and in the event of an outbreak			
	NIAC (2023) Anaphylaxis: Immediate Management in the Community available			
	at: https://rcpi.access.preservica.com/uncategorized/IO_a36f9e4b-4c80-432d-			
	8264-54608935992	<u>25/</u>		
3.0 Name of medicine	Prevenar 13 vaccine (PCV13	3)		
	Dose: 0.5ml			
	Route: Intramuscular injection			
	Patients Age	Site	Needle length & Size	
	Birth to <12 months	Vastus lateralis muscle	25 mm (Use a 16 mm	
	וויטוונווז ליי אוויטוונווז	vastus iateraiis illustie	needle in infants under	
			2.5 - 3 kg)	
			23-25 gauge	
			5 5-	



	Π	T	T		
	12 to <36 months	Vastus lateralis or deltoid	25 mm		
		muscle (depending on	23-25 gauge		
		muscle mass)	10 10 80080		
	3 years and older	Deltoid muscle	25 mm		
			23-25 gauge		
		A			
Link to Medicine	Link to Summary of Product		formation/provency 12 oncy		
Details of product	https://www.ema.europa.eu/en/documents/product-information/prevenar				
information and other data Link to Patient Information Leaflet:					
including instructions for	https://www.ema.europa.eu/en/documents/product-information/prevenar-13-epar-				
supply and administration	product-information_en.pd	-	Torriacion, prevenar-13-epar-		
is available from the EMA	produce mornacion_empa	<u>-</u>			
at <u>www.ema.eu</u>					
Procedure for reporting	In the case of medicine erro	rs that directly involve the vac	cine recipient, i.e. wrong		
and documentation of	medicine/patient/dose/route being administered or another medicine error, the registered nurse or registered midwife must remain with the vaccine recipient and closely monitor them for any adverse reactions.				
errors and near misses					
involving the medicine					
	diosely monitor them for any daverse reactions.				
	Vital signs should be recorded and the vaccine recipient should be reviewed by the				
	registered nurse/midwife and/or medical practitioner.				
	The incident must be reported to the relevant line manager as soon as possible. The				
	The incident must be reported to the relevant line manager as soon as possible. The				
	incident and all actions taken must be promptly recorded in the recipient's notes and				
	the relevant National Incident Management Report Form completed:				
	https://www.hse.ie/eng/about/who/nqpsd/qps-incident-management/nims/nirf-01-				
	v12-person-interactive.pdf				
	For infant/child, their parent and/or legal guardian must be informed of the incident				
	Any suspected adverse react	cions associated with medicine	e errors should be reported to		
	the HPRA as outlined below.				
			and the state of t		
		not involving medication e.g. r	•		
		n must be promptly recorded			
		rt form and forwarded to the	= -		
	local policy. Refer to 'EMI To	ol Kit' (<u>https://www.hpsc.ie/a</u>	a-z/EMIToolkit/)		
Procedure for reporting	The relevant nursing or mids	wifery staff should report to the	ne HPRA any suspected		
Adverse Drug Reactions to			the HPRA. This reporting may		
the HPRA		s://www.hpra.ie or through u			
	-	nloadable format from the H			
	from the HPRA.		,		
Resources and equipment	Prevenar 13 vaccine (F	•			
required for the	_	n minimum/maximum thermome	eter to maintain cold chain		
administration of Prevenar 13 vaccine (PCV13)	temperature between				
Tubblic (i CVIS)	Disposable kidney dishGauze swabs/Plasters	ies/coloured trays			
	Gauze Swaps/Flasters				



	 Sharps bins and bags for disposal of healthcare risk and non-risk waste materials 	
	Alcohol hand sanitiser	
	 Face masks (as per local guidelines) 	
	Access to telephone	
	 Resuscitation equipment and drugs in accordance with the NIAC (2023) Anaphylaxis: 	
	Immediate Management in the Community available at:	
	https://rcpi.access.preservica.com/uncategorized/IO_a36f9e4b-4c80-432d-8264-	
	<u>546089359925/</u>	
	Access to medical support	
	 Safe storage areas for medicines and equipment 	
	 Current medicine protocol for Prevenar 13 vaccine (PCV13). 	
Audit process to identify		
appropriate use of the	All documentation will be held for review and audit purposes as per local policy.	
medicine protocol or		
unexpected outcomes		
4.0 Information for vaccine rec	ipient /parent/guardian	
Advice to be given to the	Reiterate the information provided in the HSE patient information leaflet for the vaccine in	
vaccine recipient/parent/	the appropriate language and translator support if required.	
legal guardian before treatment		
	For children, Patient Information Leaflet/Fact Sheet must be supplied with the consent form	
	to each parent/legal guardian prior to administration of the vaccine as above.	
	After Treatment	
Advice to be given to the	The vaccine recipient must be advised to remain seated in the post vaccination observation	
vaccine recipient/parent/	area for 15 minutes to allow monitoring of any immediate reaction including possible	
legal guardian after treatment	anaphylactic reaction and must be advised to report any side effects to the registered nurse or	
	registered midwife who is present.	
Details of any necessary follow-	In the event of an adverse reaction the registered nurse or midwife must ensure that all	
up, action and referral	procedures are adhered to as outlined in Section 3.	
arrangements		
5.0 Staff authorised to use this medicine protocol		

Professional qualifications, training, experience and competence required prior to working under this medicine protocol

Registered nurse or registered midwife must have completed all of the following:

- 1) Be a Registered Nurse or Registered Midwife, on the active register maintained by the NMBI
- 2) Immunisation Foundation Programme accessible on www.HSELanD.ie
- 3) Education programme for nurses and midwives on *Primary Childhood Immunisation Programme* and any updates for nurses and midwives accessible on www.HSELanD.ie
- 4) Education programme for nurses and midwives on *Schools Immunisation Programme* and any updates for nurses and midwives accessible on www.HSELanD.ie
- 5) NIO education programme on *Catch up vaccination for Refugees and Applicants Seeking Protection in Ireland* accessible on www.HSELanD.ie
- 6) An approved *Basic Life Support for Health Care Providers Course* within the last two years (i.e. Irish Heart Foundation (IHF))
- 7) Initial National Anaphylaxis Education Programme for Health Care Professionals accessible on www.HSELanD.ie followed by a two hour classroom based skills workshop. Recertification is required every two years by completing the on-line National Anaphylaxis Education



Programme for Health Care Professionals accessible on www.HSELanD.ie

8) The registered nurse/midwife must complete the Competency Self-Assessment Form to vaccinate* Refugees and Applicants Seeking Protection in Ireland *Health Service Executive (HSE) Primary Childhood Immunisation Programme (PCIP), Schools Immunisation Programmes (SIP) and the National Immunisation Advisory Committee (NIAC) Catch Up Immunisation Programme available at www.immunisation.

References

An Bord Altranais (2007) Guidance to Nurses and Midwives on Medication Management. Dublin: An Bord Altranais

Health Products Regulatory Authority available at: www.hpra.ie

National Clinical Guideline No. 30 (2023) – Infection Prevention and Control (IPC) https://www.gov.ie/en/publication/a057e-infection-prevention-and-control-ipc/.

National Immunisation Advisory Committee (2023) *Anaphylaxis: Immediate Management in the Community* available at: https://rcpi.access.preservica.com/uncategorized/IO_a36f9e4b-4c80-432d-8264-546089359925/

National Immunisation Advisory Committee *Immunisation Guidelines for Ireland*: Royal College of Physicians of Ireland National Immunisation Advisory Committee available at: https://www.rcpi.ie/Healthcare-Leadership/NIAC/Immunisation-Guidelines-for-Ireland

National Immunisation Office (2023/2024) *Supporting Information for Staff: Schools Immunisation Programme* available at: https://www.hse.ie/eng/health/immunisation/hcpinfo/schoolproghcp/supportingdoc.pdf

National Immunisation Office (2023) Clinical information to support healthcare staff to deliver catch-up vaccination for Refugees and Applicants Seeking Protection in Ireland and in the event of an outbreak available at:https://www.hse.ie/eng/health/immunisation/hcpinfo/botpipa/clinicalinfobotpipa.pdf

National Immunisation Office (2022) *Supporting Information for Vaccinations in General Practice* available at: https://www.hse.ie/eng/health/immunisation/infomaterials/gpsupportingdocpci.pdf

Nursing and Midwifery Board of Ireland (2021) *Code of Professional Conduct and Ethics for Registered Nurses and Registered Midwives*. Dublin: Nursing and Midwifery Board of Ireland available at: https://www.nmbi.ie/Standards-Guidance/Code

Nursing and Midwifery Board of Ireland (2020) *Guidance for Registered Nurses and Registered Midwives on Medication Administration*. Dublin: Nursing and Midwifery Board of Ireland available at: https://www.nmbi.ie/NMBI/media/NMBI/NMBI-Medication-Administration-2020

Nursing and Midwifery Board of Ireland (2022) *Practice Standards for Midwives* Dublin: Nursing and Midwifery Board of Ireland available at: https://www.nmbi.ie/Standards-Guidance/Midwives-Standards

Nursing and Midwifery Board of Ireland (2015) *Scope of Nursing and Midwifery Practice Framework*. Dublin: Nursing and Midwifery Board of Ireland available at: https://www.nmbi.ie/Standards-Guidance/Scope-ofPractice/Nursing-Practise-Scope-Definition

Nursing and Midwifery Board of Ireland (2015) Recording Clinical Practice. Guidance to Nurses and Midwives.

Version 2 11/12/2023



Dublin: Nursing and Midwifery Board of Ireland available at: https://www.nmbi.ie/Standards-Guidance/More-Standards-Guidance/Recording-Clinical-Practice

Pfizer Prevenar 13 vaccine (PCV13) Summary of Product Characteristics and Patient Information Leaflet, available at www.ema.eu