

Medicine Protocol for the Administration of Nimenrix vaccine (MenACWY) by registered nurses and registered midwives




This medicine protocol is a specific written instruction for the administration of Nimenrix (MenACWY) Vaccine to students in Second Level School by registered nurses and registered midwives. **This medicine protocol is valid for the 2020/2021 HSE School Immunisation Programme.**

This medicine protocol enables registered nurses and midwives employed in the voluntary and statutory services of the HSE who have undertaken the required education and training programmes to administer **Nimenrix** vaccine (MenACWY) with reference to and guidance from Nursing & Midwifery Board of Ireland, National Nursing and Midwifery Immunisation Working Group, National Immunisation Advisory Committee, National Immunisation Office, HSE and in accordance with the Summary of Product Characteristics for Nimenrix vaccine (MenACWY) as detailed by the Health Products Regulatory Authority at www.hpra.ie :

- An Bord Altranais (2007) *Guidance to Nurses and Midwives on Medication Management* Dublin: An Bord Altranais
- Health Services Executive (2019) *Directions for Nurses and Midwives for the Management of a Patient who Develops Anaphylaxis or suspected anaphylaxis incorporating Medicine Protocol for the Administration of Epinephrine (Adrenaline) injection BP 1:1000 by intramuscular injection by nurses and midwives for the management of a patient with anaphylaxis or suspected anaphylaxis.* Dublin: Health Service Executive
- National Immunisation Office (2020) Supporting Information for Staff: Schools Immunisation Programme 2020/2021 available at <https://www.hse.ie/eng/health/immunisation/pubinfo/schoolprog/4in1mmr/schoolguidelines.pdf>
- National Immunisation Advisory Committee *Immunisation Guidelines for Ireland* Dublin: Royal College of Physicians of Ireland National Immunisation Advisory Committee (*Online Update available at <https://www.hse.ie/eng/health/immunisation/hcpinfo/guidelines/>*
- Nursing and Midwifery Board of Ireland (2014) *Code of Professional Conduct and Ethics for Registered Nurses and Registered Midwives.* Dublin: Nursing and Midwifery Board of Ireland available at: <http://www.nmbi.ie/Standards-Guidance/Code>
- Nursing and Midwifery Board of Ireland (2015) *Practice Standards for Midwives.* Dublin: Nursing and Midwifery Board of Ireland available at: <https://www.nmbi.ie/Standards-Guidance/Midwives-Standards>.
- Nursing and Midwifery Board of Ireland (2015) *Recording Clinical Practice. Guidance to Nurses and Midwives.* Dublin: Nursing and Midwifery Board of Ireland available at: <https://www.nmbi.ie/Standards-Guidance/More-Standards-Guidance/Recording-Clinical-Practice>
- Nursing and Midwifery Board of Ireland (2015) *Scope of Nursing and Midwifery Practice Framework.* Dublin: Nursing and Midwifery Board of Ireland available at: <https://www.nmbi.ie/Standards-Guidance/Scope-of-Practice/Nursing-Practise-Scope-Definition>

The Nursing and Midwifery Board of Ireland defines medicine protocols as “written directions that allow for the supply and administration of a named medicinal product by a nurse or midwife in identified clinical situations. A medicine protocol involves the authorisation of the nurse/midwife to supply and administer a medicine to groups of patients in a defined situation meeting specific criteria and who may not be individually identified before presentation for treatment. An individually named prescription is not required for the supply and administration of medication when a medication protocol is in effect” (An Bord Altranais, 2007).

Medicine Protocol for the Administration of Nimenrix Vaccine (MenACWY) by registered nurses and midwives to students in Second Level School through a School Immunisation Programme

Document reference number:	ONMSD 2020 -013
1.0 Critical Elements	
Name of Organisation where protocol applies	Health Service Providers across the voluntary and statutory services of the Health Service Executive (HSE). This Medicine Protocol applies to: <ul style="list-style-type: none"> Registered nurses and midwives involved in the supply and administration of the Nimenrix (MenACWY) vaccine to students in second level school through a School Immunisation Programme.
Date the protocol comes into effect	September 2020
Date for review of protocol	May 2021
Document prepared by:	Office of the Nursing and Midwifery Services Director (ONMSD) HSE, in collaboration with the National Immunisation Office (NIO) at the request of Dr Lorraine Doherty, National Clinical Director Health Protection.
Names and Signatures of the employing authority who is authorising the implementation of the protocol <i>"On behalf of the authority employing professionals authorised to administer under this medicine protocol, I have read this medicine protocol and authorise its implementation"</i>	Name: Dr. Lorraine Doherty , National Clinical Director Health Protection, HSE Signature:  Name: Dr Colm Henry , Chief Clinical Officer, HSE Signature:  Name: Dr Geraldine Shaw , Nursing and Midwifery Services Director, HSE Signature: 

2.0 Clinical Criteria	
Clinical Condition for use of the protocol	The clinical condition for which this medicine protocol has been developed is for the active immunisation against and prevention of Meningococcal Group ACWY (Men ACWY) disease.
Circumstances in which the medicine protocol applies	<p>The School Immunisation Programme (SIP) will be delivered annually by the Health Service Executive (HSE)</p> <p>The aim of this immunisation programme is to protect children against four types of meningococcal disease which can cause meningitis (inflammation of the lining around the brain) and /or septicaemia (blood poisoning).The Meningococcal ACWY vaccine will boost child’s protection against group C meningococcal disease. It will also provide additional protection against meningococcal groups A, W and Y. In addition, this vaccine also reduces the risk of carrying the disease so can help protect other people too.</p> <p>The Nimenrix (MenACWY) vaccine is given as a vaccination for first year students in second level schools (or age equivalent) https://www.hse/eng/health/immunisation/hcpinfo/guidelines/</p> <p>For 2020/2021 MenACWY may also be given, to students who are outside the First year cohort group, but are still in school, who missed the Men C vaccine in first year due to medical reasons/ exceptional circumstances and whose parents/legal guardians now request MenACWY vaccine.</p> <p>The Nimenrix (MenACWY vaccine) can be offered to students who commenced in 1st year in 2019/2020 but were unable to attend the summer catch-up clinics and who are consented for the vaccine.</p>
Inclusion criteria for students treatment using the medicine protocol	<p>Students in 1st year of second level school and age equivalent in special schools and home schooled students. https://www.hse.ie/eng/health/immunisation/pubinfo/schoolprog/4in1mmr/schoolguidelines.pdf</p> <p>For 2020/2021 The Nimenrix (MenACWY vaccine) may also be given, to students who are outside the 1st year second level school cohort group but are still in school, who missed the Men C vaccine in first year due to medical reasons/ exceptional circumstances and whose parents/legal guardians now request MenACWY vaccine, or who were in first year in 2019/20 and consented for the vaccine, but could not attend the summer catch-up clinics.</p> <p>Students with valid consent.</p> <p>If Men C vaccine has recently been received, defer Men ACWY vaccine until at least 2 months after Men C vaccine.</p>
Exclusion criteria for students when using the medicine protocol	<p>A known history of anaphylactic or hypersensitivity reaction to Nimenrix vaccine or any of its components including Sucrose and Trometamol</p> <p>Already received a dose of conjugated Men ACWY vaccine at the age of 10 years or older.</p> <p>Acute febrile illness: The presence of a minor infection such as a mild upper respiratory infection or low grade fever is not a contraindication to immunisation.</p>

	<p>Students with a contraindication to intramuscular injection (haematological disorder/coagulation disorder e.g. haemophilia, severe thrombocytopenia).</p> <p>Students who are immunocompromised either due to disease or treatment.</p>
Actions to be taken for those who are excluded from the Protocol	<ul style="list-style-type: none"> • All students meeting exclusion criteria must be referred to the medical practitioner for an individual assessment, except where excluded due to receipt of Men ACWY vaccine at 10 years or older who therefore do not require further vaccination. • Document action in clinical notes • Where Nimenrix Vaccine (MenACWY) is prescribed following medical assessment, the nurse or midwife may administer Nimenrix Vaccine (MenACWY) within their scope of practice. <p><i>Note: In determining their scope of practice, nurses and midwives must make judgements about their competency to carry out a role or activity (NMBI, 2015).</i></p>
Description of circumstances and referral arrangements when further advice or consultation is required	<p>Discuss the student with the Medical Practitioner or lead nurse in the event of:</p> <ul style="list-style-type: none"> • Previous adverse reaction • Other clinical concerns

Documentation required for the implementation of this medicine protocol	<p>A consent form must be completed by the parent/legal guardian for all students who receive the vaccine. Appropriate details including the batch number must be recorded on the consent form.</p> <p>The following documents will be required at each school vaccination session:</p> <ul style="list-style-type: none"> • Vaccination session report forms • Blank Vaccine consent forms • Patient held record cards • Health Products Regulatory Authority Adverse Reaction Reporting forms • HSE Incident/near miss report forms (NIRF, 2020) • Tear pads post vaccination <p>It is the responsibility of each nurse or midwife to be familiar with the appropriate documentation to support the safe administration of Nimenrix Vaccine (MenACWY) vaccine which includes the following:</p> <ul style="list-style-type: none"> • Supporting Information for Staff: School Immunisation programme 2020/2021 • Medicine Protocol for the administration of Nimenrix vaccine (MenACWY) vaccine • Directions for nurses and midwives for the management of a patient who develops anaphylaxis or suspected anaphylaxis incorporating <i>Medication Protocol for the Administration of Epinephrine (adrenaline) Injection BP 1:1000 by intramuscular injection by nurses and midwives for the management of a patient with anaphylaxis or suspected anaphylaxis (HSE 2019)</i>, https://www.hse.ie/eng/health/immunisation/hcpinfo/fluinfo/adrenalineprotocol.pdf
3.0 Name of Medicine	Nimenrix Vaccine (MenACWY)

	<p>Dose 0.5ml</p> <p>Route IM</p> <p>Site Deltoid (Right side recommended)</p> <p>Vaccine must be reconstituted</p>
<p>Link to Medicine</p> <p>Details of product information and other data including instructions for supply and administration is available from the Health Products Regulatory Authority at www.hpra.ie</p>	<p>Link to Summary of Product Characteristics and Patient Information Leaflet:</p> <p>https://www.ema.europa.eu/en/documents/product-information/nimenrix-epar-product-information_en.pdf</p>
<p>Procedure for reporting and documentation of errors and near misses involving the medication</p>	<p>In the case of medicine errors that directly involve the student, i.e. wrong medicine/patient/dose/route being administered or another medicine error, the registered nurse or registered midwife must remain with the student and closely monitor them for any adverse reactions.</p> <p>Vital signs should be recorded and the student should be reviewed by the registered nurse/midwife and medical practitioner.</p> <p>The incident must be reported to the relevant line manager as soon as possible.</p> <p>The incident and all actions taken must be promptly recorded in the student's documentation/notes and the relevant report form completed.</p> <p>The incident and all actions taken must be promptly recorded and the relevant National Incident Management Report Form completed (National Incident Report Form (NIRF--01-V 11 March 2020): https://www.hse.ie/eng/about/qavd/incident-management/nirf-01-v11-person.pdf</p> <p>The student's parent and/or legal guardian must be informed of the incident.</p> <p>An incident report form must be completed by the registered nurse or registered midwife and forwarded to the relevant line manager as per local policy.</p> <p>Any suspected adverse reactions associated with medication errors must be reported to the HPRA as outlined below.</p> <p>Any errors and near misses not involving medication, (i.e. needle stick injury) the incident and all actions taken must be promptly recorded on the relevant National Incident Management Report form and forwarded to the relevant line manager as per local policy. Refer 'EMI Tool Kit' (https://www.hpsc.ie/a-z/EMIToolkit/).</p>
<p>Procedure for reporting Adverse Drug Reactions to the Health Products Regulatory Authority (HPRA)</p>	<p>The relevant nursing or midwifery staff should report to the HPRA any suspected adverse reactions, in accordance with criteria outlined by the HPRA. This reporting may be carried out in line at https://www.hpra.ie or through use of the yellow card system which is available in the downloadable format from the HPRA website, or on request from the HPRA.</p> <p>The incident and all actions taken must be promptly recorded in accordance with the criteria outlined by the HPRA: <i>Management of a Patient with Anaphylaxis: Treatment</i></p>

	<p>in the Community (National Immunisation Advisory Committee, 2019) – available online at</p> <p>https://www.hse.ie/eng/health/immunisation/hcpinfo/guidelines/Anaphylaxis.pdf</p>
Resources and equipment required	<ul style="list-style-type: none"> • Vaccine , Nimenrix powder & solvent • Fridge/Cool box with minimum/maximum temperature recording device to monitor the cold chain temperature (between +2°C and +8°C) • Disposable kidney dishes/coloured trays • Gauze swabs/Plasters • Sharps bins and bags for disposal of other hazardous material • Alcohol hand rinse • Access to telephone • Resuscitation equipment and drugs in accordance with the <i>Management of a Patient with anaphylaxis</i>, (National Immunisation Advisory Committee, 2019) available at https://www.hse.ie/eng/health/immunisation/hcpinfo/guidelines/Anaphylaxis.pdf • Access to medical support • Safe storage areas for medicines and equipment • Current medicine protocol for Meningococcal ACWY Vaccine (MenACWY).
Audit process to identify appropriate use of the protocol or unexpected outcomes	<p>All documentation will be held for review and audit purposes as per local policy.</p>

4.0 Information for student/parent/guardian	
<p>Advice to be given to the student/parent/legal guardian before treatment</p> <p>Advice to be given to the student/parent/guardian after treatment</p>	<p>HSE 1st year vaccination programme information leaflet must have been supplied with the Consent form to each student/parent/legal guardian prior to administration of the vaccine.</p> <p>After Treatment An Information Tear Pad, stating date and time of vaccination must be given to all students for parental/guardian’s attention. The Tear Pad includes advice about contacting relevant medical personnel in the event of adverse reaction occurring following administration of the vaccination.</p> <p>The student must be advised to remain seated in the post vaccination observation area for 15 minutes to allow monitoring of any immediate reaction including possible anaphylactic reaction and must be advised to report any side effects to the registered nurse or registered midwife.</p>
Details of any necessary	<p>In the event of an adverse reaction the nurse/midwife must ensure that all procedures</p>

<p>follow-up, action and referral arrangements</p>	<p>are adhered to as outlined in Section 3.</p>
<p>5.0 Staff authorised to use this medicine protocol</p>	
<p>Professional qualifications, training, and competence required prior to using this medicine protocol</p> <p>Professional Qualifications</p> <p>Training and Competence:</p>	<p>Registered nurse or registered midwife on the active register maintained by The Nursing and Midwifery Board of Ireland.</p> <p>National Schools Immunisation programme for registered nurses and registered midwives on the use of this medicine protocol.</p> <p>Basic Life Support for Health Care Providers within the last two years.</p> <p>Initial anaphylaxis programme (<i>“National Anaphylaxis Education Programme for Health Care Professionals”</i>) via HSElanD followed by a one and a half hour classroom based skills workshop (replacing the previous four hour classroom based programme). Subsequent updates every two years via HSElanD Anaphylaxis e-learning programme available at www.hse.ie.</p> <p>The registered nurse/midwife must complete the <i>“Competency Self - Assessment Tool for registered nurses and registered midwives to supply and administer vaccines under medicine protocols through a schools immunisation programme”</i>.</p> <p>Recommended:</p> <p>E-learning Guide to Medicine Management, available at www.hseland.ie</p> <p>Introduction to Immunisation, available at www.hseland.ie</p>

References

An Bord Altranais (2007) *Guidance to Nurses and Midwives on Medication Management* Dublin: An Bord

Altranais

Health Products Regulatory Authority available at www.hpra.ie (accessed 16th June 2020)

Health Service Executive (2016) e-learning Guide to Medicine Management. Available at www.hseland.ie

Health Service Executive (2019) *Directions for Nurses and Midwives for the Management of a Patient who Develops Anaphylaxis or suspected anaphylaxis incorporating Medicine protocol for the Administration of Epinephrine (Adrenaline) injection BP 1:1000 by intramuscular injection by nurses and midwives for the management of a patient with anaphylaxis or suspected anaphylaxis*. Dublin: Health Service Executive

Health Service Executive (2010) *Healthcare Risk Waste Management Segregation Packaging and Storage Guidelines for healthcare Risk Waste*. Dublin: Health Service Executive.

Nimenrix Vaccine (MenACWY) Pfizer *Summary of Product Characteristics and Patient Information Leaflet*, Available at www.hpra.ie

Irish Medicines Board (*Miscellaneous Provision*) Act 2006 (Commencement) Order 2007. Dublin: Stationery Office

Irish Medicines Board (*Miscellaneous Provision*) Act 2006 (No. 3 of 2006) (Section 10(1(ii))). Dublin: Stationery Office

Medicinal Products (Prescription and Control of Supply) (Amendment) Regulations 2007, Statutory Instruments No. 201 of 2007. Dublin: Stationery Office

Misuse of Drugs (Amendment) Regulations 2017, Statutory Instruments No.173 of 2017. Dublin: Stationery Office

National Immunisation Advisory Committee (2019) Anaphylaxis: Treatment in the Community. Available at <https://www.hse.ie/eng/health/immunisation/hcpinfo/guidelines/Anaphylaxis.pdf>

National Immunisation Advisory Committee *Immunisation Guidelines for Ireland* Dublin: Royal College of Physicians Ireland (*Online Update available at* <https://www.hse.ie/eng/health/immunisation/hcpinfo/guidelines/>

National Immunisation Office (2020) Information for Staff: School Immunisation Programme: Health Service Executive 2020/2021

Nursing and Midwifery Board of Ireland (2014) *Code of Professional Conduct and Ethics for Registered Nurses and Registered Midwives*. Dublin: Nursing and Midwifery Board of Ireland available at: <https://www.nmbi.ie/Standards-Guidance/Code>.

Nursing and Midwifery Board of Ireland (2015) *Practice Standards for Midwives*. Dublin: Nursing and Midwifery Board of Ireland available at: <https://www.nmbi.ie/Standards-Guidance/Midwives-Standards>.

Nursing and Midwifery Board of Ireland (2015) *Recording Clinical Practice. Guidance to Nurses and Midwives*. Dublin: Nursing and Midwifery Board of Ireland available at: <https://www.nmbi.ie/Standards-Guidance/More-Standards-Guidance/Recording-Clinical-Practice>

Nursing and Midwifery Board of Ireland (2015) *Scope of Nursing and Midwifery Practice Framework*. Dublin: Nursing and Midwifery Board of Ireland available at: <https://www.nmbi.ie/Standards-Guidance/Scope-of-Practice/Nursing-Practise-Scope-Definition>