



Zoledronic Acid Therapy - 3 monthlyi

INDICATIONS FOR USE:

INDICATION	ICD10	Regimen Code	Reimbursement Status
Prevention of skeletal related events in malignancies involving bone	C79.5	00724a	Hospital
metastases			

TREATMENT:

The starting dose of the drugs detailed below may be adjusted downward by the prescribing clinician, using their independent medical judgement, to consider each patients individual clinical circumstances.

Zoledronic acid is administered once every three months, treatment should be continued at discretion of treating consultant unless unacceptable toxicity.

Day	Drug	Dose	Route	Diluent & Rate	Cycle
1	Zoledronic acid	4 mg	IV infusion	100 mL 0.9% NaCl over 15 minutes	Every 3 months

Patients should receive oral calcium supplementation of at least 500 mg and at least 400 IU oral vitamin D supplementation daily unless hypercalcaemia is present.

Patients must be well hydrated prior to and following administration of zoledronic acid. Over hydration should be avoided in patients at risk of cardiac failure.

ELIGIBILITY:

Indications as above

EXCLUSIONS:

- Hypersensitivity to zoledronic acid, to other bisphosphonates or to any of its excipients
- Patients with hypocalcaemia
- Severe renal impairment (CrCl < 30ml/min)
- Breast feeding
- Pregnancy

PRESCRIPTIVE AUTHORITY:

The treatment plan must be initiated by a Consultant Medical Oncologist or Consultant Haematologist.

NCCP Regimen: Zoledronic Acid Therapy - 3 monthly	Published: 12/04/2022 Review: 28/06/2028	Version number: 2
Tumour Group: Supportive care NCCP Regimen Code: 00724	ISMO Contributor: Prof. Maccon Keane	Page 1 of 4

The information contained in this document is a statement of consensus of NCCP and ISMO or IHS professionals regarding their views of currently accepted approaches to treatment. Any clinician seeking to apply or consult these documents is expected to use independent medical judgement in the context of individual clinical circumstances to determine any patient's care or treatment. Use of these documents is the responsibility of the prescribing clinician and is subject to HSE's terms of use available at http://www.hse.ie/eng/Disclaimer





TESTS:

Baseline tests:

- FBC, renal and liver profile
- Serum calcium, phosphate and magnesium
- Dental examination as clinically indicated

Regular tests:

- Serum calcium, phosphate and magnesium prior to each cycle
- Renal profile prior to each cycle
- Dental examination as clinically indicated*
 - *See also Adverse Effects/Regimen specific complications re osteonecrosis of the Jaw

Disease monitoring:

Disease monitoring should be in line with the patient's treatment plan and any other test/s as directed by the supervising Consultant.

DOSE MODIFICATIONS:

• Any dose modification should be discussed with a Consultant.

Renal and Hepatic Impairment:

Table 1: Dose modification of zoledronic acid in renal and hepatic impairment

Renal Impairment		Hepatic Impairment
CrCl (ml/min)	Recommended dose	Limited clinical data in hepatic insufficiency, therefore no
>60	4 mg	specific recommendations
50-60	3.5 mg	
40-49	3.3 mg	
30-39	3 mg	
<30	Not recommended	
Treatment should be withheld for deterioration in renal function (increase of serum creatinine greater than 44 micromol/L in patients with normal baseline (serum creatinine less than 124 micromol/L) or increase of serum creatinine greater than 88 micromol/L in patients with abnormal baseline). Resumption of therapy may be considered when serum creatinine returns to within 10% of baseline. Treatment should be resumed at the same dose as that given prior to treatment interruption.		

NCCP Regimen: Zoledronic Acid Therapy - 3 monthly	Published: 12/04/2022 Review: 28/06/2028	Version number: 2
Tumour Group: Supportive care NCCP Regimen Code: 00724	ISMO Contributor: Prof. Maccon Keane	Page 2 of 4

The information contained in this document is a statement of consensus of NCCP and ISMO or IHS professionals regarding their views of currently accepted approaches to treatment. Any clinician seeking to apply or consult these documents is expected to use independent medical judgement in the context of individual clinical circumstances to determine any patient's care or treatment. Use of these documents is the responsibility of the prescribing clinician and is subject to HSE's terms of use available at http://www.hse.ie/eng/Disclaimer





SUPPORTIVE CARE:

EMETOGENIC POTENTIAL: None

PREMEDICATIONS: None required

OTHER SUPPORTIVE CARE: No specific recommendations

ADVERSE EFFECTS / REGIMEN SPECIFIC COMPLICATIONS:

The adverse effects listed are not exhaustive. Please refer to the relevant Summary of Product Characteristics for full details.

- Osteonecrosis of the Jaw: Cases of osteonecrosis have been reported. A dental examination with appropriate preventive dentistry and an individual benefit-risk assessment is recommended prior to treatment with bisphosphonates in patients with concomitant risk factors.
- Hypocalcaemia-related adverse effects: Hypocalcaemia has been reported in patients treated with
 zoledronic acid. Caution is advised when zoledronic acid is administered with medicinal products
 known to cause hypocalcaemia, as they may have a synergistic effect resulting in severe
 hypocalcaemia. Serum calcium should be measured and hypocalcaemia must be corrected before
 initiating zoledronic acid therapy. Patients should be adequately supplemented with calcium and
 vitamin D.
- Renal function impairment: Zoledronic acid has been associated with reports of renal dysfunction.

DRUG INTERACTIONS:

- Caution is advised when zoledronic acid is administered alongside anti-angiogenic medicinal
 products as an increase of osteonecrosis of the jaw has been observed in patients treated
 concomitantly with these medicinal products.
- Caution is indicated when zoledronic acid is used with other potentially nephrotoxic medicinal products. Attention should also be paid to the possibility of hypomagnesaemia developing during treatment.
- Current drug interaction databases should be consulted for more information.

COMPANY SUPPORT RESOURCES/Useful Links:

Please note that this is for information only and does not constitute endorsement by the NCCP

Patient reminder card:

https://www.hpra.ie/img/uploaded/swedocuments/31dbb53c-43af-4f6f-bab0-5086635af35a.pdf

NCCP Regimen: Zoledronic Acid Therapy - 3 monthly	Published: 12/04/2022 Review: 28/06/2028	Version number: 2
Tumour Group: Supportive care NCCP Regimen Code: 00724	ISMO Contributor: Prof. Maccon Keane	Page 3 of 4

The information contained in this document is a statement of consensus of NCCP and ISMO or IHS professionals regarding their views of currently accepted approaches to treatment. Any clinician seeking to apply or consult these documents is expected to use independent medical judgement in the context of individual clinical circumstances to determine any patient's care or treatment. Use of these documents is the responsibility of the prescribing clinician and is subject to HSE's terms of use available at http://www.hse.ie/eng/Disclaimer





REFERENCES:

- 1. Coleman R et al. ESMO Guidelines Working Group. Bone health in cancer patients: ESMO Clinical Practice Guidelines. Ann Oncol. 2014 Sep; 25 Suppl 3:iii124-37. doi: 10.1093/annonc/mdu103. Epub 2014 Apr 29. PMID: 24782453.
- 2. Himelstein AL et al. Effect of Longer-Interval vs Standard Dosing of Zoledronic Acid on Skeletal Events in Patients With Bone Metastases: A Randomized Clinical Trial. JAMA. 2017 Jan 3;317(1):48-58. doi: 10.1001/jama.2016.19425. PMID: 28030702; PMCID: PMC5321662.
- 3. Van Poznak C et al. Role of Bone-Modifying Agents in Metastatic Breast Cancer: An American Society of Clinical Oncology-Cancer Care Ontario Focused Guideline Update. J Clin Oncol. 2017 Dec 10; 35(35):3978-3986. doi: 10.1200/JCO.2017.75.4614. Epub 2017 Oct 16. PMID: 29035643.
- 4. Zoledronic acid (Zometa®). Summary of Product characteristics. Last updated: 09/07/2021. Accessed 07/06/2023. Available at: https://www.ema.europa.eu/en/documents/product-information/zometa-epar-product-information_en.pdf

Version	Date	Amendment	Approved By
1	12/04/2022		Prof. Maccon Keane
2	28/06/2023	Reviewed	Prof. Maccon Keane

Comments and feedback welcome at oncologydrugs@cancercontrol.ie.

¹ This is an unlicensed posology for the use of zoledronic acid in Ireland. Patients should be informed of this and consented to treatment in line with the hospital's policy on the use of unlicensed medication and unlicensed or "off label" indications. Prescribers should be fully aware of their responsibility in communicating any relevant information to the patient and also ensuring that the unlicensed or "off label" indication has been acknowledged by the hospital's Drugs and Therapeutics Committee, or equivalent, in line with hospital policy.

NCCP Regimen: Zoledronic Acid Therapy - 3 monthly	Published: 12/04/2022 Review: 28/06/2028	Version number: 2
Tumour Group: Supportive care NCCP Regimen Code: 00724	ISMO Contributor: Prof. Maccon Keane	Page 4 of 4

The information contained in this document is a statement of consensus of NCCP and ISMO or IHS professionals regarding their views of currently accepted approaches to treatment. Any clinician seeking to apply or consult these documents is expected to use independent medical judgement in the context of individual clinical circumstances to determine any patient's care or treatment. Use of these documents is the responsibility of the prescribing clinician and is subject to HSE's terms of use available at http://www.hse.ie/eng/Disclaimer