



NCIS GUIDE

Setting up Users on NCIS Training and NCIS Production

1. Background

This guide for Local NCIS Administrators is intended to explain the requirements for accessing NCIS. This guide includes step by step instructions on setting up user accounts within NCIS.

There are two environments that hospital users may need access to:

- **NCIS Training** – used for practicing and training. Does **not** have live interfaces.
- **NCIS Production** –the live environment with real patient data and live interfaces.

2. Requirements for accessing NCIS

NCIS is accessed via Citrix Storefront. To view the NCIS Icon(s), access needs to be granted to domain accounts using Active Directory Groups. Access is managed separately for NCIS Training and NCIS Production.

What is Citrix StoreFront?

Citrix Storefront is the HSE's portal for securely accessing applications such as NCIS.

What is a domain account?

A domain user is one whose username and password are stored on a domain controller rather than the computer the user is logging into. Hospital staff are given domain accounts so that they can log into any computer in the hospital using their username and password.

What is a HealthIRL Domain Account?

Nationally all local domain accounts are being migrated to HealthIRL. If your hospital has not migrated to HealthIRL prior to your NCIS Go Live, then HealthIRL accounts may need to be requested for your users to access NCIS.

What are Active Directory (AD) Groups?

For NCIS, Active Directory Groups are used to collect user domain accounts into manageable units. AD Groups are used for NCIS to determine which Icons are available to users in Citrix Storefront.

What are the NCIS Icons?

When a user logs into Citrix, they will see the NCIS Chart icon which will open NCIS Chart. Users can also be given a "direct access" icon for NCIS Med. This means they will be able to click on the direct access NCIS Med button and be taken directly to the NCIS Med application without needing to log into NCIS Chart first.

What are user accounts in NCIS Chart and NCIS Med?

A user needs an account in both NCIS Chart and NCIS Med so that they can be assigned the appropriate permissions and hospital(s) in each module.

Access to the NCIS application icon(s) is set up with the user's domain account.

To access **NCIS Training**, a user must have:

1. A Domain Account available in Citrix Storefront (usually HealthIRL)
2. Assignment to Active Directory Group(s) for access to the NCIS Training Icon
3. Username and Password details for training accounts used in the NCIS Training environment

To access **NCIS Production** a user must have:

1. A Domain Account available in Citrix Storefront (usually HealthIRL)
2. Assignment to Active Directory Group(s) for access to NCIS Production Icon(s)
3. A user account in NCIS Chart and/or NCIS Med in the NCIS Production environment

3. Logging into Citrix Storefront

Citrix Storefront is accessed using a web browser at the following address:

<https://storefront.healthirl.net>





Figure 1: To access the NCIS icons in Storefront, the user enters their domain account username and password.

4. Active Directory (AD) Groups for access to NCIS Icons

When a user logs in Citrix Storefront they will be able to see the icon for NCIS Chart. Clicking on this icon will allow them to log into NCIS Chart and also transition to NCIS Med.

Users may also be able to see the direct access icon for NCIS Med in Production only. This will allow staff to log directly into NCIS Med.



To access the NCIS Icons the user needs to be added to the appropriate AD Group. Table 1 describes the NCIS environments, icons and associated AD Group Name.

Table 1: AD Group Names

Environment	Icon	AD Group Name
NCIS Training	NCIS Chart	CTX-MOCIS-Users-Train
NCIS Production	NCIS Chart	CTX-MOCIS-Users
NCIS Production	NCIS Med (Direct access)	e.g. CTX-MOCIS-Users-Pharm-GUH CTX-MOCIS-Users-Pharm-SLH

5. Permissions

Application accounts need to be created in NCIS. The process for user set-up in NCIS Chart and NCIS Med is outlined later in this document. Before setting up accounts, the requirements will need to be determined for the role of each user in NCIS. Permissions need to be assigned in both NCIS Med and NCIS Chart. This determines what functionality a user has access to e.g. only pharmacists can assign the pharmacy verification status in NCIS Med.

Permissions in NCIS Med

NCIS Med has several user groups with associated permissions, which are assigned during user setup. The table below gives a high-level understanding of the main permissions associated with each user group.

Table 2: Permissions in NCIS.MED

NCIS.Med User Group	Permissions
NCIS_Physician	Permission to physician verify (prescribe).
NCIS_Nurse_Level_I	Permission to manage the bed manager and administration of medications.
NCIS_Nurse_Level_II	Permission to manage the bed manager and administration of medications with additional prescribing permissions (aligned with NCIS_Physician).
NCIS_Pharmacist	Permission to pharmacist verify, prepare/dispense medications, lot management, and certain reports.
NCIS_Pharmacy_Technician	Permissions to prepare/dispense medications, lot management, and certain reports.
NCIS_Transcription_Pharmacist	Permission to physician verify SACT medications for non-cancer patients
NCIS_Clinic_Ward_Clerk	Permission to manage the bed manager, view patients and therapy plans.
NCIS_Local_Administrator	Permission to create users, manage local units and cost centres, delete certain items, and access to reports.
NCIS_Read_Only_Access	Read only access to patients and therapy plans

Permissions in NCIS Chart

Most users will have the permission level of “doctor/documentary” in Chart. “Case manager” and “Administrator” have additional permissions and will be required for certain users e.g. MDM Coordinators and Local Administrators.

Table 3: Permissions in NCIS.CHART

Access	Permissions
Doctor/documentary	Permission to view and amend patient cases, participate in MDM.
Case manager	Permission to view and amend patient cases, participate in MDM. Permission to create conferences, record conference outcomes and lock conferences. Also has permission to transfer patient cases to the hospital that they have access to. Permission to create personnel file entries and read only access to users accounts.
Administrator	Permission to view and amend patient cases, participate in MDM. Permission to create conferences, record conference outcomes, lock conferences. Also has permission to transfer patient cases to the hospital that they have access to. Permission to create users and manage user accounts, delete certain items.

Table 4. Requirements for training v's production

Request:	AD Group NCIS.Chart Icon	AD Group NCIS.Med (Direct Access Icon)	NCIS.Chart account	NCIS.Med account
NCIS Training:	CTX-MOCIS- Users-Train	Not applicable	Generic accounts are used for access. These will be given to sites at the beginning of the implementation project.	
NCIS Production:	CTX-MOCIS- Users	Hospital specific e.g. CTX-MOCIS-Users- Pharm-GUH	Username can be locally defined but must match NCIS.Med username	Username can be locally defined but must match NCIS.Chart username

New Domain accounts and AD Group assignments are requested via your IT service desk or the HSE National Service Desk (NSD) nominated person depending on local arrangements. Prior to Go Live the NCIS Local Administrator or designee should clarify the local process with their ICT Department.


6. How to set up a user account in NCIS.Chart

While not necessary for functionality, it is recommended that the username used in NCIS.Chart matches that used for the domain login.


It is a requirement for transitioning from NCIS Med to NCIS Chart that the usernames between the two applications are equivalent.

The following steps explain user set up in Chart:

1. Log into NCIS Chart with NCIS Local Administrator account.
2. Go to Settings from the Menu at the right side of the screen



3. Select the "User" tab:



4. Search for the user to ensure that a duplicate has not been created.

Personnel **User** Change password Default entries Study management Exports Imports

User User groups Emergency access

User > User (Found: 0) New user

Filter options

User/personnel Client ☐ automatically generated user

User identification Facility ☐ search duplicate entries

Alternative HIS ID User group Search Reset filter

User Identifier Personnel Access rights Facility Language Last login Action

No entry found!

5. If no entry is found for that user then select the new user button:

Personnel **User** Change password Default entries Study management Exports Imports

User User groups Emergency access

User > User (Found: 0) New user

Filter options

User/personnel Client ☐ automatically generated user

User identification Facility ☐ search duplicate entries

Alternative HIS ID User group Search Reset filter

6. In the “user” section enter:

- i. Title (if appropriate)
- ii. Surname
- iii. First name
- iv. Facility
- v. Language –English (very important –this determines what language the application will be in for the user)
- vi. Ensure active is ticked

The other fields are not required.

User

Salutation

Title

Surname

First name

E-Mail address

Phone number (E.164 recommendation)

Facility

Language

Acronym

Corresponding med. personnel

Limit access to the following user's patients

Consultation group

Scheduled access control from to


☐ Restriction to tumor conference

☒ active

7. If the user will complete patient assessment forms or are involved in MDM, then they should have their personnel record linked to their user account. This ensures that their name will auto-populate in patient assessment forms where the user who performs the action needs to be documented e.g. height and weight.

To link the personnel file to the user account, click the star beside the “corresponding med. Personnel” field. Search and select the correct Personnel Record to link it to the user profile.

If there is no personnel file for the user and one is required, it will be necessary to add a new entry to the personnel file (Please see separate guide).



Corresponding med. personnel

Keine

Limit access to the following user's pat

Keine

Consultation group

Scheduled access control

from to

☐ Restriction to tumor conference

☒ active

Search for personnel

Add new med. personnel

Surname bright

First name

Location

Special. field

Bright, Barry (Dr.), Oncology

8. Under the User Identification section, Ensure that the LDAP button is **NOT** checked. The “user identification” is the username that the user will log into NCIS with. **This must be exactly the same as the NCIS.Med username.**

Tick the check box “Password must be changed on next login” and complete a temporary password in the “Password” and “Repeat Password” boxes. The user will enter their temporary password on first login and are then required to change it.



User identification

username

LDAP

Password

Repeat password

☒ Password must be changed on next login.

☐ User may only view anonymised patients

Alternative HIS ID

9. Under the User Group section, all users should be assigned the NCIS User group. This ensures that the NCIS View is assigned to the User at log in. Select the user group on the left and use the arrow button to move it to the right to assign the user group.

The screenshot shows the 'User groups' interface. It has a dark blue header with an upward arrow and the text 'User groups'. Below the header, there are two main sections: 'Available user groups' on the left and 'Assigned user groups' on the right. Each section has a 'Search:' label followed by a text input field. Under 'Available user groups', a list box contains three items: 'NCIS_Nurse (Nurse)', 'NCIS_Pharmacist (Pharmacist)', and 'NCIS_Physician (Physician)'. Under 'Assigned user groups', a list box contains one item: 'NCIS (NCIS)'. Between the two list boxes, there are two buttons: '<<' and '>>'.

Additionally, some users may also be assigned an additional user group. The NCIS_physician, NCIS_pharmacist and NCIS_nurse user groups have the additional functionality of allowing the patients case notes to be filtered by user group (see the NCIS Quick Guide on Case Notes for a full description)

This screenshot is identical to the one above, showing the 'User groups' interface with the same list of available and assigned user groups.

10. Under “user permissions”, select the appropriate permission level for the user.

The screenshot shows the 'User permissions' interface. It has a dark blue header with an upward arrow and the text 'User permissions'. Below the header, there are two main sections: 'Client' on the left and 'Role' on the right. Each section has a 'Search' label followed by a text input field. Under 'Client', a list box contains one item: 'Test Hospital'. Under 'Role', a list box contains one item: 'doctor/documentary'. To the right of the 'Role' list box, there is a 'Save for all clients' button.

11. Leave the preferred client blank and click save

The screenshot shows the 'Preferred client' interface. It has a dark blue header with an upward arrow and the text 'Preferred client'. Below the header, there is a search field with a dropdown arrow. Below the search field, there are three buttons: 'i', 'Save', and 'Back'.

The user account in NCIS Chart has now been created


7. How to set up a user account in NCIS.Med

While not necessary for functionality, it is recommended that the username used in NCIS.Med matches that used for the domain login.


It is a requirement for transitioning from NCIS.Med to NCIS.Chart that the usernames between the two applications are equivalent.

The following steps explain user set up in NCIS Med:


1. Log into NCIS Med with an NCIS Local Administrator account. Select the administration tab and select “users”:



2. Perform a search to ensure that the user does not have an existing account.



3. Select the “new” button to create a new user:




4. The “can log on as user” button must be ticked. Also the following registration details must be entered:
- Last name
 - First name
 - Abbreviation –Recommend that the first letter of the first name and the surname be used as the abbreviation so that it is obvious to identify the user. The system will only allow unique abbreviations in the system. If another user has the same abbreviation then add a number to the end.
 - Physician number: Any professional registration number can be entered here (this is not mandatory).
 - Group: Select the appropriate user group from the list.
 - Login: The “login” is the username that the user will log into NCIS with. **This must be exactly the same as the NCIS.Chart username.**
 - Enter a temporary password in the “Password” and “Confirmation” boxes. The user will enter their temporary password on first login and are then required to change it.


The screenshot shows the 'Users' registration form. Red arrows point to the following fields: 'Can log on as user' checkbox, 'Last name', 'First name', 'Abbreviation' (FName), 'Physician number' (MCN111111), 'Group' (NCIS_Physician), 'Login' (username), 'Password', 'Confirmation', and 'Barcode'. The 'Barcode' field is highlighted in yellow. The 'Password' and 'Confirmation' fields are also highlighted in yellow. The 'Free text' field is at the bottom. The 'Can log on as user' checkbox is checked. The 'Ordering physician' checkbox is unchecked. The 'User registration' tab is selected. The 'Unit assignment', 'Preparation site assignment', 'Personal data', and 'License adm' tabs are also visible. The 'Password does not expire' and 'Do not block account when inactive' checkboxes are unchecked.

Users	
<input checked="" type="checkbox"/> Can log on as user	<input type="checkbox"/> Ordering physician
Last name:	Last name
First name:	First name
Abbreviation:	FName Title:
UID:	
Physician number:	MCN111111
User registration Unit assignment Preparation site assignment Personal data License adm	
Group:	NCIS_Physician
Login:	username
Password:	
Confirmation:	
Barcode:	
<input type="checkbox"/> Password does not expire	
<input type="checkbox"/> Do not block account when inactive	
Free text:	


- These details must be saved before proceeding with the next steps. Select save on the top right.



- Next, select the "unit assignment" tab. Select the drop down list for "Centre/unit". Select the appropriate units for the user.



Assigning all of the units of your hospital to the user means that they will be able to see all patients assigned to your hospital. Assigning "Specialities (All units) [All units]" means that the user will be able to see regimens from all the specialties i.e. oncology/haematology etc.



- Next, select the “preparation site assignment” tab. Un-tick “access to all preparation sites” and select the preparation site of your hospital from the drop down list.

User registration | Unit assignment | **Preparation site assignment** | Personal data | License administration method

☐ Access to all preparation sites

Preparation site:

Add Delete

Designation
TEST

- To complete the account set-up in NCIS Med, click the “save” icon.

Search + Save (highlighted) × Undo Down Up X

Save

Permissions

Permission	Allowed	Modify	New	Delete
------------	---------	--------	-----	--------

The user account has now been created.

8. How to deactivate a user in NCIS

User accounts in NCIS cannot be deleted. They can only be deactivated. When a user finishes employment in a hospital, the NCIS Local Administrator can deactivate the user in NCIS. Managing leavers will be performed as per local hospital policy. The steps to deactivate a user in NCIS are outlined below:

1. Log into NCIS.Chart and un-tick “active”. Remove the hospital from “facility”

Personnel **User** Change password Default entries Study management Exports Imports

User 10 Doctor

NCIS ID	<input type="text" value="381"/>	Corresponding med. personnel	<input type="text" value="Keine"/> *
Salutation	<input type="text" value=""/>	Limit access to the following user's patients	<input type="text" value="Keine"/> *
Title	<input type="text" value=""/>	Consultation group	<input type="text" value=""/>
Surname	<input type="text" value="10"/>	Scheduled access control	from <input type="text" value=""/> to <input type="text" value=""/>
First name	<input type="text" value="Doctor"/>	<input type="checkbox"/> Restriction to tumor conference	<input type="text" value=""/>
E-Mail address	<input type="text" value=""/>	<input checked="" type="checkbox"/> active	
Phone number (E.164 recommendation)	<input type="text" value=""/>		
Facility	<input type="text" value="TEST Hospital"/>		
Language	<input type="text" value="English"/>		
Acronym	<input type="text" value=""/>		

2. Under user permissions, set the permission level to blank and remember to click save.

User permissions

Client	Role
Search <input type="text" value=""/>	
<input type="text" value="Test Hospital (TEST)"/>	<input type="text" value="doctor/documentary"/>
	<input type="button" value="Save for all clients"/>

Preferred client

3. Transition to NCISMed and look up the user. Un-tick the box, “can log on as user”.

Users

☒ Can log on as user ☐ Ordering physician

Last name:	<input type="text" value="Ten"/>		
First name:	<input type="text" value="Doctor"/>		
Abbreviation:	<input type="text" value="DOC10"/>	Title:	<input type="text" value=""/>
UID:	<input type="text" value=""/>		
Physician number:	<input type="text" value=""/>		

User registration Unit assignment Preparation site assignment Personal data License administration method

9. How to set up a user in Production who previously had an NCIS account

If a user has an NCIS account at another hospital, they will need to be re-assigned in the application to their new hospital. At this time it is not possible for the NCIS Local Administrator to do this directly in the application. This commonly arises when NCHD's rotate from one hospital where NICS is used to another.

The following process should be followed:

- All requests to move an user account must be made by the **receiving hospital** and include the following:
 - First name,
 - Surname
 - MCRN
 - Date of Transfer
- All requests are to be submitted to NCIS@cancercontrol.ie by the NCIS local administrator.

Appendix 1 - Troubleshooting

Issue	Possible Resolution
The User reports that their account has been blocked	Ensure that the “can log on as a user” (NCIS MED) and “active” (NCIS Chart) boxes are ticked in the user account.
Can't find an account in NCIS Chart	If Facility permissions were not selected when the account was saved, you will need to ask the NCIS office to assist and to assign the account to your facility. You will then have access to manage the account again.
User can't search for patients/regimens in NCIS.Med	This is because the unit assignment(s) for the hospital (providing patient access) and/or specialty (providing regimen access) were not added to the user account.
User getting error when logging in	This can happen as a result of a mistake in the username or password. This can also commonly occur if the user selects the wrong icon (i.e. Training) when logging in from Storefront instead of Production.