





NCIS QUICK GUIDE Site Label Configuration

Contents

1.	Background	1
2.	Define Label Layout	1
3.	Configured Labels	1
3.1.	NCIS Labels	2
4.	Local Settings	3
5.	Assigning Labels to be printed	7
Арр	endix 1: Label Types to be assigned with configuration options	8
Арр	endix 2 – Example Labels	10

1. Background

NCIS Med has labels imported into the system ready for use at sites. Each preparation site needs to select the label configuration they wish to use; there are also some local settings that can be adjusted. This guide explains how labels can be configured at each hospital.

2. Define Label Layout

The label settings can be accessed by clicking on the preparation tab in NCIS.Med and clicking 'define label layout'. This setting can only be accessed by users with the role of NCIS_Pharmacist, NCIS_Pharmacy Technician.

3. Configured Labels

The first section of the screen contains the 'designations' or configured labels. The NCIS medication labels have been configured according to the recommended minimum labelling requirements for pharmacy prepared chemotherapy preparations (appendix 10 of the <u>NCCP Oncology Medication Safety Review Report</u>). These labels layouts are configured globally and cannot be edited by the local site.

Appendix 1 lists the types of labels that need to be defined in NCIS.Med and the different configurations available.

EN English (Ireland) 🕢 Help 📮 13, DB 12109 (siobhanwarren Conne	cted to cato_user	aining) - [Define label layout]		_ 8 ×			
Eile Preparations Therapy Master Data Reports Tools	Administration			_ 8 ×			
		Therapies Medication list Therapy overview					
Define label layout for preparation site SLH							
Default label printer for this workstation: HP Color	LaserJet 360	(from DSKES4921) in session 3					
Label layout							
Designation	Printer	Туре	🔺 🛅 Import label	Export label			
NCIS Bolus Label - finished product	(Default) 💌	Medication label					
NCIS Infusion (1 product) Label - finished product	NCIS Infusion (1 product) Label - finished product (Default) · Medication label						
NCIS Infusion (2 products) Label - finished product	NCIS Infusion (2 products) Label - finished product (Defautt) 🖌 Medication label						
NCIS outsourced dose banded product	(Default) 🔽	Medication label	🗸 🗙 Delete label	🔪 Print label			

3.1.NCIS Labels

There are two formats of NCIS label available, the main difference between them is whether the Generic Name or Brand Name of the medication is at the top of the label. The two options are:

NCIS INN only label

This label uses the Generic (active ingredient) name at the top of the label. Where a product name is required, e.g. a monoclonal antibody this is included as a comment on the label.

Below is an example of this label for a single medication infusion (label name: NCIS infusion (1 product) INN only V1 05.05.20.



NCIS Version 3 label (product name)

This label uses the Brand (product) name at the top of the label. Of note as the Brand (product) Name includes its concentration this is also included on the label.

Below is an example of this label for a single medication infusion (label name: NCIS infusion (1 product) V4 12.05.20.



CATO Default Labels

NCIS.Med also includes several default labels that come with the BD CATO system. Some of these labels are the only option available as there are no NCIS specific labels developed (e.g. Remainder Labels), see appendix 1.

It is possible to use BD CATO labels as the default label for your site, however it should be noted that only NCIS labels have been configured with consideration of the Medication Safety Report recommendations.

4. Local Settings

The middle section of the label settings has some options that can be defined locally per preparation site. There are 4 fields displayed. The only one that is currently used in NCIS for the labels is 'hosp. design.' This field contains the name of the preparation site, i.e. the hospital pharmacy dept. This can be filled in to display as the hospital site wishes it to appear on the label. Of note the title field can be completed and will appear in the top left corner of NCIS labels, but only if no other Title has been defined in the drug file (e.g. for Cytotoxic drugs this is defined in the drug file and will always appear in this section of the label).

	Hosp. desig	n.: GUH Pharmacy
	Text 2:	
Z		
Cytotoxic Drug Kee	ep out of reach o	of children
PACLitaxel 168mg		
Final Conc. 0.60432 mg/mL		<u>1895</u>
in 250mL NaCI 0.9%		
Total Vol: 278mL by intravenous infusion	n over 60 min Meo	# 12832
JOHN EURO		
Hospital Number: GM1234583	DOB: 15	5 <mark>/</mark> 08/1976
Admin due: Mon, 23/09/2019 08	:00 (Day -8) GU	HWard
Store at: 2-8 degrees Celsius		
	Expiry: 05/09/20)1.) 10:52
Label 1 of 1	GUH	Pharmacy

Next there are 5 separate tabs. If the field mentioned in the tab is used on a label then certain choices can be made e.g. Last name –tick if the last name should appear in capitals. The options that are ticked in the screen shots below are suggested settings to optimise layout of NCIS configured labels however not all local settings in these tabs can be applied to the NCIS defined labels, but will work with CATO default labels. Changes that are made here will only apply to labels for medications prepared or dispensed by the local preparation site.

Patient's name

NCIS suggested Settings:



Using CATO Default label with all setting ticked:

Cytotoxic Drug - Proteasome Inhibite	or GUH Pharmacy
Mr. EURO, JOHN	Pat. # GM1234583
d.o.b. 15/08/1976	Oncology Haematology Day Ward
Velcade 2.75mg	
Bortezomib	Lot: 651651561
No vehicle	Vol.: 1.1mL
Admin.: Sat, 12/10/	2019 08:00 (Day -7)
Administration: by subcutar	neous injection over 20 m in
For subcutaneous use only. Fatal if give	n by other routes. Med.# 13052
15-25 degrees Celsius	
Expiring at: 04/09/2019 18:10	Prep.: 04/09/2019

Date format

NCIS suggested Settings:



Dose Information:

NCIS suggested Settings:

Patient's name Date format	Dose information Miscellaneous BD Cato™
For BD Cato™:	For BD Cato™ TPN:
C Actual and Ordered	○ Prescribed volume □ With overfill □ Concentration electrolytes
Only Ordered	Ose in prescribed unit Vith overfill
Ordered and Volume	C Unit and volume

Actual and Ordered :

Cytotoxic Drug	GUH Pharmacy			
JOHN EURO	Pat. # GM1234583			
d.o.b. 15/08/1976	GUH Ward			
PACLitaxel Accord 168mg (Target: 168mg)				
PACLitaxel	Lot: 2398471238947			
in 250mL NaCl 0.9%	Vol.: 278mL			
Admin.: Mon, 23/09/2019	08:00 (Day -8)			
Administration: by intravenous	infusion over 60 min			
	Med.# 12832			
2-8 degrees Celsius				
Expiring at: 05/09/2019 10:52	Prep.: 04/09/2019			

Ordered and Volume:

Cytotoxic Drug	GUH Pharmacy			
JOHN EURO	Pat. # GM1234583			
d.o.b. 15/08/1976	GUH Ward			
PACLitaxel Accord 168mg (28mL)				
PACLitaxel	Lot: 2398471238947			
in 250mL NaCI 0.9%	Vol.: 278mL			
Admin.: Mon, 23/09/2019 08	:00 (Day -8)			
Administration: by intravenous info	usion over 60 m in			
	Med.# 12832			
2-8 degrees Celsius				
Expiring at: 05/09/2019 10:52	Prep.: 04/09/2019			

Miscellaneous

NCIS suggested settings:



BD Cato

NCIS suggested Settings:

Patient's name Date format Dose information Miscellaneous BD Cato"	
Container designation Print expiration only if it is shorter than	24.0 Hours
✓ Vehicle volume ✓ Medication number	
□ Lot no. of vehicle	
Administration hint	
Cytotoxic Drug GUH Pharmacy	
JOHN EURO Pat. # GM 1234583	
d a b 15/09/1076 CULL Word	
PACLitaxel Accord 168mg	
PACLitaxel Accord 168mg PACLitaxel Lot: 2398471238947	
PACLitaxel Accord 168mg PACLitaxel Lot: 2398471238947 in 250mLNaCl0.9% (3219847132894172098) Bag Viatio non-PVC Vol.: 278mL	
PACLitaxel Accord 68mg PACLitaxel Lot: 2398471238947 in 250rt_NaCl0.9% (3219847132894172098) Bag Viaflo non-PVC Vol.: 278mL Admin.: Mon, 23/09/2019 08:00 (Day -8)	
Bit Store Control of the store PACLitaxel Lot: 2398471238947 in 250mL NaCl0.9% (3219847132894172098) Bag Vialonon-PVC Vol.: 278mL Admin.: Mon, 23/09/2019 08:00 (Day -8) Administration: by intravenous infusion over 60 min	
Content Content <t< td=""><td></td></t<>	
Control 10/06/19/10 Control 10/06/19/10 PACLitaxel Lot: 2398471238947 in 250mL NaCl0.9% (3219847132894172098) Bag Vialionon-PVC Vol.: 278mL Admin.: Mon, 23/09/2019 08:00 (Day -8) Administration: by intravenous infusion over 60 min Med.# 12832 2-8 degrees Celsius Description	

5. Assigning Labels to be printed

The last section of the screen assigns the labels to be printed. For final product labels it is possible to trigger printing at two points in the workflow

- 1. <Default>: Label will print at the end of preparation or when clicking confirm preparation/dispense¹
- 2. ACU Production Final Check: When the ACU Production Final Check Flag is set

Infusion with	1 two products	<u>^</u>
Infusion with Infusion with	i three products i four or more products	
Number 3	Label	4 For status / flag

In the above example where a medication is 1 <u>an infusion with 1 product</u> <u>1 label will print</u> with the template <u>3</u> <u>'NCIS Infusion (1 product) INN only V1 05.05.20'</u> at the time of the <u>4 default setting</u> (confirmation of preparation for prepared products or confirmation of dispense for dispensed products). It is essential to include the other label trigger "ACU Production Final Check" and indicate how many labels are to be printed, if none are desired type 0.

For all label types together, rules can be set for the printing of additional labels, depending on the light protection required for the medication (this is built into the drug file for each product).

If light protection is required for either the finished preparation or administration, this can be selected at the bottom of the screen:

Additional label if light protection is required for finished preparation 🔽 Additional label if light protection is required for administration

¹ The setting "Print labels at end of preparation" must be set to Yes for labels to print labels at the end of a preparation. For Dispensing the setting is "Should labels be printed automatically up[on dispense" it can be "Yes, always", "No, never" or "Upon request"

6. Adding Comments/Notes to labels

Comments can be added to in-isolator and final labels using the "edit preparation button" in the long form verification window.

0	Editing a phare	nacist verified medication				×
Editing a pharmacist verified medication						
Prep. approved V TRAIN V Volumetric only Medication dispe	nsed 🗌 To be completed at unit 🗌 Urgent				м	edical results
Active ingredient / Product	Usual dose C	alculation		Dose	Volume	÷
CISplatin 1mg/mL Accord Concentrate for solution for infusion (CISplatin)	50mg/m² BSA Dubois 9	8.27% = 49.14mg/m ² x 1.65m ² = 80.93mg		80.93mg	80.93mL	直 ⊕ ^
Active ingredient CISplatin	Product CISplatin 1mg/mL Accord Concentrate for solution for in	Usual dose	Reference			÷
Dose: 50mg/m² x 98.27 %	= 49.14 mg v /m² x 1.65m² =	80.93 mg 🗸				
Form: Pre-filled container						Ŷ
Vehicle: NaCl 0.9% v in v 1000.00 mL from NaCl 0.9% 1000ml	bag Viaflo - No Overfill - non-PVC Baxter					Ŷ
Administration: by intravenous infusion	2 h 0 min.			Deviating stability:	7 d 0 h	0 min
Date O Relative Date: 20/09/2021 Day in cycle: 8 Time: 0	:00					
Place of delivery: TRN - Training Oncology/Haematology Day Ward	Cost center: TRN - Training Consultant	P Orde	r no:			
		Edit preparation	notes Edit comments	Insert rules Insert services / a	additional articles	Bed planning
Medication information					🖌 Save	X Cancel
18 27 7				(🔺 spostpace (st.) (🔺 spos	NOVED (5)) (• 10411)	(V/ P
						Ť
Label comment:						
This Comment Appears on Final Labels						^
						~
Additional label comments (may 20):						
Additional aber commerce (mail 20).						
				Ne	W Edit	Delete
Number Comment text						
1 This Comment Appears on Pre-preparation Labels						

Entering text in the "Label comment" box will include this information on the final label. For example this may be used for clinical trial numbers and text, or additional information for the person administering the medication. For some medications there will also be a comment in the drug file, e.g. for vinca alkaloids "Warning neurotoxic drug. For Intravenous user only". If an additional comment is added both will appear one after the other on the label.

Cytotoxic Drug	Keep out of reach of childre
CISplatin 80.93mg	论注
Final Conc 0.07487 mg/mL	1005
in 1000mL NaCI 0.9%	
Total Vol: 1080.93mL by intravenous infu	usion over 120 min Med # 8016
MARY QURESHI	
Hospital Number: 518032	DOB: 15/04/195
Admin due: Mon, 20/09/2021 08:00 (Day 8) T	raining Oncology/Hæmatology Day Wa
This Comment Appea	ars on Final Labels
Store at: 15-25 degrees Celsius	
Protect from Light	Expin
Label 1 of 1	Training Hospit

Clicking New and entering an additional label comment will include this information on the in-isolator (prepreparation) label. For example this might be used to inform pharmacy technicians to make an adjustment to bag volume.

IN-ISOLATOR PREPARATION LABEL

MARY QURESHI #51803	32			
Planned Prep:	hater i			
Admin Due: Mon, 20/09/2021 08	3:00 Med # 80163			
CISplatin 1mg/mL Accord 80.93mg Volume to add to bag: 80.93ml				
Add volume to NaCl 0.9% 1000	mL			
This Comment Appears on Pre-	preparation Labels			
by intravenous infusion	Time Prepared:			
Storage: 15-25 degrees Celsius	Preparer:			
Protect from Light	Check:			

Appendix 1: Label Types to be assigned with configuration options

Label Type	Description	Options	Trigger Points
Infusion with one product	Final label for a Prepared	NCIS infusion (1 product)	Confirm Preparation or
	Infusion with one drug	INN only	end of guided
			preparation (<default>)</default>
		NCIS infusion (1 product)	
			ACU Production Final
		Cato 1 product	Check
Infusion with two products	Final label for a Prepared	NCIS infusion (2 products)	Confirm Preparation or
	Infusion with two drugs	INN only	end of guided
			preparation (<default>)</default>
		NCIS infusion (2 products)	
			ACU Production Final
		Cato 2 products	Check
Infusion with three products	Final label for a Prepared	NCIS infusion (3 products)	Confirm Preparation or
	Infusion with three drugs	INN only	end of guided
			preparation (<default>)</default>
		NCIS infusion (3 products)	
			ACU Production Final
		Cato 3 products	
Injection	Final label for a Prepared	NCIS bolus INN only	Confirm Preparation or
	bolus injection	NGIS halve	end of guided
		INCIS DOIUS	preparation (<default>)</default>
		Cato bolus	ACLI Production Final
		Cato bolus	Check
Remainder Label	Label to attach to remainders	Cato remnant	Default
	during storage	catorennant	Deladit
Patient Label	Outer bag label	Cato patient	Default
Pre-prep label: injection	In isolator preparation label	NCIS – in isolator bolus	Default
	for a bolus injection		Deladic
Pre-prep label: infusion with	In isolator preparation label	NCIS – in isolator infusion (1	Default
one product	for an infusion with one drug	product)	
Pre-prep label: infusion with	In isolator preparation label	NCIS – in isolator infusion (2	Default
two products	for an infusion with two	products)	
	drugs	. ,	
Pre-prep label: infusion with	In isolator preparation label	NCIS – in isolator infusion (3	Default
three products	for an infusion with three	products)	
	drugs		
Dispensed Medications	Final label for a dispensed	NCIS dispensed	Confirm Dispense
	product of any type		(<default>)</default>
Blank label	A label with minimal details	Cato blank label	N/A – printed from
	which can be completed by		Define label layout
	hand if required		screen

Appendix 2 – Example Labels

Infusion with 1 Product

NCIS infusion (1 product) INN only V1 05.05.20:

k	(eep out of reach of children	
Bevacizumab 750mg	1995 1995	
Final Conc. 5.76923 mg/mL	Let j	
in 100mL NaCl 0.9% Bag Viaflo	non-PVC	
Total Vol: 130mL by intravenous infus	sion over 90 min Med # 13648	
DARYL BARLOW		
Hospital Number: S12401	DOB: 15/08/1976	
Admin due: Thu, 12/09/2019 08:00 (Day 1) SLH Ward		
Avastin		
Store at: 15-25 degrees Celsius		
	Expiry: 15/09/2019 13:33	
Label 1 of 1	St. Luke's Hospital	

NCIS infusion (1 product) V4 12.05.20

Keep out of reach of childre		
Avastin 25mg/ml 750mg	896. 	
(Bevacizumab) Final	Conc 5.76923 mg/mL	
in 100mL NaCl 0.9% bag Viaflo -	Including Overfill - non-PVC	
Total Vol: 130mL by intravenous infusi	ion over 90 min Med # 13648	
DARYL BARLOW		
Hospital Number: S12401	DOB: 15/08/1976	
Admin due: Thu, 12/09/2019 08:00 (Day 1) SLH Ward		
Avastin		
Store at: 15-25 degrees Celsius		
	Expiry: 15/09/2019 13:33	
Label 1 of 1	St. Luke's Hospital	

Cato 1 product:

	St. Luke's Hospita	
DARYL BARLOW	Pat. # S12401	
d.o.b. 15/08/1976	SLH Ward	
Avastin 25mg/ml 750mg (30mL)		
Bevacizumab Lo	t: 23948398341328947	
in 100mL NaCl 0.9% Bag Viaflo non-PV	C Vol.: 130mL	
Admin.: Thu, 12/09/2019 08:00 (Day 1)		
Administration: by intravenous infusion over 90 min		
Avastin	Med.# 13648	
15-25 degrees Celsius		
Expiring at: 15/09/2019 13:33	Prep.: 13/09/2019	

Infusion with 2 Products

NCIS infusion (2 products) INN only V1 05.05.20:

Cytotoxic Drug	Keep out of reach of children	
DOXOrubicin 17.6mg	0.01666 mg/mL 🚽 🖉	
vinCRIStine 0.7mg	0.00066 mg/mL	
in 1000mL NaCl 0.9%		
Total Vol: 1056.5mL by intravenous	s infusion over 24 hMed # 26823	
JOHN KILDARE	Hospital No: GM1234629	
DOB: 15/08/1976	MUH Ward	
Admin due: 05/05/2020 22:00 (Day 1)		
Warning neurotoxic drug: For intravenous use only		
Store at: 2-8 degrees Celsius		
Protect from Light	Expiry: 05/05/2020 17:32	
Label 1 of 1	Mayo Hospital	

NCIS infusion (2 products) V3 02.12.19:

Cytotoxic Drug	Keep out of reach of children	
DOXOrubicin 2 mg/mL Teva 17.6mg (DOXOrubicin) 0.01666 mg/mL		
vinCRIStine 1 mg/mL Hospira 0.7mg	(vinCRIStine) 0.00066 mg/mL	
in 1000mL NaCl 0.9%		
Total Vol: 1056.5mL by intravenous infusion over 24 hMed # 26823		
JOHN KILDARE	Hospital No: GM1234629	
DOB: 15/08/1976	MUH Ward	
Admin due: 05/05/2020 22:00 (Day 1)		
Warning neurotoxic drug: For intravenous use only		
Store at: 2-8 degrees Celsius		
Protect from Light	Expiry: 05/05/2020 17:32	
Label 1 of 1	Mayo Hospital	

Cato 2 products:

Cytotoxic Drug	Mayo Hospital	
KILDARE JOHN	Pat. # GM1234629	
d.o.b. 15/08/1976	MUH Ward	
DOXOrubicin 2 mg/mL Teva 17.6mg (Target: 17.6mg)		
DOXOrubicin	Lot: 1251515 Teva NLD	
vinCRIStine 1 mg/mL Hospira 0.7mg (Target: 0.7mg)		
vinCRIStine	Lot: 151351 Pfizer Ireland	
in 1000mL NaCl 0.9%	Vol.: 1056.5mL	
Admin.: 05/05/2020 22:00 (Day 1) by intravenous infusion over 24 h		
Warning neurotoxic drug: For intravenous	s use only Med.# 26823	
2-8 degrees Celsius - Light protect	ction!	
Expiring at: 05/05/2020 17:32 Prep.	: 05/05/2020 17:32 by TPH2 / COL2	

Infusion with 3 Products

NCIS infusion (3 products) INN only V1 05.05.20:

Cytotoxic Drug	Keep out of reach of children	
DOXOrubicin 17.6mg	0.01659 mg/mL 😝 😁	
Etoposide 88m g	0.08295 mg/mL	
vinCRIStine 0.7mg	0.00066 mg/mL	
in 1000mL NaCl 0.9%		
Total Vol: 1060.9mL by intravenou	s infusion over 24 hMed # 26824	
JOHN KILDARE	Hospital No: GM1234629	
DOB: 15/08/1976	MUH Ward	
Admin due: 05/05/2020 23:00 (Day 1)		
Warning neurotoxic drug: For intravenous use only		
Store at: 2-8 degrees Celsius		
Protect from Light	Expiry: 05/05/2020 17:34	
label1of1	Maya Haapital	

NCIS infusion (3 products) V3 02.12.19:

Cytotoxic Drug	Keep out of reach of children	
DOXOrubicin 2 mg/mL Teva 17.6mg (DOXOrubicin) 0.01659 mg/mL		
Etoposide 20 mg/mL Actavis 88mg	(Etoposide) 0.08295 mg/mL	
vinCRIStine 1 mg/mL Hospira 0.7mg (vinCRIStine) 0.00066 mg/mL		
in 1000mL NaCl 0.9%		
Total Vol: 1060.9mL by intravenous infusion over 24 hMed # 26824		
JOHN KILDARE	Hospital No: GM1234629	
DOB: 15/08/1976	MUH Ward	
Admin due: 05/05/2020 23:00 (Day 1)		
Warning neurotoxic drug: For intravenous use only		
Store at: 2-8 degrees Celsius		
Protect from Light	Expiry: 05/05/2020 17:34	
Label 1 of 1	Mayo Hospital	

Cato 3 products:

Cytotoxic Drug	Mayo Hospital	
KILDARE JOHN	Pat. # GM1234629	
d.o.b. 15/08/1976	MUH Ward	
DOXOrubicin 2 mg/mL Teva 17.6mg (Target: 17.6mg)		
DOXOrubicin	Lot: 1251515 Teva NLD	
Etoposide 20 mg/mL Actavis 88mg (Target: 88mg)		
Etoposide	Lot: 3631636 Actavis	
vinCRIStine 1 mg/mL Hospira 0.7mg (Target: 0.7mg)		
vinCRIStine	Lot: 151351 Pfizer Ireland	
in 1000mL NaCl 0.9%	Vol.: 1060.9mL	
Admin.: 05/05/2020 23:00 (Day 1) by intravenous infusion over 24 h		
2-8 degrees Celsius - Light prote	ction! Med.# 26824	
Expiring at: 05/05/2020 17:34	Prep.: 05/05/2020 17:34 by TPH2 / COL2	

Injection

NCIS bolus INN only V1 05.05.20:

Cytotoxic Drug - Proteasome Inhibitor Keep out of Reach of Children		
Bortezomib 2.75mg		
Final Conc 2.5 mg/mL		
Vol: 1.1mL by subcutaneous in	njection Med # 13052	
JOHN EURO		
Hospital No:GM1234583	DOB: 15/08/1976	
Admin due: Sat, 12/10/2019 08:00 (Day-7)Oncology Haematology Day Ward		
For subcutaneous use only. Fatal if given by other routes.		
Store at: 15-25 degrees Celsius		
	Expiry: 04/09/2019 18:10	
Label 1 of 1	GUH Pharmacy	

NCIS bolus V4 12.05.20:

Cytotoxic Drug – Proteasome InhibitorKeep out of Reach of Children			
Velcade 2.75mg			
(Bortezomib)	Final Conc 2.5 mg/mL		
Vol: 1.1mL	by subcutaneous injection	Med # 13052	
JOHN EUR	0		
Hospital No:	GM1234583	DOB: 15/08/1976	
Admin due: Sat, 12/10/2019 08:00 (Day -7)Oncology Haematology Day Ward For subcutaneous use only. Fatal if given by other routes.			
Store at: 15-25 degrees Celsius			
	Expiry:	04/09/2019 18:10	
Label 1 of 1		GUH Pharmacy	

Cato bolus:

Cytotoxic Drug – Proteasome Inhibit	or GUH Pharmacy
JOHN EURO	Pat. # GM 1234583
d.o.b. 15/08/1976	Oncology Haematology Day Ward
Velcade 2.75mg	
Bortezomib	Lot: 651651561
BOLUS No vehicle	Vol.: 1.1mL
Admin.: Sat, 12/10/2019 08:00 (Day -7)	
Administration: by subcutaneous injection over 20 min	
For subcutaneous use only. Fatal if given	h by other routes. Med.# 13052
15-25 degrees Celsius	
Expiring at: 04/09/2019 18:10	Prep.: 04/09/2019

Remainder Label

Cato remnant:



Patient Label

Cato patient:



Dispensed Medications

NCIS dispensed products V5 01.11.21:

Cytotoxic D rug	Keep out of reach of children
PACLitaxel 108mg	нуо
PAC Litaxel IV In fusion (DB) in	250mLNaC10.9%
Dispensed as: 1 x 108mg	
by intravenous in fusion over	60 min Med #: 12898
JOHN EURO	
Hospital No:	DOB: 15/08/1976
Admin due: Tue, 10/09/2019	08:00 (Day 8) GUH W ard
Storage: As per product label	Lot: 12312412341234
Light Protection: As per product label	Expiry: As per product label
Label number:1 of 1	St. Luk e's Hospital

Pre-prep label: injection

NCIS – in isolator bolus V4 01.11.21:

IN-ISOLATOR PREPARATION LABEL

JOHN EURO # GM1234	583
Planned Prep:	
Admin Due: Sat, 12/10/2019 08	B:00 Med #40260
Velcade 2.75mg Volume to draw up: 1.1mL	
In a syringe	
This is a Test note that can be added to the label	
by subcutaneous injection	Time Prepared:
Storage: 15-25 degrees Celsius	Preparer:
	Check:

Pre-prep label: infusion with one product

NCIS - in isolator infusion (1 product) V4 01.11.21:

IN-ISOLATOR PREPARATION LABEL

JOHN EURO #GM12345	583	
Planned Prep:	<u>a -</u>	
Admin Due: Tue, 01/10/2019 0	8:00 Med#40261	
PACLitaxel Accord 168mg Volume to add to bag: 28mL		
Add volume to NaCl 0.9% 250 mL bag Viaflo - Including Over fill - non-PVC		
This is a test note that can be added to the label		
by intravenous infusion	Time Prepared:	
Storage: 2-8 degrees Celsius	Preparer:	
	C heck:	

Pre-prep label: infusion with two products

NCIS - in isolator infusion (2 products) V5 01.11.21

IN-ISOLATOR PREPARATION LABEL

MARY QURESHI #51803 Planned Prep:	32	
Admin Due: Fri, 31/07/2020 18:0	0 Med # 24087	
DOXOrubicin 2ml/mL Teva 22.73mg	Volume to add to bag: 11.36mL	
vinCRIStine 1mg/mL Hospira 0.66mg Volume to add to bag: 0.66mL		
Add volume to NaCl 0.9% 1000 mL This is a test note that can be added to the label		
by intravenous infusion	Time Prepared:	
Storage: 2-8 degrees Celsius	Preparer:	
Protect from Light	Check:	

Pre-prep label: infusion with three products

NCIS – in isolator infusion (3 products) V5 01.11.21

IN-ISOLATOR PREPARATION LABEL

MARY QURESHI # 5180	32	
Planned Prep:	6	
Admin Due: Fri, 31/07/2020 18:0	0 Med # 108728	
Etoposide 20mg/mL Teva 113.67mg Volume to add to bag: 5.68mL		
DOXOrubicin 2ml/mL Teva 22.73mg	Volume to add to bag: 11.36mL	
vinCRIStine 1mg/mL Hospira 0.66mg Volume to add to bag: 0.66mL		
Add volume to NaCl 0.9% 1000 mL		
This is a test note that can be added to the label		
by intravenous infusion	Time Prepared:	
Storage: 2-8 degrees Celsius	Preparer:	
Protect from Light	Check:	

Blank label

Cato blank label

GUH Pharmacy

Patient:	
Product	
Dose:	Lot:
Administrat	ion:
Stability:	prod. on:
Storage:	O - As per Product L: O - 15-25 degrees C
	O - 2-8 degrees Celsi O - Freeze
Light protect	tion required 0 - Yes 0 - No

Note: All Screen shots in the Quick Guide are from the Training and Test Environments of NCIS. All patients and hospitals are fictitious and are not intended to represent the identity, setup and functionality of any real patients or facilities