



CLINICAL PRACTICE GUIDELINE

ANTENATAL ROUTINE ENQUIRY REGARDING VIOLENCE IN THE HOME

Institute of Obstetricians and Gynaecologists, Royal College of Physicians of Ireland and Directorate of Quality and Strategy Health Service Executive

Version 1.0 Guideline No.15 Date of publication: June 2012 Revision date: June 2014

Table of Contents

Key	Recommendations	
1.	Purpose and Scope	
2.	Background	
3.	Methodology	
4.	Clinical Guidelines	
5.	Hospital Equipment and Facilities	5
6.	Education and training	6
7.	References and Bibliography	7
8.	Implementation Strategy	
9.	Key Performance Indicators	
10.	Qualifying Statement	
	endices	

Key Recommendations

- 1. Enquiry about a history of violence should be included routinely in antenatal social history.
- 2. Obstetricians and midwives should discretely introduce questions about violence during the course of obstetric consultations.
- 3. All pregnant women should have one consultation with a professional involved in her care which is not attended by her partner or by any adult family member.
- 4. The documents of domestic violence in the maternity records should be coded.

1. Purpose and Scope

The purpose of this guideline is to improve the management of domestic violence in pregnancy.

These guidelines are intended for healthcare professionals, particularly those in training, who are working in HSE-funded obstetric and gynaecological services. They are designed to guide clinical judgement but not replace it. In individual cases a healthcare professional may, after careful consideration, decide not to follow a guideline if it is deemed to be in the best interests of the woman.

2. Background

Domestic violence may be defines as the use of physical or emotional force, or the threat of physical force in close adult relationships. It can also include emotional abuse, the destruction of property, isolation from friends, family and other sources of support, threats to others including children; stalking; and control over access to money, personal items, food, transportation and the telephone' (Report of the Task Force on Violence against Women, 1997).

Violence against women is common and serious. Studies involving Irish families consistently identify an incidence of 12% and a higher incidence in families in Ireland from other ethnic backgrounds may be higher. Violence against women is more common in pregnancy and there is an increase in complications such as mid-trimester pregnancy loss, stillbirth, preterm labour, growth restriction and neonatal death. Accessing support services if the woman suffers violence at home helps reduce the risks.

3. Methodology

Medline, EMBASE and Cochrane Database of Systematic Reviews were searched using terms relating to domestic violence in pregnancy. Searches were limited to humans and restricted to the titles of English language articles published between 1995 and 2011. Relevant systematic reviews, intervention and observational studies were reviewed. Publications from COSC – National Office for the Prevention of Domestic, Sexual and Gender-based Violence were consulted. Guidelines reviewed included HSE Policy on Domestic, Sexual and Gender Based Violence (2010) and Violence against Women - Recommendations to Members of the Institute of Obstetricians and Gynaecologists RCPI (2002).

The principal guideline developer was Dr Mary Holohan, Consultant Obstetrician and Gynaecologist, Rotunda Hospital, Dublin1. Dr Emma Kilgarrif (GP), Professor Richard Greene (Cork).

The guideline was peer-reviewed by Ms Sheila Sugrue (HSE Directorate of Nursing and Midwifery), Midwifery Lecturers of Ireland Network, ISANDS, ICGP, Therapies Professions Committee, Ms Olive Long (Midwifery), Ms Joanne O'Hare (Midwifery).

4. Clinical Guidelines

Ideally, with the woman alone, the occurance of violence in the home should be introduced and the link with pregnancy complications explained.

ASK SPECIFIC QUESTIONS

Do you feel safe in your present relationship?

Have you been hit, kicked, punched or otherwise hurt by someone in the past year? Have you been shouted at, undermined or threatened by someone recently in a way that makes you fearful?

Have you been forced to have intercourse or to view pornography?

Have you access to money for personal needs, contact with friends and family, unsupervised access to the telephone?

Have you been wrongly blamed for any pregnancy complications? DOCUMENT THAT ENQUIRY HAS BEEN MADE

This needs to be coded so that if the abusing partner looks at the chart, this information is not obvious for example:

Mark the antenatal visit sheet.

 V^0 indicates that the woman has been asked and denies violence in the home.

 V^1 indicates that the woman has been asked and admits violence in the home.

 V^2 indicates that there is domestic violence and there has been action taken by the hospital staff

No mark means that the woman has not yet been asked so if the opportunity arises, enquiry regarding violence in the home should be made.

If the woman needs to explain the V mark, she can be advised to say that this was a question regarding vomiting in early pregnancy. Please note that if it appears difficult to interview the woman alone, do not persist but ask diverting questions, for example, on abnormal smears. Inform a senior clinic staff member or medical social worker if possible.

IF WOMAN ADMITS VIOLENCE IN THE HOME

Arrange an urgent review by the Medical Social Worker. If this is refused, ensure that the doctor who sees the woman is aware of the issues with view to charting recent injuries, the prioritisation of the safety of the woman and her children and giving her information regarding support services in a discreet fashion.

CONFIDENTIALITY IS NOT APPROPRIATE IF THERE IS AN IMMEDIATE RISK TO THE SAFETY OF THE WOMAN OR HER CHILDREN.

In individual cases where a woman is unable to communicate in English, it may be necessary to arrange translation for both verbal and written communication and it is not appropriate to use an accompanying person as the translator.

5. Hospital Equipment and Facilities

Introduction of routine enquiry should be preceeded by consultation with local social services. Printed information associated with domestic violence should be on display in all areas of maternity hospitals. This should include information on how to access support from specialist agencies. Small format cards with telephone numbers should

be available. Large notices that inform women of support services (and helplines) should be posted for those women not in a position to pick up a leaflet. Information and cards in the Ladies toilets, for example, enable the woman to have safe access to this information.

6. Education and training

There should be a multidisciplinary educational programme for professionals including:

- Knowledge of violence and its presentations in obstetrics (and gynaecology)
- Communication skills to facilitate sensitive questioning about violence
- Training in adopting a non-judgemental and supportive response
- Ability to give basic information about where to get help
- Understanding of appropriateness of confidentiality

7. References and Bibliography

Access Economics (2004), The Cost of Domestic Violence to the Australian Economy: Part I and Part II, Partnerships Against Domestic Violence – an Australian Government Initiative, Commonwealth of Australia. Available at http://www.accesseconomics.com.au/publicationsreports/

Babcock, J.C., Green C.E. and Robie, C. Does batterers' treatment work? A metaanalytic review of domestic violence treatment'. Clinical Psychology Review 2004;23:1023-1053.

Babcock, J.C., Green, C.E. and Webb, S.A. Decoding deficits of different types of batterers during presentation of facial affect slides. Journal of Family, Violence 2008;23(5):295-302.

Barron, J. Five Years On: A Review of Legal Protection from Domestic Violence, Bristol. Women's Aid Federation England 2002.

Beach, S.R., Schulz, R. and Williamson, G.M. Risk Factors for potentially harmful informal caregiver behaviour. Journal of the American Geriatrics Society 2005;53:255-61.

Bennett L, Riger S, Schewe P, Howard A, Wasco S. Effectiveness of hotline, advocacy, counseling and shelter services for victims of domestic violence: A statewide evaluation. Journal of Interpersonal Violence 2004;19:815-829.

Binney V, Harkell G, Nixon J. Refuges and Housing for Battered Women. Private Violence and Public Policy, London 1985 Routledge and Kegan Paul.

Bouffard J.A. and Muftié L.R. An Examination of the Outcomes of Various Components of a Coordinated Community Response to Domestic Violence by Male Offenders. Journal of Family Violence 2007;22:353-366.

Brecklin, L. The role of perpetrator alcohol use in the injury outcomes of intimate assaults. Journal of Family Violence 2002;17:185-197.

British Medical Association Board of Science, Domestic Abuse: A report from the BMA Board of Science. BMA June 2007. Brookhoff D, O'Brien K.K, Cook C.S, Thompson T.D, Williams C. Characteristics of participants in domestic violence: Assessment at the scene of domestic assault. Journal of the American Medical Association 1997;277:1369-1373.

Brown T.G, Werk A, Caplan T, Shields N, Seraganian P. The incidence and characteristics of violent men in substance abuse treatment. Addictive Behaviors 1998;23:573-586.

Buckley H, Whelan S, Holt S. Listen to Me! Children's Experience of Domestic Violence, Dublin. Children's Research Centre, Trinity College Dublin 2006.

Campbell J.C. Health consequences of intimate partner violence. Lancet 2002 1331-1336. Coker A.L, Davis K. E, Desai S, Sanderson M, Brandt H, SmithP. Physical and mental health effects of intimate partner violence for men and women. American Journal of Preventative Medicine 2002;23:260-268.

Coleman K, Jansson K, Kaiza P, Reed E. (2007), Homicides, Firearm Offences and Intimate Violence 2005/06 (Supplementary Volume 1 to Crime in England and Wales 2005/06), Home Office Statistical Bulletin 02/07, London: Home Office.

Daly M, Wilson M. Evolutionary social psychology and family homicide. Science 1998;242:519-524.

Daly M, Wilson M. Killing the competition. Human Nature 1990;1:83-109.

Housing Associations – Rehousing Women Leaving Domestic Violence. New Challenges and Good Practice, The Policy Press, UK 2003.

Davies L, Ford-Gilboe M, Hammerton J. Gender Inequality and Patterns of Abuse Post Leaving', Journal of Family Violence 2009;24(1):27-41.

Debbonaire T. Final Report for Cosc, Review of Perpetrators Programmes, Unpublished report 2009.

Dutton M.A, Green B.L, Kaltman S.I, Roesch D.M, Zeffiro T.A, Krause E.D. Intimate partner violence, PTSD and adverse health outcomes. Journal of Interpersonal Violence 2006;955-968.

Dutton D.G, Corvo K. Transforming a flawed policy: A call to revive psychology and science in domestic violence research and practice. Aggression and Violent Behavior 2006;11:457-483.

Dyer C.B, Pavlik V.N, Murphy K. P, Hyman D.J. The higher prevalence of depression and dementia in elder abuse or neglect. Journal of the American Geriatrics Society 2006;205-208.

Edwards S. Domestic Violence and Harassment: an assessment of the civil remedies and New Directions in Prosecution. J. Taylor Browne (ed) 2000, What Works in reducing domestic violence, London: Whiting and Birch.

Fantuzzo J.W, Lindquist C.U. The effects of observing conjugal violence on children: a review and analysis of research methodology. Journal of Family Violence 1989;4:77-94.

Feinerman, M. Substance abuse and men who batter. Violence Against Women 2000;9(5):558-575.

Felson R, Ackerman J, Gallagher C. Police Intervention and the repeat of Domestic Assault, Washington DC: US Department of Justice, 2002, National Institute of Justice.

Finney A. Domestic violence, sexual assault and stalking: findings from the 2004/05 British Crime Survey, Home Office Report 12/06, London: Home Office 2006.

Fischer B.S, Regan S. The Extent and Frequency of Abuse in the Lives of Older Women and Their Relationship with Health Outcomes. The Gerontologist 2006;46:200-209.

Masculinities, Violence & Defended Psychosocial Subjects. Theoretical Criminology 2000;4:429-50.

García-Moreno C, Jansen H.A, Watts C.H, Ellsberg M, Heise L. WHO Multi-Country Study on Women's Health and Domestic Violence against Women Study Team: initial results on prevalence, health outcomes and women's responses. Geneva: WHO 2005.

Golding J. Intimate Partner Violence as a Risk Fact for mental disorders: A metaanalysis. Journal of Family Violence 1999;4(2):99-132.

Golding J.M. Sexual assault history and women's reproductive and sexual health. Psychology of Women Quarterly 1996;20:101-121.

Gondolf E.W, White R.J. Batterer Program Participants Who Repeatedly Reassault: Psychopathic Tendencies and Other Disorders. Journal of Interpersonal Violence 2001;16:361-380.

Gracia E. Unreported cases of domestic violence against women: towards an epidemiology of social silence, tolerance, and inhibition. Journal of Epidemiology and Community Health, 58:536-537.

Greenfield L.A, Rand M.R, Craven D, Klaus P.A, Perkins C.A, Ringel C, Warchol G, Maston C, Fox J.A. Violence by intimates. US Department of Justice, Office of Justice Programs, Bureau of Justice Statistics 1998.

Hagemann-White C with assistance from J. Katenbrink and H. Rabe. Combating violence against women. Stocktaking study on the measures and actions taken in Council of Europe Member States. Strasbourg: Directorate General of Human Rights, Council of Europe 2006.

Hague G, Kelly L, Malos E, Mullender A, Debbonaire T. Children, Domestic Violence and Refuges: A study of Needs and Responses, Women's Aid Federation of England 1996.

Hamberger L.K, Hastings J.E. Recidivism following spouse abuse abatement counseling: Treatment program implications. Violence and Victims 1990; 5.

Harne L, Radford J. Tackling Domestic Violence: theories, policies and practice, New York: Open University Press 2008.

Hart B. Battered women and the criminal justice system: the impact of arrest on domestic violence. The American Behavioral Scientist 1993;36:634-638.

Hanson K, Gordon A, Harris A, Marques J, Murphy W, Quinsey V.L, Seto M. C First Report of the Collaborative Outcome Data Project on the Effectiveness of

Psychological Treatment for Sex Offenders. A Journal of Research and Treatment 2002;14:169-194.

Health Service Executive (2009) HSE Elder Abuse Service Developments 2008, Open Your Eyes, Feb 2009, available at http://www.hse.ie/eng/Publications/services/Older/

Heise L, Pitanguy J, Germaine A. Violence against Women: The Hidden Health Burden. World Bank Discussion Paper 225. Washington DC 1994.

Hoare J, Povey D. Violence and sexual crime. In Crime in England and Wales 2007/08: Findings from the British Crime Survey and police recorded crime (Kershaw, Nicholas and Walker eds), Home Office Statistical Bulletin, London: Home Office 2008.

Hogan F, O'Reilly M. Listening to children: Children's stories of domestic violence. The National Children's Strategy Research Series 2007.

Holt S, Buckley H, Whelan S. The Impact of Exposure to Domestic Violence on Children – A Review of the Literature. Child Abuse and Neglect 2008;32:797-810.

Horgan J, Mühlau P, McCormack P, Röder A. Attitudes to Domestic Abuse in Ireland: Report of a survey on perceptions and beliefs of domestic abuse among the general population of Ireland, Dublin Cosc 2009.

Jenkins P, Davidson B. P. Stopping Domestic Violence: How a community can prevent spousal abuse, New York: Kluwer 2001.

Jones A.S, Gondolf E.W. Time-Varying Risk Factors for Reassault among Batterer Program Participants. Journal of Family Violence 2001;16:345-359.

Kelleher P, Kelleher C, O'Connor M. Making the links: Towards an integrated strategy for the elimination of violence against women in intimate relationships with men, Dublin: Women's Aid 1995.

Kelly L, Dubois L. Combating Violence Against Women: minimum standards for support services, Strasbourg: Council of Europe 2008.

Kishor S, Johnson K. Profiling domestic violence: a multi-country study, Calverton, MD: ORC Macro 2004: 141.

Kitzman K.M, Gaylord N.K, Holt A.R, Kenny E.D. Child witnesses to domestic violence: a meta-analytic review. Journal of Consulting and Clinical Psychology 2003;71:339-352.

Kolbo J.R, Blakely E.H, Engleman D. Children who witness domestic violence: A review of empirical literature. Journal of Interpersonal Violence1996;11:281-293.

Krug E. Violence prevention: A global public health challenge. Presented to the Workshop on Violence Prevention in Low- and Middle-Income Countries: Finding a Place on the Global Agenda, Board on Global Health. Institute of Medicine, June 26-

27, Washington DC 2007. Krug E.G, Dahlberg J, Zwi M.A, Lozano R. World report on violence and health, Geneva: World Health Organisation 2002.

Lach M, Pillemer K, Elder Abuse. Lancet 2004;364:1263-1272.

Landenburger K. A process of entrapment in and recovery from an abusive relationship. Issues in Mental Health Nursing 1989;10:209-227.

Lathrop A. Pregnancy Resulting from Rape. Journal of Obstetric, Gynaecologic and Neonatal Nursing 1998;27(1):25-31.

Laurence L, Spalter-Roth R. Measuring the cost of domestic violence against women and the cost-effectiveness of interventions: An initial assessment and proposals for further research, Washington DC: Institute for Women's Policy Research 1996.

McDonnell E, Holohan M, Reilly MO, Warde L, Collins C, Geary M. Acceptability of routine enquiry regarding domestic violence in antenatal clinic. IMJ 2006 99;4:123-4.

McGee H, Garavan R, De Barra M, Byrne I, Conroy, R. The SAVI Report – Sexual Abuse and Violence in Ireland, Dublin: Liffey Press 2002.

McGrath R. J, Cumming G, Livingston J.A, Hoke S. E. Outcome of a treatment program for adult sex offenders: From prison to community. Journal of Interpersonal Violence 2003;18:3-17.

Miller T.R, Cohen M.A, Wiersema B. Victims, Costs and Consequences: A New Look – National Institute of Justice Research Report, Landover, Maryland: National Institute of Justice, US Department of Justice, Office of Justice Programs 1996.

Moffitt T. E, Caspi A. Annotation: implications of violence between intimate partners for child psychologists and psychiatrists. Journal of Child Psychology and Psychiatry 1998;39:137-144.

O'Donnell S, Fitzpatrick M, McKenna P. Abuse in Pregnancy – the experience of women. IMJ 2000 93;8:229-32.

O'Keeffe M, Hills A, Doyle M, McCreadie C, Scholes S, Constantine, R, Tinker A, Manthorpe J, Biggs S, Erens B. UK Study of Abuse and Neglect of Older People: Prevalence Survey Report, Department of Health, June 2007.

O'Reilly R, Beale B, Gilles D. Screening and intervention for domestic violence during pregnancy care: a systematic review. Trauma Violence Abuse 2010;11:190-201.

Osofsky J.D. The impact of violence on children. The Future of Children 1999;9:33-49.

Pawson H. Perpetuating Polarised Neighbourhoods? Rehousing Outcomes in the Housing Association Sector. Paper to: Housing Studies Association Conference: Community, Neighbourhood, Responsibility, University of Bristol, September 2003. https://www.york.ac.uk/inst/chp/hsa/papers/autumn03/Pawson.pdf Pawson H. Repeat Homelessness in Scotland, Edinburgh: Scottish Homes 2001.

Pocock B. The work/life collision: what work is doing to Australians and what to do about it, NSW: Federation Press 2003.

Povey D, Coleman K, Kaiza P, Roe S. Homicides, Firearm Offences and Intimate Violence 2007/08, (D. Povey, ed), Home Office Statistical Bulletin, 02/09, London: Home Office 2009.

Richardson J, Coid J, Petruckevitch A, Chung W.S, Moorey S, Feder G. Identifying domestic violence: cross-sectional study in primary care. British Medical Journal 2002;324.

Riger S, Raja S, Camacho J. The radiating impact of intimate partner violence. Journal of Interpersonal Violence 2002;17:184-205.

Robinson A, Tregidga J. Domestic Violence MARACS (Multi- Agency Risk Assessment Conferences) for Very High-Risk Victims in Cardiff, Wales: Views from the Victims, Cardiff University 2005. www.caada.org.uk/research/WSU8.pdf

Roe S. Intimate Violence: 2007/08 British Crime Survey', in D. Povey (ed), Homicides, Firearm Offences and Intimate Violence 2007/08, Home Office Statistical Bulletin, London: Home Office 2009. Ryan S. Pregnant Women Assault Fears. Irish Medial Times, 37/50 2003.

Schafer J, Caetano R, Clark C.L. Rates of Intimate Partner Violence in the United States', American Journal of Public Health 1998;88:1702-1704.

Schafer J, Fals-Stewart W. Spousal violence and cognitive functioning among men recovering from multiple substance abuse. Addictive Behaviours 1997;22:127-130.

Shepard M. F, Pence E.L. Co-ordinating Community Responses to Domestic Violence: Lessons from Duluth and beyond, California: Sage 1999.

Scott K.L. Stage of Change as a Predictor of Attrition Among Men in a Batterer Treatment Programme. Journal of Family Violence 2004;19:37-47.

Stanko E, Crisp D, Hale C, Lucraft H. Counting the Costs: Estimating the Impact of Domestic Violence in the London Borough of Hackney. Crime Concern 1998.

Sullivan C.M, Campbell R, Angelique H, Eby K.K, Davidson W.S. An advocacy intervention program for women with abusive partners: Six month follow-up. American Journal of Community Psychology 1994;22:101-122.

Teaster P.B, Otto J.M, Dugar T.D, Mendiondo M.S, Abner E.L, Cecil K.A. The 2004 Survey of state Adult Protective Services: Abuse of adults 60 years of age and older. Report to the National Center on Elder Abuse, Administration on Aging, Washington, DC 2006. The Task Force on Violence Against Women Report of the Task Force on Violence Against Women, Dublin: The Stationery Office 1997. United Nations Secretary General's in-depth study on Violence against Women, A/61/122/Add 1 2006.

United Nations. Declaration on the elimination of violence against women. Proceedings of the 85th Plenary Meeting, December 20th, 1993. Geneva: United Nations General Assembly.

Walby S. The Cost of Domestic Violence, London, Women and Equality Unit, Department of Trade and Industry 2004. http://www.womenandequalityunit.gov.uk/research/cost_of_dv_Report_sept04.pdf

Watson D, Parsons, S. Domestic Abuse of Women and Men in Ireland: Report on the National Study of Domestic Abuse, NCC/ESRI, Dublin: The Stationery Office 2005.

Weisz A.N. Legal advocacy for domestic violence survivors: The power of an informative relationship. Families in Society 1999;80:138-147.

Wilson M, Johnson H, Daly M. Lethal and nonlethal violence against wives. Canadian Journal of Criminology 1995;37:331-361.

Women's Health Council.Translating Pain Into Action: A Studyof Gender-Based Violence and Minority Ethnic Women 2009. www.whc.ie/documents/40_MEW_Full_Report.pdf

World Health Organisation. WHO Multi-Country Study on Women's Health and Domestic Violence against Women. Initial results on prevalence, health outcomes and women's responses, Geneva 2005.

World Health Organisation. Multi-country survey study on health and responsiveness, Geneva 2000. Zukerman D, Friedman S. Measuring the Cost of Domestic Violence against Women: A Summary of the Findings of the Costs of Domestic Violence Project, The Institute for Women's Policy Research, Victim Services and the Domestic Violence Training Project 1998.

8. Implementation Strategy

- Distribution of guideline to all members of the Institute and to all maternity units.
- Implementation through HSE Obstetrics and Gynaecology programme local implementation boards.
- Distribution to other interested parties and professional bodies.

9. Key Performance Indicators

Enquiry regarding domestic violence is documented to have been part of every woman's antenatal care.

Evaluation of the numbers of women identified as experiencing violence as screening should lead to an increase in identification.

Improvement in outcomes for women who experience violence at home

10. Qualifying Statement

These guidelines have been prepared to promote and facilitate standardisation and consistency of practice, using a multidisciplinary approach. Clinical material offered in this guideline does not replace or remove clinical judgement or the professional care and duty necessary for each pregnant woman. Clinical care carried out in accordance with this guideline should be provided within the context of locally available resources and expertise.

This Guideline does not address all elements of standard practice and assumes that individual clinicians are responsible for:

- Discussing care with women in an environment that is appropriate and which enables respectful confidential discussion.
- Advising women of their choices and ensure informed consent is obtained.
- Meeting all legislative requirements and maintaining standards of professional conduct.
- Applying standard precautions and additional precautions, as necessary, when delivering care.
- Documenting all care in accordance with local and mandatory requirements.

Appendices

Appendix 1

Reports on Domestic Violence

An Garda Siochana Domestic Violence Policy

Please note: This is a Garda Document which is available on the website of An Garda Siochana www.garda.ie under publications and can be accessed through that website

An Garda Siochana Policy on the investigation of Sexual Crime, Crimes against Children, Child Welfare

Please note: This is a Garda Document which is available on the website of An Garda Siochana www.garda.ie under publications and can be accessed through that website

HSE Policy Document on Domestic, Sexual and Gender-based Violence

Probation Service Domestic Violence Practice Guidelines