



## **CDI Clinical Designs - Cover Sheet\***

Document Type	Clinical Management
Document Title	COPD Acute Management Bundle
Document Owner (e.g. NCP)	NCP Respiratory
NCAGL	Dr Sarah O' Brien
Approved by	Prof Breda Cushen Clinical Lead
Unique Identifier Number (UID)	
Version Number	Version 2
Publication Date	February 2025
Recommended Revision Date **	February 2028
Electronic Location	Respiratory - HSE.ie

<sup>\*</sup>National Clinical Guidelines must use NCR cover sheet if being uploaded onto NCR. Otherwise this cover sheet applies

<sup>\*\*</sup> Refer to <u>HSE National Framework for developing Policies</u>, <u>Procedures</u>, <u>Protocols and Guidelines</u> (<u>PPPGs</u>)

Version	Revision Date	List Section Numbers Changed	Author
2	24/02/25	No changes	Prof Breda Cushen

## **COPD Acute Management Bundle**

### Patient presents to ED/ AMU/MAU

# Patient assessed by EM/AMU/MAU Clinician and appropriate investigations ordered CXR ECG ABGs Blood Tests FBC, U+E, LFTS, CRP (if available)

Action		Time completed or reason for Variation	Signed
	Administration of O2 (FiO2 2L via nasal cannula or 28% via mask) Maintain Sao2 of >88% < 92%	On presentation	
	Check arterial blood gas and repeat if FiO2 increase is required or hypercapnia. If in respiratory failure with pH < 7.35 consider initiation of non-invasive ventilation/transfer to appropriate unit.	Within 30 minutes of presentation	
	Administer nebulised Beta 2 agonists and/or anticholinergics	Within 30 minutes of presentation	
	Oral prednisone 40 mg (30 mg if 60kg or less)	Within 2 hours of presentation	
	Review laboratory results	Within 2 hours of presentation	
	Review Chest x-ray	Within 2 hours of presentation	
	Administer antibiotics po amoxicillin <b>or</b> clarithromycin <b>or</b> doxycycline If new infiltrate treat as pneumonia	Within 4 hours of presentation	
	Consider COPD Outreach where available (complete inclusion/exclusion criteria)	Within 4 hours of presentation	
	Ted stockings or LMWH for prophylaxis (if admitted)	Within 8 hours of admission	
	Refer to Respiratory Team/Nurse  If patient is currently smoking or an ex-smoker < 3 months refer to Smoking Cessation service  If appropriate refer to AHP (Physio, OT, Dietetics, SW, etc)	Within 24 hours of admission	

#### **COPD Outreach Supported Early Discharge**

Certain patients will continue to be assessed for suitability for early discharge within <u>72</u> hours of presenting to the ED/AMAU by the COPD outreach team. Patients who fulfil the criteria, have a diagnosis of COPD and give their **CONSENT** will be recruited for early supported discharge.

## Please refer if patient fits inclusion criteria. Inclusion /Exclusion Criteria for COPD Outreach Referral

Inclusion	Exclusion
FEV 1 < 80% predicted	Suspected malignancy
FEV 1 / FVC < 70% predicted	Pneumothorax, Pneumonia
Abbreviated Mental Test Score >7	Uncontrolled LVF
Systolic B/P > 100 mmHg	Acute ECG changes
ABG's Ph > 7.35, PO2 > 7.3 kPa, PCO2 < 8 kPa (on room air)	Requires full time care
Total WCC 4 – 20 * 10/1	Insufficient home care
0 – 72 Hrs of presenting to hospital	Requires I.V. therapy
Contact details: xxxxx	Type I Diabetes
Or page xxx/xxx/xxx	

<sup>\*</sup>BTS Guidelines

