	Nursing Home Inspection Report		
	Health (Nursing Homes) Act, 1990 and the Nursing Homes (Care and Welfare) Regulations, 1993.		
Nursing Home	Holy Family Residence		
Number of Residents	65	=	
Registered for	66	spe	
Nursing Home Address	Roebuck Road Dublin 14	nspection Report	
Proprietor	Little Sisters of the Poor	epor	
Proprietor's Address (if different from above)			
Person-in-Charge of Nursing Home	Sr Bridget Donnelly		
Date and Time of Inspection(s)	05 th February 2009 9:00 hrs – 13:30 hrs		
Date report issued	16 th March 2009		
Summary of previous report findings	The previous inspection from 21/05/2008 showed the nursing home to have addressed all non compliance issues outlined in the report.	Findings	
	Current Inspection Summary Findings		
Compliance	Findings of latest (unannounced) inspection which took place on 05/02/2009		
Compliance status	The inspectors findings based on the <u>current nursing home inspectorate</u> <u>regulations</u> are as follows:		

Under Care & Staffing the nursing home was compliant with 24 out of 25 regulations. On the basis of this inspection and under current nursing home regulations, there are issues that need to be addressed as outlined below in relation to the Care and Staffing. Under Management the nursing home was compliant with 23 out of 23 regulations. On the basis of this inspection and under current nursing home regulations, the Nursing Home was found to have a good standard in relation to Management. Under Physical Environment the nursing home was compliant with 9 out of 11 regulations. On the basis of this inspection and under current nursing home regulations, there are issues that need to be addressed as outlined below in relation to the Physical Environment. Based on the most recent nursing home inspection the nursing home is non-compliant under one or more regulations. For more details see below. Regulation number 12: The registered proprietor and the person in charge of the nursing home shall a take precautions against the risk of accidents to any dependants in the nursing home and in the grounds of the nursing home. Non-Compliance 1. Cleaning cupboard unlocked on second floor 1. Cleaning products on sink drainer in sluice room which has a swing door access 1. Lock cupboard 1. Immediately		Nursing Home Inspection Report				
Summary Findings of Current Nursing Home Inspection Under Management the nursing home was compliant with 23 out of 23 regulations. On the basis of this inspection and under current nursing home regulation to the Care and Staffing. Under Management the nursing home was compliant with 23 out of 23 regulations. On the basis of this inspection and under current nursing home regulations, the Nursing Home was found to have a good standard in relation to Management. Under Physical Environment the nursing home was compliant with 9 out of 11 regulations. On the basis of this inspection and under current nursing home regulations, there are issues that need to be addressed as outlined below in relation to the Physical Environment. Based on the most recent nursing home inspection the nursing home is non-compliant under one or more regulations. For more details see below. Regulation number 12: The registered proprietor and the person in charge of the nursing home shall a. take precautions against the risk of accidents to any dependants in the nursing home. Non-Compliance (This section should be deleted if no non-compliances have) Non-Compliance Required Action Required Action Lock cupboard unlocked on second floor Required Action Lock cupboard Required Action Lock cupboard Required Action R		Health (Nursing Homes) Act, 1990 and the Nursing Homes (Care and Welfare) Regulations, 1993.				
Findings of Current Nursing Home Inspection Provided Home Inspection In		25 regulations. On the basis of this inspection and under current nursing home regulations, there are issues that need to be addressed as outlined below in relation to				
On the basis of this inspection and under current nursing home regulations, there are issues that need to be addressed as outlined below in relation to the Physical Environment. Based on the most recent nursing home inspection the nursing home is non-compliant under one or more regulations. For more details see below. Regulation number 12: The registered proprietor and the person in charge of the nursing home shall a. take precautions against the risk of accidents to any dependants in the nursing home and in the grounds of the nursing home. Non-Compliance (This section should be deleted if no non-compliances have) Non-Compliance 2. Cleaning products on sink drainer in sluice room which has a swing door access 1. Lock cupboard 2. Remove and lock up chemical products Immediately	of Current Nursing	regulations. On the basis of this inspection and under current nursing home regulations, the Nursing Home was found to have a good standard in relation to				
there are issues that need to be addressed as outlined below in relation to the Physical Environment. Based on the most recent nursing home inspection the nursing home is non-compliant under one or more regulations. For more details see below. Regulation number 12: The registered proprietor and the person in charge of the nursing home shall a. take precautions against the risk of accidents to any dependants in the nursing home and in the grounds of the nursing home. Non-Compliance (This section should be deleted if no non-compliances have						
nursing home is non-compliant under one or more regulations. For more details see below. Regulation number 12: The registered proprietor and the person in charge of the nursing home shall a. take precautions against the risk of accidents to any dependants in the nursing home and in the grounds of the nursing home. Non-Compliance (This section should be deleted if no non-compliances have) Non-Compliance (This section should be deleted if no non-compliances have Required Action (2. Remove and lock up chemical products)		there are issues that need to be addressed as outlined below in relation to				
regulations. For more details see below. Regulation number 12: The registered proprietor and the person in charge of the nursing home shall a. take precautions against the risk of accidents to any dependants in the nursing home and in the grounds of the nursing home. Non-Compliance (This section should be deleted if no non-compliances have) Required Action 1. Cleaning products on sink drainer in sluice room which has a swing door access 1. Lock cupboard 1. Cleaning cupboard 1. Cleaning products on sink drainer in sluice room which has a swing door access 1. Lock cupboard 2. Remove and lock up chemical products 1. Immediately 1. Immediately 1.		•				
Regulation number 12: The registered proprietor and the person in charge of the nursing home shall a. take precautions against the risk of accidents to any dependants in the nursing home and in the grounds of the nursing home. Non-Compliance (This section should be deleted if no non-compliances have Required Action 12: The registered proprietor and the person in charge of the nursing home shall a. take precautions against the risk of accidents to any dependants in the nursing home and in the grounds of the nursing home. 1. Cleaning products on sink drainer in sluice room which has a swing door access 1. Lock cupboard 2. Remove and lock up chemical products Immediately						
of the nursing home shall a. take precautions against the risk of accidents to any dependants in the nursing home and in the grounds of the nursing home. Non-Compliance (This section should be deleted if no non-compliances have Of the nursing home shall a. take precautions against the risk of accidents to any dependants in the nursing home and in the grounds of the nursing home shall a. take precautions against the risk of accidents to any dependants in the nursing home shall a. take precautions against the risk of accidents to any dependants in the nursing home shall a. take precautions against the risk of accidents to any dependants in the nursing home shall a. take precautions against the risk of accidents to any dependants in the nursing home shall a. take precautions against the risk of accidents to any dependants in the nursing home. Cleaning cupboard unlocked on second floor 2. Cleaning products on sink drainer in sluice room which has a swing door access 1. Lock cupboard 2. Remove and lock up chemical products Immediately		regulations. For more details see below.				
Non-Compliance (This section should be deleted if no non-compliances have Non-Compliance (This section should be deleted if no non-compliances have Non-Compliance 1. Cleaning cupboard unlocked on second floor 2. Cleaning products on sink drainer in sluice room which has a swing door access 1. Lock cupboard 2. Remove and lock up chemical products Immediately		of the nursing home shall a. take precautions against the risk of accidents to any dependants in the nursing home and in the				
should be deleted if no non- compliances have 2. Remove and lock up chemical products Immediately	<u>-</u>	Non-Compliance 1. Cleaning cupboard unlocked on second floor 2. Cleaning products on sink drainer in sluice room which has a swing door access				
compliances have Immediately	(Inis section	Required Action 1. Lock cuppoard				
	should be deleted if					
	should be deleted if no non- compliances have	2. Remove and lock up chemical products				
	should be deleted if no non- compliances have	2. Remove and lock up chemical products				

	Nursing Ho	me Inspection Report
H	Health (Nursing Homes) Act	, 1990 and the Nursing Homes (Care and Welfare) Regulations, 1993.
	Regulation number	14. The registered proprietor and the person in charge of the nursing home shall:— (a) ensure that the nursing home and its curtilage is maintained in a proper state of repair and in a clean and hygienic condition;
	Non-Compliance Required Action Timescale	Corridor / sitting room area adjacent to Nurses station on first floor has pervasive odour of urine Steam clean carpets and upholstery Immediately
	Regulation number	14: The registered proprietor and the person in charge of the nursing home shall (b) make adequate arrangements for the prevention of infection, infestation, toxic conditions, or spread of infection and infestation at the nursing home:
	Non-Compliance	 Individual residents wash hand basins stored on floor in residents ensuite No precaution evident for the prevention of infection or spread of infection made possible by the provision of wall mounted antiseptic hand gels at appropriate locations for use by staff and visitors
	Required Action	 Place and store wash hand basin in cupboard provided for that purpose in each residents ensuite room Supply and fit wall mounted antiseptic gels on a. All floors (in landing space) b. Entrance hall c. Staff entrance/exit at rear of building
	Timescale	Immediately
	Regulation number	29. The registered proprietor and the person in charge of the nursing home shall:—(a) make adequate arrangements for the recording, safekeeping, administering and disposal of drugs and medicines;
	Non-Compliance Required Action	For those residents who are self medicating, there is no indication of this on the residents monthly medicine administration record completed by pharmacy Pharmacy to indicate on Monthly medicine
	Timescale	administration record that resident is self medicating Immediately

All regulations, their reference numbers and the details of those regulations can be viewed in Nursing Homes (Care and Welfare) Regulations, 1993.

	Nursing Home Inspection Report			
	Health (Nursing Homes) Act, 1990 and the Nursing Homes (Care and Welfare) Regulations, 1993.			
	Comments and Recommendations			
Comments and recommendations made by the inspection team as a result of the inspection		Recommendations		
This report has been completed/issued by	Mr. David Walsh, Local Health Manager, Dublin South East	Author		