	Nursing Home Inspection Report	
	Health (Nursing Homes) Act, 1990 and the Nursing Homes (Care and Welfare) Regulations, 1993.	
Nursing Home	St Oliver's Nursing Home	
Number of Residents	25	
Registered for	28	nspe
Nursing Home Address	St Mary's Centre for the Blind and Visually Impaired Merrion Road Dublin 4	Inspection Report
Proprietor	Sisters of Charity	port
Proprietor's Address (if different from above)		
Person-in-Charge of Nursing Home	Orla Aver	
Date and Time of Inspection(s)	26/06/2008 10:30 a.m. – 1 p.m. Revisited 11/07/08 @ 11 a.m.	
Date report issued	15 th July 2008	
Summary of previous report findings	Following the previous inspection from 15/01/2008, the nursing home has not addressed non-compliance under the following regulations.	Findings
	Current Inspection Summary Findings	
	Findings of latest (unannounced) inspection which took place on 26/6/2008 and 11/07/08	
Compliance status	The inspectors findings based on the <u>current nursing home inspectorate</u> regulations are as follows:	

	Nursing Home Inspection Report				
	Health (Nursing Homes) Act	, 1990 and the Nursing Homes (Care and Welfare) Regulations, 1993.			
	Under Care & Staffing the nursing home was compliant with 25 out of 25 regulations. On the basis of this inspection and under current nursing home regulations, the inspection team would consider that the nursing home provides a good standard of Care and Staffing for residents.				
Summary Findings of Current Nursing Home Inspection	Under Management the nursing home was compliant with 23 out of 23 regulations. On the basis of this inspection and under current nursing home regulations the inspection team would consider the nursing home to have a good standard of management.				
	 Under Physical Environment the nursing home was compliant with 9 out of 11 regulations. On the basis of this inspection and under current nursing home regulations, there are issues that need to be addressed as outlined below in relation to the Physical Environment. 				
	Based on the most recent nursing home inspection the				
	nursing home is non-compliant under one or more				
	regulations. For more details see below.				
	Regulation number	 12. The registered proprietor and the person in charge of the nursing home shall:— (a) take precautions against the risk of accidents to any dependent person in the nursing home and in the grounds of the nursing home; 			
Non-Compliance (This section	Non-Compliance Required Action	Disinfectant left unattended in ensuite bathroom in Room 6 Ensure that all potentially harmful agents are kept in a			
should be deleted if	Timescale	locked cupboard Immediately			
no non- compliances have been recorded)	Regulation number	 14. The registered proprietor and the person in charge of the nursing home shall:— (a) ensure that the nursing home and its curtilage is maintained in a proper state of repair and in a clean and hygienic condition; (b) make adequate arrangements for the prevention of infection, infestation, toxic conditions, or spread of infection and 			

Nursing Ho	me Inspection Report
Health (Nursing Homes) Act	, 1990 and the Nursing Homes (Care and Welfare) Regulations, 1993.
	infestation at the nursing home;
Non-Compliance	 Spanco mattress left uncovered in hall. Cleaning could be improved a. WC's in ensuite (R2,R4) dirty b. False teeth left on WHB in ensuite R1 c. Jugs left in ensuite x 2 d. R4. Bed table badly damaged. R5 Bed table dirty e. R6. Ensuite shower seat dirty
	3. Kitchenette
	<i>a.</i> Dirty floor <i>b.</i> Skirting boards under dishwasher dirty <i>c.</i> Cupboard chipped <i>d.</i> Milk dispenser and fridge dirty
	4. Serving Room
	 <i>a.</i> Artificial flower in top of cupboard, dusty <i>b.</i> Cover over vent missing <i>c.</i> Cupboard handle missing <i>d.</i> Water dispenser and fridge dirty
	5. Commode stored in hairdressing room
Required Action	 Remove mattress from floor Ensure that the cleaning is improved a. Remove false teeth from ensuite R1 b. Store jugs for emptying catheter bags in sluice room c. Replace damaged bed table R4. Clean bed table R5 d. Clean shower seat R6
	Clean or replace damaged or dirty equipment in kitchenette.
	 4. Serving Room a. Remove artificial flowers b. Replace vent cover c. Replace cupboard handle d. Clean water dispenser and fridge
	5. Store commodes in sluice room or in another designated area.
Timescale	As soon as possible

Nursing Home Inspection Report			
	Health (Nursing Homes) Act, 1990 and the Nursing Homes (Care and Welfare) Regulations, 1993.		
All regulations, their reference numbers and the details of those regulations can be viewed in Nursing Homes (Care and Welfare) Regulations, 1993.			
Comments and Recommendations			
Comments and recommendations made by the inspection team as a result of the inspection	 Fluid balance to be put in place for ill residents. Wound care charts to be put in place for residents requiring wound care Revisited 11th July 2008. All non compliance issues in the report have been addressed. 	Recommendations	
This report has been completed/issued by	Mr. David Walsh, Local Health Manager, Dublin South East	Author	