

	Nursing Home Inspection Report
	Health (Nursing Homes) Act, 1990 and the Nursing Homes (Care and Welfare) Regulations, 1993.
Nursing Home	Carrig Tur Nursing Home
Number of Residents	48
Registered for	53
Nursing Home Address	Templeshannon, Enniscorthy, Co. Wexford
Proprietor	Ms Bernie Purcell
Proprietor's Address (if different from above)	
Person-in-Charge of Nursing Home	Ms Eileen Tallon
Date and Time of Inspection(s)	18/05/2009 at 10.32 hours
Date report issued	22/05/2009
Summary of previous report findings	Following the previous inspection from 7 th November 2008, the nursing home has addressed all non-compliance issues outlined in the report.
	Current Inspection Summary Findings
Compliance status	<p>Findings of latest (unannounced) inspection which took place on 18/05/2009</p> <p>The inspectors findings based on the current nursing home inspectorate regulations are as follows:</p>

Inspection Report

Findings

Nursing Home Inspection Report

Health (Nursing Homes) Act, 1990 and the Nursing Homes (Care and Welfare) Regulations, 1993.

Summary Findings of Current Nursing Home Inspection

- Under Care & Staffing the nursing home was compliant with 21 out of 21 regulations.**
 On the basis of this inspection and under current nursing home regulations, the inspection team would consider that the nursing home provides a good standard of Care and Staffing for residents.
- Under Management the nursing home was compliant with 27 out of 27 regulations.**
 On the basis of this inspection and under current nursing home regulations, the inspection team would consider the nursing home to have a good standard of management.
- Under Physical Environment the nursing home was compliant with 8 out of 11 regulations.**
 On the basis of this inspection and under current nursing home regulations, there are issues that need to be addressed as outlined below in relation to the Physical Environment.

Non-Compliance (This section should be deleted if no non-compliances have been recorded)

Based on the most recent nursing home inspection the nursing home is non-compliant under one or more regulations. For more details see below.

Regulation number	11.2(i)
Non-Compliance	In room 17 the bathroom stair light was not working
Required Action	Repair or replace
Timescale	Immediate
Regulation number	12(a)
Non-Compliance	In the assisted bathroom on the first floor, the windows were not restricted from opening so as to prevent a person to from making an unsupervised exit or entry to the premises.
Required Action	Restrict window openings.
Timescale	Immediate
Regulation number	12(a)

Compliance/Non Compliance

Nursing Home Inspection Report

Health (Nursing Homes) Act, 1990 and the Nursing Homes (Care and Welfare) Regulations, 1993.

Non-Compliance	A box of disposable gloves was left on the first floor corridor handrail.
Required Action	Remove to a secure place.
Timescale	Immediate

Regulation number	12(a)
Non-Compliance	In room 20 the wardrobe was not secured to the wall
Required Action	Secure the wardrobe to the wall
Timescale	Immediate

Regulation number	12(a)
Non-Compliance	In room 17 there were extensive loose electrical cables running under beds to television sets.
Required Action	Provide a safe solution.
Timescale	Immediate

Regulation number	14(a)
Non-Compliance	In room 17 the bathroom window handles were defective and broken.
Required Action	Repair/replace.
Timescale	Immediate

Regulation number	14(a)
Non-Compliance	In the assisted bathroom on the first floor, the metal mobile table was rusted/dirty
Required Action	Repair/replace
Timescale	Immediate

Regulation number	14(b)
Non-Compliance	In assisted bathroom on the first floor, a heated styling brush was left with hairs on it.
Required Action	Store this item in the owner's room. Use it only on that person.
Timescale	Immediate

	Nursing Home Inspection Report
--	---------------------------------------

Health (Nursing Homes) Act, 1990 and the Nursing Homes (Care and Welfare) Regulations, 1993.

	Regulation number	14(b)
	Non-Compliance	Plastic disposable gloves were stored under the heated styling brush
	Required Action	Store securely and safe from contamination.
	Timescale	Immediate
	Regulation number	14(b)
	Non-Compliance	In rooms 22 and 10 there were dirty mouldy denture containers.
	Required Action	Replace with clean containers.
	Timescale	Immediate

All regulations, their reference numbers and the details of those regulations can be viewed in [Nursing Homes \(Care and Welfare\) Regulations, 1993](#).

	Comments and Recommendations
--	-------------------------------------

Comments and recommendations made by the inspection team as a result of the inspection	
--	--

Recommendations

This report has been issued by:	<p><u>Pauline Bryan</u></p> <p><u>Local Health Manager</u></p>
---------------------------------	--

Author