

	<b>Nursing Home Inspection Report</b>
	Health (Nursing Homes) Act, 1990 and the Nursing Homes (Care and Welfare) Regulations, 1993.
<b>Nursing Home</b>	Cherryfield Nursing Home
<b>Number of Residents</b>	13
<b>Registered for</b>	17
<b>Nursing Home Address</b>	Ballygarrett, Co. Wexford
<b>Proprietor</b>	Mr Larry Doyle
<b>Proprietor's Address (if different from above)</b>	
<b>Person-in-Charge of Nursing Home</b>	Ms Catherine Murphy
<b>Date and Time of Inspection(s)</b>	10/11/2008 at 10:30am and 13/11/2008 at 11:45am
<b>Date report issued</b>	18 <sup>th</sup> November 2008
<b>Summary of previous report findings</b>	Following the previous inspection from 15/05/2008 the nursing home has not addressed non-compliance under the following regulations.  12(a), 11.2(i), 14(a)
	<b>Current Inspection Summary Findings</b>
<b>Compliance status</b>	<b>Findings of latest (unannounced) inspection which took place on 10/11/2008</b>  The inspectors findings based on the <a href="#">current nursing home inspectorate regulations</a> are as follows:

Inspection Report

Findings

# Nursing Home Inspection Report

Health (Nursing Homes) Act, 1990 and the Nursing Homes (Care and Welfare) Regulations, 1993.

## Summary Findings of Current Nursing Home Inspection

- Under Care & Staffing the nursing home was compliant with 20 out of 21 regulations.**  
On the basis of this inspection and under current nursing home regulations, there are issues that need to be addressed as outlined below in relation to the Care and Staffing.
- Under Management the nursing home was compliant with 27 out of 27 regulations.**  
On the basis of this inspection and under current nursing home regulations, the inspection team would consider the nursing home to have a good standard of management.
- Under Physical Environment the nursing home was compliant with 6 out of 11 regulations.**  
On the basis of this inspection and under current nursing home regulations, there are issues that need to be addressed as outlined below in relation to the Physical Environment.

## Non-Compliance (This section should be deleted if no non-compliances have been recorded)

**Based on the most recent nursing home inspection the nursing home is non-compliant under one or more regulations. For more details see below.**

Regulation number	11.2(e)
Non-Compliance	The office was not suitable or adequate: The dining room was used to store a filing cabinet, a fax machine, a printer, files and stationary.
Required Action	Remove such materials and equipment from the dining room and provide suitable and adequate office facilities.
Timescale	Immediate
Regulation number	11.2(i)
Non-Compliance	The over bed light in Room 12/12 (a) did not function.
Required Action	Repair the light
Timescale	Immediate
Regulation number	12(a)
Non-Compliance	Windows were not restricted.

# Nursing Home Inspection Report

Health (Nursing Homes) Act, 1990 and the Nursing Homes (Care and Welfare) Regulations, 1993.

Required Action	Restrict windows to a safe distance.
Timescale	Immediate
Regulation number	12(a)
Non-Compliance	In room 12 a wardrobe was not secured to the wall.
Required Action	Secure the wardrobe.
Timescale	Immediate.
Regulation number	14(a)
Non-Compliance	In room 12/12 (a) clothes were stored in a box.
Required Action	Store appropriately
Timescale	Immediate
Regulation number	19.1(h)
Non-Compliance	No record of a restraint being used in Room 5.
Required Action	Required action – record any occasion on which physical or chemical restraint is used.
Timescale	Immediate
Regulation number	27(b)
Non-Compliance	There was no evidence that adequate arrangements were made to secure by means of fire drills and practices that the staff of the nursing home knew the procedure to be followed in the event of fire.
Required Action	Carry out the necessary procedures.
Timescale	Immediate
Regulation number	28(a)
Non-Compliance	A typed statement on file from Mr Doyle stated that a fire drill took place on 10/5/08. It did not state who took part, what was the scope or who conducted the drill.
Required Action	Record the names of those taking part and the scope of the drill.
Timescale	Immediate
Regulation number	28(b)
Non-Compliance	Apart from a record from February 2006 there was not

	<b>Nursing Home Inspection Report</b>
--	---------------------------------------

Health (Nursing Homes) Act, 1990 and the Nursing Homes (Care and Welfare) Regulations, 1993.

	<p>kept in a safe place in the nursing home, records of all fire alarm tests carried out with the results of such tests and any action taken.</p> <p><b>Required Action</b>      Keep in a safe place in the nursing home records of all fire alarm tests carried out with the results of such tests and any action taken.</p> <p><b>Timescale</b>                      Immediate</p>
--	---

All regulations, their reference numbers and the details of those regulations can be viewed in [Nursing Homes \(Care and Welfare\) Regulations, 1993](#).

	<b>Comments and Recommendations</b>
--	-------------------------------------

<p>Comments and recommendations made by the inspection team as a result of the inspection</p>	
---	--

Recommendations

<p>This report has been issued by:</p>	<p><u>Ms. Pauline Bryan</u></p> <p><u>Local Health Manager</u></p>
--	--

Author