

	<b>Nursing Home Inspection Report</b>
	Health (Nursing Homes) Act, 1990 and the Nursing Homes (Care and Welfare) Regulations, 1993.
<b>Nursing Home</b>	Atlanta House
<b>Number of Residents</b>	37
<b>Registered for</b>	43
<b>Nursing Home Address</b>	Sidmonton Road Bray Co. Wicklow
<b>Proprietor</b>	Mr. Thomas Cahill
<b>Proprietor's Address (if different from above)</b>	
<b>Person-in-Charge of Nursing Home</b>	Mr. Thomas Cahill
<b>Date and Time of Inspection(s)</b>	14/01/09 11.12 - 16.32 hrs
<b>Date report issued</b>	
<b>Summary of previous report findings</b>	The previous inspection from 03/06/08 showed the nursing home to be substantially compliant with current nursing home inspectorate regulations at the time of inspection.
	<b>Current Inspection Summary Findings</b>
<b>Compliance status</b>	<b>Findings of latest (unannounced) inspection which took place on 14/01/09 11.12 - 16.32 hrs</b>  The inspectors findings based on the <a href="#">current nursing home inspectorate regulations</a> are as follows:

Inspection Report

Findings

	<b>Nursing Home Inspection Report</b>
--	---------------------------------------

Health (Nursing Homes) Act, 1990 and the Nursing Homes (Care and Welfare) Regulations, 1993.

<b>Summary Findings of Current Nursing Home Inspection</b>	<ul style="list-style-type: none"> <li>• <b>Under Care &amp; Staffing the nursing home was compliant with 25 out of 25 regulations.</b> On the basis of this inspection and under current nursing home regulations, the inspection team would consider that the nursing home provides a good standard of Care and Staffing for residents.</li> </ul>
	<ul style="list-style-type: none"> <li>• <b>Under Management the nursing home was compliant with 23 out of 23 regulations.</b> On the basis of this inspection and under current nursing home regulations, the inspection team would consider the nursing home to have a good standard of management.</li> </ul>
	<ul style="list-style-type: none"> <li>• <b>Under Physical Environment the nursing home was compliant with 10 out of 11 regulations.</b> On the basis of this inspection and under current nursing home regulations, there are issues that need to be addressed as outlined below in relation to the Physical Environment.</li> </ul>

Compliance/Non Compliance

<b>Non-Compliance (This section should be deleted if no non-compliances have been recorded)</b>	<b>Based on the most recent nursing home inspection the nursing home is non-compliant under one or more regulations. For more details see below.</b>	
	Regulation number	11.2 In every nursing home there shall be provided suitable and sufficient accommodation which meets the minimum standards as follows:— (j) emergency call facilities are provided at each bed
	Non-Compliance Required Action	Call bells not working in rooms 11, 27 & 5 toilet Repair call bells
	Timescale	Immediate

All regulations, their reference numbers and the details of those regulations can be viewed in [Nursing Homes \(Care and Welfare\) Regulations, 1993](#).

	<b>Comments and Recommendations</b>
--	-------------------------------------

	<b>Nursing Home Inspection Report</b>	
	Health (Nursing Homes) Act, 1990 and the Nursing Homes (Care and Welfare) Regulations, 1993.	
Comments and recommendations made by the inspection team as a result of the inspection	<p><b>We would have concerns with regard to staffing levels and duty rosters.</b></p> <p><b>Spot check inspections will be carried out.</b></p>	<b>Recommendations</b>
This report has been completed/issued by	Ms. Marion Meany, A/Local Health Manager, Wicklow	<b>Author</b>