

# **Procedure for Cleaning Shower Head Protocol**

## **Procedure No. 111**

	Print Name	Title	Date
Prepared by	J.Mc. Namara	T.S.O.	2 <sup>nd</sup> Feb 08
Reviewed by	Joe Hoare	Estates	2 <sup>nd</sup> Feb 08
Corporate Authorisation	J.Mc Namara	T.S.O.	2 <sup>nd</sup> Feb 08

Date: 13<sup>th</sup> Feb 2008 No. 111 Rev: 0 Page 2 of 3

#### **HSE ESTATES WEST**

## LIMERICK, CLARE AND NORTH TIPPERARY.

#### PROCEDURES AND PROTOCOL FOR CLEANING SHOWERHEADS

### 1.0 Purpose

This procedure outlines the process for cleaning showerheads quarterly or as necessary.

#### 2.0 Persons Affected

All employees involved in the maintenance of showerheads.

#### 3.0 Policy

The objective of this policy are:

- · to provide clear guidance on the process of cleaning showerheads
- . to ensure the cleaning procedure reflects best practice in all aspects.

## Procedures/Protocols

Staff Excluded from Cleaning Showerheads

The following staff should be excluded from cleaning the showerheads

- Staff suffering from chronic immunosuppressive illness consult the microbiologist for advice.
- · Staff members receiving steroid treatment
- · Staff who have received an organ transplant

Date: 13<sup>th</sup> Feb 2008 No. 111 Rev: 0 Page 3 of 3

#### PROTOCOL FOR CLEANING SHOWERHEADS

- Remove all showerheads in one area at a time and replace with clean showerheads. While carrying out this procedure try to ensure that no aerosols are created.
- · Collect all used showerheads and bring to designated area
- · Collect all used showerheads and bring to designated area
- Dismantle showerheads and soak in hot water and detergent e.g. calgonite for a minimum of one hour.
- Wear personal protective clothing i.e. aprons, gloves and a fluid shield surgical mask.
- Brush showerheads under the water to dislodge any dirt, slime or scale
- Rinse with clean water and soak in disinfectant for one hour e.g. Actichlor, 1,000 ppm available chlorine (for dilution of Actichlor refer to table)
- This procedure should be performed quarterly or as necessary

#### **ACTICHLOR DILUTION**

	Tablet 1.7g	Dilution	Concentration of available chlorine
Disinfection	Actichlor 1.7g	One table in 1 litre of water	1.000 ppm av Chlorine

- · Rinse with clean water and dry
- Store in a clean dry area for reuse
- If there are any queries, please contact the Maintenance Manager, the Infection Control Team or General Manager.

J.G. MacNamara Estate Manager

13/02/2008